

**A COMPARATIVE ANALYSIS OF THE NATURAL HISTORY OF SELECTED
REMEDIES FROM THE ANACARDIACEAE PLANT FAMILY WITH THEIR
RESPECTIVE HOMOEOPATHIC SYMPTOMATOLOGY.**

Magic Msawenkosi Mbatha

Dissertation submitted in partial compliance with the requirements for the Master's Degree
in Technology: Homoeopathy in the Faculty of Health Sciences at the Durban University of
Technology.

I, Magic Msawenkosi, do hereby declare that this dissertation represents my own work in
both concept and execution.

Signature of student

Magic Msawenkosi Mbatha

Date of signature

Approved for final submission

Signature of supervisor

Dr Madhu Maharaj M. Tech: Hom. (T.N)

Date of signature

Signature of Co - Supervisor

Dr Ben Wulfsohn M. Tech: Hom. (DUT)

Date of Signature

DEDICATIONS

This dissertation is dedicated to my late parents, Lawu Mbatha and Vieira Mbatha. Although the time we spent together was very brief, thank you for making me, me. Words cannot begin to describe how thankful I am for everything, ngwabonga Bo Ndabezitha.

I also dedicate this dissertation to my loving brother, Mlungisi Mbatha. Thank you for the many sacrifices you have made for your little brother. Thank you for always putting me first.

ACKNOWLEDGEMENTS

I thank my supervisors, Dr. Madhu Maharaj and Dr. Ben Wulfsohn. It has been both an honour and a privilege working with such dedicated and knowledgeable individuals. Thank you for the endless support and motivation.

Thank you to the late Dr. Euvette Taylor for being the voice of reason in my life, especially in my darkest hours. Thank you for making a difference

Thank you to honourable Siphamandla Mbatha for always coming through for me, no matter how big an obstacle I was confronted with. Ngithi ngiyabonga Mthiya.

Last but not least, I would like to thank myself for not giving up on me. I thank me for always believing in me, trusting in me, taking care of me, and picking me up when life had me down.

ABSTRACT

The ever expanding homoeopathic Materia Medica poses multiple difficulties for the physician whose aim is to prescribe a single and specific remedy. The homoeopathic discipline has also been under immense pressure in the past few decades from scientific practitioners to display “scientific plausibility”. Comparative analytical studies are an approach that can create a platform that can be utilized to address these challenges. Comparative analytical studies collect and compare existing data from various sources with the aim of formulating an improved opinion regarding a subject.

Aim of the Study

The aim of this study was to develop the learning, understanding, and teaching of the Anacardiaceae plant family of remedies by exploring and comparing the family’s natural history, respective homoeopathic symptomatology, and identifying concepts and ideas to facilitate the development of the “scientific plausibility” of homoeopathic medicine. The study focused on both similarities and differences that exist between the family’s natural history and homoeopathic symptomatology, ultimately extracting common features of both aspects and developing a new and better understanding of the Anacardiaceae plant family of remedies.

Methodology

The researcher established the Anacardiaceae plant family, by definition, and determined its various members. Using Macrepertory (2017), the list of members was then refined to include only those members utilized homoeopathically. This list included 19 remedies.

The list of 19 remedies was further refined to include only those remedies that have been clinically verified. Remedies, featuring in less than 2000 rubrics, were considered to be less significant for the purpose of this study, and thus excluded. A total of five (5) remedies featured in more than 2000 rubrics.

Various literature sources were consulted to retrieve information on the natural history of these five (5) remedies required for the purpose of this study. These remedies met the data-sufficiency standard determined by the researcher, and thus formed the subset group for this study.

Using Macrepertory (2017), a computer repertory extraction was performed for the individual members of the subset group. The parameters were set to include only the general and mental symptoms as the study focused only on those symptoms. Various literature sources were consulted to acquire information on the natural history of the different members of the subset group. Keywords and concepts from the natural history of the individual members of the subset group were then identified and extracted. These were then tabulated for ease of reference. The components for the criteria of comparison for the natural history included physical properties, habitat and distribution, historical significance, associated mythology, uses, active principal, physiological action, and toxicology. The *Oxford Paperback Thesaurus* (2012) and Thesaurus.com (2019) were consulted to identify keywords and synonyms related to the homoeopathic general and mental symptoms of the various members of the subset group. This information was also tabulated to facilitate the grouping of similar themes. The commonalities pertaining to the natural history of individual remedies and their respective homoeopathic general and mental symptoms were tabulated and discussed. On conclusion of individual remedy analysis and correlation, a collective analysis of the entire subset group was conducted.

Results

The themes found to be common in all the members of the subset group, when collating and contrasting the Anacardiaceae plant family's natural history and homoeopathic general and mental symptoms, were pain, inflammation, swelling, redness, coldness, burning, irritable, eruptions, and weakness. These themes were further compared to those obtained by Sankaran (2002), Scholten (2013), and Yakir (2017) in their respective studies.

Conclusion

The results obtained from this study indicate that the aims and objectives, as set out by the researcher, were achieved. The researcher also believes that the outcome of this study is an accurate reflection of the relationship between the natural history and homoeopathic general and mental symptoms of the Anacardiaceae plant family of remedies employed homoeopathically.

TABLE OF CONTENTS

<u>CHAPTER</u>	<u>PAGE</u>
Dedications	iii
Acknowledgements.....	iv
ABSTRACT	v
Table of contents	vii
List of figures.....	xi
List of Tables	xi
 CHAPTER 1: INTRODUCTION	
 1.1 – Historical overview.....	1
1.2 – Rationale for comparative analysis of Anacardiaceae family.....	1
 CHAPTER 2: LITERATURE REVIEW	
 2.1 – Introduction	6
2.2 – Understanding remedies.....	7
2.2.1– understanding remedies.....	8
2.2.2 – Law of infinitesimal dose	8

2.2.3 – Memory of water	9
2.3 – Cycle of scientific progress and the concept of paradigms	10
2.4 – Concept of disease	11
2.4.1 – Concept of holism	12
2.4.2 – Homoeopathic provings	12
2.5 – Grouping in Homoeopathy	12
2.5.1 – Grouping in recent times	13
2.5.2 – Scholten’s group analysis method	14
2.5.3 – Sankaran’s group analysis method	15
2.5.4 – Mangialavori’s group analysis method	16
2.5.5 – Yakir’s group analysis method	17
2.6 – Homoeopathic repertory software	18
2.7 – Theory of miasms	18
2.8 – Doctrine of signatures	23
2.9 – Sankaran’s vital sensation and Kingdoms	24
2.10 – Anacardiaceae plant family	26
2.10.1 – Flowers	26
2.10.2 – Leaves	27
2.10.3 – Fruits	27
2.10.4 – Seeds	29
2.10.5 – Phytochemicals and toxicity	29
2.10.6 – Medical Uses	30
2.10.7 – Distribution	31

2.10.8 – Anacardiaceae plant family in Homoeopathy	32
--	----

CHAPTER 3: METHODOLOGY

3.1 – Sample Selection	36
3.2 – Data analysis	39
3.3 – Conclusion	41

CHAPTER 4: RESULTS

4.1 – Anacardiaceae plant family	42
4.2 – Data analysis Tables	44
4.3 – Analysis of Keywords	61
4.4 – Extraction and analysis of keywords	69
4.5 – keyword and synonym analysis of general and mental symptoms of the subset group of remedies	69
4.6 – Hypothesis 1: Commonalities exist between the homoeopathic general and mental symptoms of the individual remedies of the Anacardiaceae plant family and their respective natural history	70
4.6.1 – Rhus Toxicodendron	71
4.6.2 – Anacardium Orientale	77
4.6.3 – Mangifera Indica	82
4.6.4 – Comocladia Dentata	84
4.6.5 – Rhus Venenata	87

4.7 – Commonalities between the general and mental symptoms of the Anacardiaceae family and its natural history collectively	89
4.7.1 – Commonalities in keywords existing in the Anacardiaceae family	89
4.8 – Conclusion	92

CHAPTER 5: RESULTS AND DISCUSSIONS

5.1 – Relationship between individual Anacardiaceae remedies and its related natural history.	95
5.1.1 – Rhus Toxicodendron	95
5.1.2 – Anacardium Orientale.....	97
5.1.3 – Mangifera Indica	100
5.1.4 – Comocladia Dentata.....	103
5.1.5 – Rhus Venenata	105
5.2– Hypotheis 2: Commonalities exist between the general and mental symptoms of the Anacardiaceae family and its natural history collectively	108
5.2.1 – Commonalities in keywords existing in the Anacardiaceae family collectively.....	109
5.2.2 – Commonalities exist in the themes and sensations exhibited by the Anacardiaceae plant family extracted from this study and those of Sanakaran (2002), Scholten (2013), and Yakir (2017).....	110
5.3 – Conclusion	110

CHAPTER 6: CONCLUSION AND RECOOMENDATIONS

6.1 – Challenges in methodology application	112
---	-----

6.2 – Recommendations for further studies.....	113
--	-----

REFERENCES.....	114
-----------------	-----

APPENDIX –	126
------------------	-----

Appendix A –	126
--------------------	-----

Appendix B –	261
--------------------	-----

Appendix C –	345
--------------------	-----

Appendix D –	398
--------------------	-----

Appendix E –	418
--------------------	-----

LIST OF FIGURES

Figure 1 – Diagrammatic representation of Sankaran’s extended miasmatic model	19
---	----

Figure 2 – Typical flower of the Anacardiaceae family: Pink peppercorn tree (<i>Schinus Terebinthifolia</i>) with distinctive intrasstaminal nectariferous disc and apotropous ovule	27
---	----

Figure 3 – Typical fruit of the Anacardiaceae family: <i>Mangifera Indica</i> cross-section of fruit and pit	28
--	----

Figure 4 – Typical endocarp of the Anacardiaceae: (<i>Pistacia Vera</i>), splitting of endocarp and exposure of seed and coat.....	29
--	----

Figure 5 – Chemical structure of urushiol found in resin canals	30
---	----

Figure 6 – Global distribution of the Anacardiaceae and Bureraceae.....	31
---	----

Figure 7 – Typical patterns of the Anacardiaceae family	32
---	----

LIST OF TABLES

Table 1 – Anacardiaceae remedies applied homoeopathically as per software program Macrepertory (2017).....	42
Table 2 – Remedies forming subset group as per total rubrics	43
Table 3 – Data analysis table 1.....	44
Table 4 – Data analysis table 2.....	52
Table 5 – Data analysis table 3.....	60
Table 6 – Remedies from the subset group with extracted keywords from the ddata analysis tables as well as related synonyms.....	61
Table 7 – Keyword and synonym analysis from the general, mental, and subrubrics of the subset group	69
Table 8 –Keywords and synonyms of general and mental rubrics of Rhus Toxicodendron relatable to its natural history	76
Table 9 – Keywords and synonyms of the general and mental rubrics of Anacardium Orientale relatable to its natural history	81
Table 10 – Keywords and synonyms of the general and mental rubrics of Mangifera Indica relatable to its natural history	84
Table 11 – Keywords and synonyms of the general and mental rubrics of Comocladia Dentata relatable to its natural history	86
Table 12 – Keywords and synonyms of the general and mental rubrics of Rhus Venenata relatable to its natural history	89
Table 13 – Themes exhibited by the Anacardiaceae plant family as per Sankaran, Scholten, and Yakir, and its relationship with those from this study	90
Table 14 – Themes and Sensations exhibited by the Anacardiaceae plant family of remedies according to Sanakaran (2002), Scholten (2013), and Yakir (2017).....	90

CHAPTER 1: INTRODUCTION

1.1 Historical overview

Homeopathy is a system of medicine that was developed by the German physician Dr Samuel Hahnemann in the late 18th century after actively applying ‘the law of similars’ i.e. ‘*similia similibus curentur*’ (Kumar, 2006:1). *Similia similibus curentur* is an axiom expressing that any substance capable of producing morbid symptoms in a healthy individual can relieve the very same symptoms when they occur as an expression of disease (Hahnemann, 1996: 48). To interrogate his claim with ‘the law of similars’, Hahnemann tested medicinal substances on himself. These tests became known as homoeopathic “provings”. Thus a proving is the process of systemically administering medicinal substances to a healthy individual in order to observe and learn the signs and symptoms induced by the substance upon the individual (O’Reilly, 1996: 144) as cited by (Chibba, 2013). Since then over 3000 homoeopathic remedies have been proven, resulting in a massive accumulation of homoeopathic data represented in the homoeopathic materia medica (Vogel, 2006: 2: 10).

1.2 Rationale for the comparative analysis of the Anacardiaceae family

As homoeopathy continues to expand as a healing system, it requires methods and techniques which simplify studying, understanding, and applying homoeopathic remedies in practice.

About two centuries ago, when homoeopathy was still at its developmental phase with only a few proven remedies, physicians were able to memorise remedies and prescribe them with ease (Wulfsohn, 2010). The modern Materia Medica contains thousands of remedies and continues to expand (Weston, 2010). The abundance of remedies poses difficulties for the physician whose aim is to prescribe a single and specific remedy. The modern homoeopath is thus confronted with the challenge of memorizing multiple remedies that share multiple similar attributes, and distinguishing between these to prescribe the one remedy that best suits the patient’s needs.

This study focused on learning, understanding, and teaching of the Anacardiaceae plant family of remedies by exploring and comparing the family's natural history, respective homoeopathic symptomatology, and identifying concepts and ideas to facilitate the scientific development of homoeopathic medicine. The study also focused on both the similarities and differences that exist between the family's natural history and homoeopathic symptomatology, ultimately extracting the common features of both aspects and developing a new and better understanding of the Anacardiaceae plant family of remedies as a whole.

The Anacardiaceae plant family is underutilized homoeopathically. The family consists of over 700 plant species, of which only about twenty are presented in the homoeopathic *Materia Medica*, and only a fraction of those twenty is applied efficiently in practice. Remedies that are applied the most in practice are termed “polychrest” remedies. ‘Polychrests’ can be defined as remedies in which the majority of symptoms correspond to the most common diseases and thus can be used to treat multiple diseases (hpathy.com, 2010). *Rhus Toxicodendron*, *Anacardium Orientale*, and *Mangifera Indica*, belonging to the Anacardiaceae family, are the most applied remedies in practice, and thus can be referred to as “polychrests” (actual term means: ‘poly’ many, ‘chrest’ use). In cases of disease, most practitioners will consider a ‘polychrest’ remedy over any other “smaller” remedy of the same nature. This may be due to a lack of understanding of the plant families of remedies, a general lack of understanding of homoeopathy as whole, and the lack of rubric representation in the repertory. The methods homoeopaths use to study and comprehend remedies determine how they apply these in practice. Therefore, it is important that studies are conducted to develop the teaching, understanding, and application of homoeopathic remedies.

In the past few decades, Homeopathy has been under serious pressure from the scientific world to demonstrate scientific plausibility. In the many attempts of developing homoeopathy as scientific discipline, pioneering authors of homoeopathy, such as Scholten (1993), Sankaran (2008), Mangialavori (2010) and Yakir (2017) have developed the group analysis method.

The Group Analysis method is homoeopathy's first major paradigm shift since its discovery in the late 1800s. Group analysis is a method that seeks to classify homoeopathic remedies into

family groups, linking naturally related substances according to their symptoms (Vogel, 2007). Each author has had a different approach to the Group Analysis method. Each approach however is deemed homoeopathic in nature and presents some form of scientific knowledge and incorporation. Group Analysis is an important construct in the development of homoeopathy as a science. However, like any other new concept, the group analysis approach should never be viewed as being impeccable but rather as an attempted progressive endeavour which can present certain flaws. One of the flaws of the Group Analysis approach for instance is the chemical similarities of plants that do not belong to the same family group. The introduction of any new concept will always bear the potential of creating confusion and division, thus also bringing about ridicule. Therefore the Group Analysis approach should never supersede traditional principles i.e. clinical trials should always be conducted in order to establish the curative powers of the medicinal substance.

The data collected from this study may contribute to the learning, teaching and understanding of the Anacardiaceae plant family of remedies. The approach of this study can be adopted and applied to study other plant families. This study will also evaluate the authenticity of homoeopathy's scientific approach to the group analysis design. Ultimately, the study hopes to improve the application of homoeopathic remedies.

Research Problem and Aims

The homoeopathic Materia Medica is continuously expanding. These volumes of data are very closely related. This poses a challenge for the homoeopathic physician whose intent is to prescribe a single remedy i.e. the 'similimum'. As a result, physicians only prescribe remedies that are well represented in the Repertory and Materia Medica. This means that a large portion of remedies go unnoticed and thus remain underutilized.

The rate at which the Materia Medica and Repertory is being updated cannot parallel the rapid rate at which homoeopathic 'provings' are being conducted. Thus, methods like the Group Analysis method that seek to improve studying, teaching and understanding the homoeopathic Materia Medica are important. The significance of identifying key features, characteristics, and grouping remedies according to such is an important initiative in

simplifying the learning, teaching and understanding of homeopathic remedies. These methods also allow homoeopaths to predict the behaviour of unknown substances based on the analysis of entire family groups. The introduction of Group Analysis has however sparked major debates in the homoeopathic world (Winston 2004:36) and is somewhat opposed, especially by those homoeopaths who remain dogmatic to the 'Hahnemannian' and 'Kentian' approach i.e. the repertorial analysis of symptoms.

Modern homoeopathy uses multiple approaches and no longer follows a single school of thought. Homoeopaths around the world apply 'selective dogmatism' to the original design, thus the interpretation and utilization of information has become somewhat distorted.

Homoeopathy is constantly under pressure from the scientific community to produce scientific evidence that support its governing theories. It is thus important for homoeopathic practitioners to engage in scientifically based studies.

Research aim:

To explore the natural history of the selected Homoeopathic remedies belonging to the Anacardiaceae plant family and compare this information to existing Homoeopathic literature.

Research questions:

1. Is there a relationship that exists between the natural history of the selected homoeopathic remedies, belonging to the Anacardiaceae plant family, and their respective mental and general homoeopathic symptomatology according to literature?
2. Are there any common themes, traits, and sensations in the homoeopathic Anacardiaceae plant family of remedies?

Hypotheses:

1. Commonalities exist between the general and mental symptoms of individual remedies of the Anacardiaceae family and their respective natural history.
2. Commonalities exist between the general and mental symptoms of the Anacardiaceae family and its natural history collectively.

Assumption:

All the rubrics that represent the various remedies have been validated and clinically verified.

Objectives:

1. Determine the natural history of the Anacardiaceae plant family remedies in terms of the botanical classifications, toxicology, and the doctrine of signatures.
2. Select well-represented homoeopathic remedies of the Anacardiaceae plant family and tabulate their respective symptomatology in order to derive homoeopathic themes.
3. Determine homoeopathic themes of the Anacardiaceae plant family remedies and compare with the themes that emerge from the documentation of the natural history of the Anacardiaceae plant family remedies.
4. Compare the themes and sensations that emerge with existing themes and sensations of the Anacardiaceae plant family remedies.

CHAPTER 2: LITERATURE REVIEW

2.1 Introduction

The desire to create order out of chaos, classify and order the vast panoply of nature is perhaps a fundamental human characteristic (Wulfsohn 2010). Therefore, it is no surprise that, when we revisit the works of the founding fathers of plant medicine such as the likes of Dioscoride, Galen, Hippocrates, Locke and Paracelsus, this desire to create order and classify is also evident.

The homoeopathic Materia Medica and Repertory contain thousands of remedies with closely related information, and remedies are continuously being added under each rubric. A Materia Medica is a book that contains lists of medicinal substances used homoeopathically along with detailed indications for their application. The Repertory is a homoeopathic reference book containing extensive lists of symptoms and homoeopathic medicines i.e. remedies that have been subjected to clinical trials (provings) and found to be very helpful in addressing those symptoms. Often, no single remedy emerges at the end of the repertorization process (Sankaran 2004). A systemic homeopathic approach is thus required to assist practitioners filter archives of closely related information and thus be able to better learn, understand, teach, and prescribe remedies in practice. Hahnemann (1996:48), as cited by Weston (2010), initiated the classification and order of remedies by differentiating them according to three miasms, namely, Psora, Sycosis, and Syphilis (Vithoulkas 1980). In the last two decades, this notion of classification has been explored and further developed by pioneering authors such as Sankaran (2008), Scholten (1993), Mangialavori (2010) and Yakir (2017) who have devised systemic methods of arranging remedies according to their central themes, kingdoms, and states of mind (Phahamane 2010).

Plant medicine is perhaps the oldest form of medicine known to man. Prior to 1800s, before the age of the modern scientific paradigm, plant medicine was the unquestioned foundation for all standard textbooks on pharmacology. One of the first known European medicinal literature, *De Materia Medica*, written by Greek physician Pedanios Dioscoride in the first

century A.D, is a testament to such claims (Schulz, Hänsel and Tyler 2001). Prehistoric artefacts from ancient civilisations of Babylonia, Egypt, China, and India have some reference to plant medicine (Long 2011). Consequently, it is this pre-historic foundation that has enabled many modern authors to develop and investigate medicinal plants in terms of their medicinal uses, history, origin, mythology, toxicology and pharmacology (Long 2011).

The Anacardiaceae botanical family is a very important botanical family in both Homoeopathic and traditional medicine. Globally, the family is economically significant. The Anacardiaceae botanical family has about 870 species of evergreen trees, shrubs, and woody vines which are all native to tropic and sub-tropic regions of the world. Many of these species have been used and continue to be used in folk medicine around the world (Pell *et al* 2009).

2.2 Understanding Homoeopathy

‘The practice of homoeopathy is not an easy one. Perhaps the one factor that makes it difficult is that Homoeopathy is probably one of very few, if not only, scientific disciplines which has a method of identification that begins with specifics, rather than starting from the broad and going to the narrow’ (Sankaran 2002).

Homoeopathy, in the modern construct, falls under the category of alternative or complementary medicine. Developed by the German physician, Dr Samuel Hahnemann (1755-1843) as cited by (Lockie 2000: 14), homoeopathy is based on the fundamental laws of nature i.e. law of similars, law of individualisation, and law of infinitesimal dose (Lockie 2000). The law of ‘similars’ can be understood as follows: a substance which is capable of causing disease symptoms in its crude state, can cure those similar symptoms it causes if the substance is administered homoeopathically (Harkhu 2011). These basic laws of homoeopathy have remained unchanged since their definition by Dr. Hahnemann in the 1800s (Phahamane 2015). This principle that homoeopathic medicine identifies itself with is also ingrained in its name i.e. ‘Homoeo’ meaning similar and ‘pathos’ meaning suffering (Phahamane 2015).

“By similar things a disease is produced and through the application of the like it is cured” Hippocrates (460-377 BC) as cited by (hpathy.com 2010). To explain the law of

individualisation, Dr. Hahnemann in his essay entitled '*Spirit of Homoeopathic Doctrine of Medicine*', wrote that man is a biological whole and no single entity of his can manifest or represent the entire being. Every aspect of the patient is considered with this approach, commonly referred to as the 'holistic approach'. The outcome of this approach is tailored, individualized medicine specifically suited for that individual's needs. In practice, each patient will receive a different medicinal substance, sometimes even for the exact same disease and severity.

2.2.1 Understanding remedies

'Remedy' is a term used by homoeopaths to describe a homoeopathic medicinal substance. There are more than 8200 of these remedies in existence, of which 5800 of these have been subjected to clinical provings (admin 2017). These are derived from plants, minerals, metals, acids, alkalis, imponderables (e.g. Luna), animal venoms and healthy (Sarcodes e.g muscle tissue, colon) or diseased (nosodes) human or animal (e.g Ambra grisea) tissue (Roy 1994). Preparing these remedies involves a process known as potentization whereby the crude medicinal substance is taken through a series of dilutions and shaken (more like vortex) in a particular manner (succussion). This process produces infinitesimal doses more akin to nanomedicine, a gentler yet more effective version of the medicinal substance (Vithoulkas 1980).

2.2.2 Law of Infinitesimal dose

The law of infinitesimal dose is perhaps the main aspect that sets Homoeopathy apart from other forms of medicine, but is also undoubtedly the main target for scepticism. Homoeopaths employ ultra-diluted substances that are reduced beyond Avogadro's constant ($NA\ 6.02214086 \times 10^{-23}$ mol), a number which the existing scientific paradigm stipulates is the ultimate measure for constituent matter of any substance. The rationale behind infinitesimal dose is that the administered medicinal substance is only intended to stimulate the body and initiate the self-perpetuating healing process, rather than creating a drug response that will halt once the drug is discontinued. Thus, the administered homoeopathic remedy is very much diluted, and often only administered as a single dose (Roy 1994). However, if the single

administered dose produces a slow amelioration, then the remedy may be repeated at suitable intervals to speed up recovery, as per guidelines of the 4th edition of the Organon ([Homoeopathic Online Education, David Little] Dose and Potency According to The Organon, 2020).

2.2.3 Memory of water

Davenas *et al* (1988: 816-818), French immunologists, published an article in the scientific journal 'Nature' where they described the action of ultra-high dilutions of anti-IgE antibody on the degeneration of human basophils. During this experimentation on high dilutions, using water as a solvent, they observed how ultra-high dilutions contained no molecule of the original antibody, yet still exhibited characteristics thereof. Davenas *et al* (1988: 816-818) concluded that water was biologically active and that it possessed the ability to 'remember' previous contact with other biologically active chemicals, thus confirming one of the most contentious aspects of homoeopathy, '*the memory of water*' (Schiff 1995). Davenas *et al* (1988: 816-818) further asserted that this 'water memory' could be digitized, transmitted, and reinserted into other water samples causing these water samples to exhibit the same active qualities as the original sample.

A similar concept emerged in the early 2000s. Montagnier *et al* (2014:106-112), a group of mostly French virologists, introduced the DNA transduction theorem. Having experimented with viruses and bacteria, they discovered that some of these bacterial and viral DNA sequences caused electromagnetic signals to be emitted at high dilutions when dissolved in water. Montagnier *et al* (2014:106-112) further asserted that these electromagnetic waves could be recorded from solutions of DNA and be encoded in target sequences. Simply put, the information in a DNA strand could be transmitted by water via electromagnetic emissions, thus concurring with the observations of Davenas *et al* (1988: 816-818).

In both the above instances, the researchers make claims that are very challenging, both from a scientific and a sociological standpoint. Scientifically, the researchers describe observations that do not fit into the current scientific paradigm, thus prompting for the re-evaluation of the current scientific framework. Sociologically, the scientific framework shapes and moulds a community of individuals that share the notions. The ideas presented by both authors have

been refuted by all scientific discussions, thus indicating signs of censorship from the scientific world (Schiff 1995).

Currently, there is no accepted theory, scientifically, which can explain how these ultra-high homeopathic dilutions work. The scientific world seems to exercise very strict policies regarding premature and controversial data, especially if it advocates a shift in paradigm. The scientific industry, as big as it is today, has not come up with any decent alternative explanation to the above- mentioned observations of Montagnier *et al* (2014: 106-112) and Davenas *et al* (1988: 816-818), thus calling for serious scrutiny of the current admitted scientific paradigm.

2.3 Cycle of scientific progress and the concept of paradigms

Scientific progress is revolutionary, unsteady and cumulative (Kuhn 1962). Kuhn (1962: 1-7) points out the following stages of the general pattern of scientific change: “*pre-science*” i.e. the period of disorganized and unstructured activity characterised by total disagreement and constant debate over fundamentals; “*normal science*” i.e. the period of structured activity directed by a single paradigm that is accepted by the vast majority of the science community; “*crisis*” i.e. the period of multiple anomalies sufficient to put the current paradigm under scrutiny; “*anomaly*” i.e. an enigma that cannot be explained using the current paradigm; “*revolution*” i.e. the period where the enigma is resolved by the scientific community and the old paradigm is abandoned to make way for the new paradigm. After the revolutionary phase, a new “*normal science*” is born once again.

Science was originally based on explaining rationally and logically naturally occurring phenomena, thus giving birth to paradigms. The word “paradigm” has no specific definition but typically has the following components: theoretical assumptions and explicitly stated laws; standard ways of applying these laws in various situations; general metaphysical and methodological principles that dictate operations within the paradigm; and criteria of acceptability for scientific explanations. Paradigm shifts require multiple convincing arguments in order to occur, rather than just one good one (Kuhn 1962). Kuhn (1962:1-7) also states that the arguments that scientists engage in when debating paradigms operate mainly

on persuasion rather than on logic or rationality, and that the decision of accepting a new paradigm is often a matter of faith. The scientific community has a great tendency of claiming monopoly on rational thinking, and almost always very reluctant to change paradigms (Schiff 1992). This is because any change in the conception of what science is, associated with the birth of a new paradigm, will mean that the current scientist ceases to be a scientist (Kuhn 1962). Thus, the development of science is greatly hindered by paradigm-bias i.e. the error in diagnostic thinking in which individuals only see those patterns of data that support their preconceptions.

Homeopaths, globally, must strive adamantly and relentlessly in their assertion of scientific constructs that favour homoeopathic medicine, which will require the reproduction of multiple quality evidence-based studies to support the claims made by the profession (Rutten and Machanda 2016).

2.4 Concept of disease

Homoeopathy embraces the concept of only one disease, the disturbance of the vital force. The vital force, which is an energy that animates all living creatures, acts to perpetuate and correct any imbalance in the harmonious function of the human being. The human being as an organism consists of the body, mind and soul, functioning as a whole. No one part of the whole functions in isolation. A healthy organism thus will maintain its health and act promptly to repair itself in case of injury. Any action to repair the organism entails the incorporation of the whole i.e. concept of holism (Roy 1994:2-12).

2.4.1 Concept of holism

In the concept of holism, the organism produces symptoms as it attempts to correct itself, thus marking the initiation of the healing process. To the homoeopath, these symptoms are landmarks as to how well the healing process is proceeding i.e. Herring's law.

According to Herring's law of cure (Roy 1994:4-5), if healing is taking place:

- Symptoms should move out of vital organs and into less vital organs.
- Healing should start from the head down.
- Symptoms should disappear in reverse order of their appearance.

2.4.2 Homoeopathic provings

For a medicinal substance to be applied homoeopathically, it needs to be subjected to trials known to homoeopaths as 'provings'. A proving is a process where healthy individuals are given a homoeopathic substance until they produce symptoms, and these are the exact symptoms that the homoeopathic substance will be able to cure in cases of disease (Roy 1994:2-10). These produced symptoms are generally temporary and vary from individual to individual, though the overall data of symptoms may display a pattern unique to the administered substance. The administered medicinal substance (remedy) thus must be capable of enhancing the pattern of symptoms the organism has already produced as it attempts to re-establish cure. The administered substance is generally not disclosed, and provers are not allowed to discuss the symptoms they experience amongst themselves.

2.5 Grouping in homoeopathy

Even in the developmental phases of homoeopathy, when the number of proved remedies seemed to exceed what an individual could possibly memorise, the need and desire to classify and categorise remedies became apparent. Hahnemann initiated the classification cascade by identifying three (3) distinct miasms which could be distinguished by their particular physical, mental and general characteristics (Kumar 2006: 64, as cited by Harkhu (2001). Hahnemann then went on and grouped the 84 remedies he had proven at the time according to these different Miasms (Wulfsohn, 2010).

The prehistoric development of the doctrine of signatures was another valuable endeavour to systemically group information. Pre-dating even homoeopathy itself, the doctrine of signatures advocates the existence of a morphological relationship and affinity between the drug substance and the disease or organ in question (Wulfsohn 2010). The Chinese were the first group of people to recognise and apply this form of reasoning. The Chinese were able to recognise the relationship that exists between certain plants and organs, based on the plants shape, colour and texture (Summer 2000).

The longest serving and most useful method of systemisation in homoeopathy, however, came with the development of the repertory by Boeninghausen and Jahr (Gaier 1991). This paved the way for other homoeopathic physicians and scholars, such as Kent and Boericke, to develop and publish their own repertories. Repertories have thus become widespread in the homoeopathic world. Repertories are available in various hardcopies, and more recently in computer software formats.

2.5.1 Grouping in recent times

The first modern application of Group Analysis began emerging in the 1990s. The notion and endless work of authors such as Scholten and Sankaran propelled the drive behind the development of this mechanism (Wulfsohn 2005). Scholten (1993: 23) defines Group Analysis as a method of looking at a group of remedies and extracting the commonalities from the group. The Group Analysis approach to case taking and prescribing is the first major paradigm shift ever since Homoeopathy was founded (Wulfsohn 2005).

One of the first homoeopaths to apply a method of collective analysis was Farrington (1992). Farrington achieved this by adopting the biological and chemical groups that already existed in nature. Having prior knowledge and understanding of drug families, Farrington used that knowledge and arranged remedies according to their natural kingdoms i.e. plant kingdom, mineral kingdom, and animal kingdom. Over the years, different homoeopathic physicians have refined and extended this idea of kingdom analysis and classification (Moskowitz 2002).

Prior to the development of Group Analysis, the most common method of studying the homeopathic Materia Medica was to look at remedies individually. However, prime movers of the Group Analysis method shifted the focus, with emphasis on group similarity extraction, and began analysing entire groups (Scholten 1993:23). Past homoeopathic authors and physicians such as the likes of Clarke (1985), Morrison (1988) and Vithoulkas (1992) explored and recorded constructs like Group Analysis, however, the term Group Analysis was only coined later by Scholten (1993).

The Group Analysis method has thus far proven to be a very powerful mechanism in the development of remedy pictures. By applying this method, both student and practitioner have been able to easily study and remember remedies. This approach to studying the Materia Medica has contributed to the development of a deeper understanding of all those remedies already known and will play a vital role in the development of new and relatively unknown remedy pictures (Scholten 1993).

2.5.2 Scholten's group analysis method

Scholten (1993) developed the Group Analysis method by looking at the periodic table and associated the position of the different elements and minerals of the periodic table to their homoeopathic functions.

Scholten (1993) began his probe into group analysis by studying chemically related elements of the periodic table. His focus during this time was directed at only the elements that were applied the most homoeopathically i.e. the 'Carbonicums' and the 'Muriaticums', including their respective salts. Subsequently he expanded to involve other elements. From these groups, he extracted common themes and characteristics that applied to entire groups. He believed that these extracted common themes and characteristics were a depiction of the individual group's overall picture and thus could be used to study unknown and less common remedies belonging to that particular group (Scholten 1996).

Scholten (2005) also introduced a new group of remedies from the periodic table called "lanthanides". The term lanthanide means hidden (Klein 2005: 10; Weston 2010:12-13). Many

of these lanthanide elements are very difficult to obtain in nature because they remain hidden in other substances (Klein 2005: 10). This observation serves as the first clue for the homoeopathic application of these elements.

Recently, Scholten (2013) has done extensive work on the plant kingdom, which is believed to be his best work yet. In his book '*Wonderful Plants*' (2013: 16), on what he refers to as a quest for the blue print of plant understanding, Scholten brings together science, physics, biology, homoeopathic cases, and the Materia Medica to form what he refers to as the plant theory system. This proposed plant theory system is comparable to Sankaran's sensation method and is a major step forward in establishing the scientific aspects of the Group Analysis theorem. Scholten's plant theory system also well documents phylum, class, sub-class, order, family, genus and species of each of the different plant remedies. These are then further correlated with the rows and series of his previous work on the periodic table.

The complexity of this theorem cannot be undermined. Scholten himself admits to the book being a work in progress but remains assertive of its validity. The plant theory has made prescriptions that were impossible in the past, to be possible (Scholten 2013).

2.5.3 Sankaran's group analysis method

In contrast to Scholten, Sankaran (2008) focused on the differentiation of remedies according to their respective natural kingdoms i.e. plant, mineral, animal, nosodes, sarcodes and imponderabilia (Sankaran 2005: 127). For every kingdom, Sankaran specified the observable distinguishing features. He then proceeded to create subdivisions within the different kingdoms, i.e. "family groups", and gathered that each family of remedies expressed certain themes that made them distinguishable from other families (Sankaran 2002: 20). From the different botanical families, Sankaran then drew differentiations by attributing a set of basic sensations and thematic expressions he believed set that particular family apart from other families (Sankaran 2002: 22). He further classified members of the different botanical families according to their respective miasmatic tendencies (Sankaran 2002:22).

Sankaran's (2002: 5) and Scholten's (1996) approach of group analysis is virtually parallel. The only contrast is the tools employed by both physicians to demonstrate their concepts. Scholten's concept of Group Analysis divides remedies into series and groups, whilst Sankaran's analysis establishes grouping according to Miasms and families. Scholten's (2013) latest work on Group Analysis however extends even further than the latter. The application of this grouping method has made it possible to extend the knowledge of drug pictures to fuller and more meaningful pictures (Sankaran 2002: 5).

Sankaran's and Scholtens's concepts are however subjective and have not been greatly received by all homoeopaths across the board. Vithoulkas (2008) expressed this when we referred to these new concepts as being the very basis for the destruction of the principles and practices of 'Hahnemanian homoeopathy'. Saine (2001) also condemned such concepts and referred to them as being no more than "speculative medicine".

2.5.4 Mangialavori's group analysis

Mangialavori's approach to group analysis is different to that of most homoeopathic physicians and scholars. Mangialavori proposes a valid argument in his approach. He dismisses the importance of "provings" as a necessary source for the homoeopathic Materia Medica and argues that the subjective nature of the extensive symptomatology list of information gathered from these provings, which he believes has influenced the application of isolated symptoms, is the basis of prescriptions (Moskowitz 2012:499-500). In order to overcome this, he proposes defining the characteristic and fundamental themes that best express the dynamic psychosomatic systems (Zwemke 2004: 34).

By studying and observing his patients over the years, Mangialavori began recognising patterns that led him to use and define themes that would enable the description of the patient's complex reality and the multiple expressions of the remedies of the Materia Medica. Mangialavori also observed similarities in substances that have no relation in nature and thus formulated the concept of "*homoeopathic families*".

Mangialavori's approach to Group Analysis is different from that of Scholten and Sankaran in the sense that his approach stems from clinical cases which intersects genus and kingdoms (Moskowitz 2012) as cited by (Chibba 2013:18-19). In his book titled, *Praxis* Volume 2, he demonstrates his concept of "homoeopathic families" in multiple case studies of drug family remedies i.e. Anhalonium Lewinii, Psilcybe Caerulescens, Agaricas Muscaries and Lycoperdon Bovista. Though belonging to different botanical groups and kingdoms, these share many similarities in terms of the themes they display (Weston 2010). Mangialavori's concept, as those of his counterparts Sankaran and Scholten, has loopholes due to data insufficiency which may cause great confusion amongst neophytic homoeopaths (Chibba 2013:19-19).

2.5.5 Yakir's group analysis method

'Plants as a family group display a clear evolutionary process. By observing this order found in the plant kingdom's developmental aspect confirms the existence of order in the universe' (Yakir 2017:3).

Yakir, a former botanist turned homoeopath, recently published the latest development of kingdom analysis in her book, *Wondrous Order* (2017), by applying her own personal knowledge of plant biology, ecology, psychology, and the kabala, and then presenting a philosophical esoteric concept. Yakir's work on the plant kingdom is comparable to Scholten's and Sankaran's schema on the same subject but goes in-depth by incorporating other aspects of the plant families. To date, plant families are well defined, but none of the existing literature encompasses an overall understanding of the kingdom, making Yakir's work on the subject highly exceptional as it presents such a global overview. Yakir's model, in a two-dimensional tabular structure, demonstrates the underlying association between plant remedies and their evolutionary developmental stages, and their relation to human health, developmental, and disease process.

Yakir's work is the most precise and sophisticated to date. It provides homoeopaths with an additional dimension to understanding plant remedies. It also compliments existing literature which can assist homoeopaths to effectively prescribe smaller and unknown remedies with more accuracy and confidence.

2.6 Homoeopathic Repertory Software

Through the advances of modern technology, electronic Homoeopathic repertory software have also emerged. Churchill Livingstone International Dictionary of Homoeopathy (2000), as quoted by Long (2011:9), defines the homoeopathic repertory as a systemic cross reference of symptoms and disorders of the homoeopathic medicines in whose therapeutic repertoire they occur. The affinity of the remedy to the symptom is indicated by the manner in which the remedy is printed in i.e. bold print indicating a strong affinity, and plain font indicating a less prominent affinity (Swayne, 2000:183).

These technological advances have enabled the homoeopath to access information from several repertories by a click of a button. They have also broadened the extent of remedy selection by facilitating the whole remedy selection process by filtering enormous amounts of literature and presenting only the most relevant (Kayne 2006: 197).

Over the past two decades, different computer software manufacturing companies have developed a variety of homoeopathic software programmes. These Homoeopathic software programs do however present a few challenges. They are very expensive and are not so easy to use. However, they save the user a lot of time (Archibel 2009).


2.7 Theory of Miasms

The term “miasm” which means taint or fault, was initially used by the Greek physician, Hippocrates, to describe all those cases of illness where the aetiology was unknown. Eventually, the German physician, Samuel Hahnemann, adopted the term and used it in his theory of the origins of chronic diseases (de Schepper 2001: 355). Hahnemann identified a distinct pattern in the manifestation of chronic diseases, or miasms. He observed that chronic diseases had three phases: a primary stage, latent stage, and a tertiary stage. He also observed how the effects of a particular chronic disease/miasm could plague the subsequent generation, thus giving birth to the widely shared concept that a “miasm”, by Hahnemann’s definition, is a hereditary predisposition to disease (de Schepper 2001:356).

Hahnemann divided miasms into three categories, based on their specific aetiology and affinity: *Psora* which arises from suppressed scabies and affects the skin, then penetrates the body to cause damage to internal organs; and the two venereal miasms, namely *Sycotic* which arises from suppressed gonorrhoea, and *syphilitic* which arises from a syphilis infection (Sankaran 1994: 19).

Sankaran (1997: 218) expanded on the miasmatic theory to include seven other miasms, termed the extended miasmatic theory, as illustrated in Figure 1:

Figure 1 A diagrammatic representation of Sankaran's extended miasmatic model (Sankaran 2000: 450).



Key:

Bold = main miasm

Italics = "in-between" miasm

Brackets = miasmatic action

The extended miasmatic concept demonstrates the relationship between miasms and their respective responses in continuum, starting from the acute state, through to the syphilitic state.

According to Sankaran (2005), miasm is the perception of sensation as experienced by the patient. For instance, multiple patients may experience the same type of sensation but perceive it and react differently to it. Thus according to Sankaran's concept, this reaction, which must be a direct reaction to or perception of the vital sensation, determines the miasm. This may not however be objectively true in scientific terms but it offers a good subjective elaboration.

Below is a brief description of the mode of reaction of each miasm (Sankaran 2002: 54; Sankaran 2005: 268-280).

- Acute miasm: sensation is sudden, severe and life-threatening, and the reaction is strong instinctive, intuitive, and panic.
- Typhoid miasm: sensation of perceived sudden but temporary crisis (similarly to the acute miasm) requiring a more sustained effort (similarly to the Psora miasm). The reaction is an intense struggle against the perceived crisis.
- Psora miasm: sensation is that of permanent stress, leading to performance anxiety. The reaction is constant struggle in an attempt to recover/maintain, also remains very hopeful however.
- Ringworm miasm: sensation is that of being fixed/permanent sensation (similar to Sycosis), but with hope of recovery (similar to Psora). The reaction is intermittent periods of acceptance and despair alternating with periods of hope and struggle in a perpetual cycle.

- Malaria miasm: sensation is a sudden acute intermittent feeling of impending danger with chronic underlying intervals of feeling deficient. The reaction is a perception of being persecuted or hindered.
- Sycosis: sensation of being fixed irremediable weakness from within. Situation perceived as irreparable but not destructive. Reacts by accepting, concealing/covering up, disguising of weakness, feelings of guilt.
- Tubercular miasm: sensation is that of intense oppression with a desire to change. Reaction is intense/ hectic activity to escape oppression. Remains hopeful, but very little hope.
- Cancer miasm: sensation is intense weakness and incapacity from within. Strong desire to perform exceedingly well in order to live up to expectations. The reaction is a continuous struggle, as though his life depended on it. Failure equates death/destruction.
- Leprosy miasm: sensation is that of intense oppression and hopelessness coupled with a strong desire to change. The reaction is desperation, despair, isolation, feelings of being shunned which may be projected outwardly or internalised.
- Syphilis miasm: sensation deep destructive feeling, permanent situation that is beyond salvage.

This extended miasmatic concept proposed by Sankaran (2005) has contributed tremendously to the development of the understanding of homeopathy. However, there is still much debate on whether miasms exist. The evolution and exact nature of miasms, and how Hahnemann ascertained that these miasms are the fundamental cause for both acute and chronic disease, has been the subject of many debates, both homoeopathically and allopathically.

Dimitriadis (2005) analysed Hahnemann's writings and emphasized Hahnemann's own definition of miasm as an infectious agent i.e. any infectious substance dangerous to health. Dimitriadis (2005) also clarifies that Hahnemann used the word "infection" in a wide sense, thus any propensity to use the word "miasm" to describe a disposition to disease is incorrect. Bhatia (2006: 6-27) also points out that, although Hahnemann fully believed in the infectious nature of disease and considered miasms as infectious agents, he also considered disease as being dynamic and non-physical, and its origin as a dynamic predisposition to illness. Bhatia (2006:6-27) presents a valid argument about the confusion created by Hahnemann's 6th edition of the Organon. On the one hand, Hahnemann states that cholera is caused by a living microorganism, but on the other hand, states that nothing material can be found in an ill individual due to illness being a disturbance of the vital force. This statement and many others in the 6th edition of the Organon have caused a lot of confusion as to what miasms exactly are. By Vithoulkas (1980:120-135) understanding a miasm can be defined as a tendency towards a chronic disease which underlies the acute manifestation of the disease, which is hereditary and may respond positively to a corresponding nosode i.e. the homoeopathic medicinal preparation from the diseased matter.

Banarjea (2011: i-vii) defines miasm as an invisible dynamic principle inherited by a living organism, causing a stigma in the individual's constitution, which can only be removed by applying the correct anti-miasmatic remedy. He also states that if the miasm is not treated accordingly, it will perpetuate and affect the subsequent generation. Heudens-Mast (2013-1:12) shares the same notion, that miasms are the basis of all disease. She goes on to elaborate that miasms can either be inherited or communicated by vectors. She concludes her argument by stating that the only way to completely cure an individual is to address the miasm, thus concurring with Banarjea (2011). Contrarily, Paschero (2000:9) nullifies the infectious aspect of miasms and defines it as an alteration in the vibration of the vital force, the force responsible for regulating one's constitution.

The definition of miasm, through the years, has marked the practice of homoeopathy, dividing the profession into two major groups: those who believe in the spiritual nature of miasms and those who believe in the germ theorem. The miasmatic theory, though very prevalent homoeopathically, disappeared from conventional medicine with the emergence of the germ

theory. The miasmatic theory remains one of the greatest barriers limiting dialogue between conventional and homeopathic medicine (Kayne 2006: 153).

2.8 The Doctrine of signatures

The 'Doctrine of signatures', now considered by most modern scholars as being primitive and outdated, is an age-old concept of identifying parallels between the symptomatic expressions of the diseases of man and the therapeutic value of plants that exist in nature. In this concept, the plant's appearance, structure, and biological behaviour alludes to what diseases of man the plant is meant to address (Lockie 1998:9-16).

The concept of doctrine of signatures is probably as old as man himself. The evidence thereof spans through millennia of documented medicinal developments through the ages. Paracelsus (1493-1541) noted this concept when he wrote that nature marked each growth according to its curative benefit. Similarly, the English botanist William Cole (1626-62) stated that *'the mercy of God marketh herbes for the use of man and hath given them particular signatures whereby he may read and use them'*.

The doctrine of signatures has been an important aspect of folk medicine with the concept of signatures reflected in the common names of some plants whose appearance and biological behaviour alludes to their specific organ affinity (Bannett 2007:246-248), for instance:

- Eyebright, used to treat eye infections
- Bloodroot, used to treat blood complaints.
- Snakewort, used to treat snake bites.

The doctrine of signatures has also been the cornerstone of traditional Chinese and Ayurvedic medicine, boasting multiple native and traditional ethnographic literature publications.

Homoeopathically, the doctrine of signatures has been a great source of the Materia Medica. From an organoleptic sense, the doctrine of signatures can be observed in a general study of Homoeopathic drugs. For example, the homoeopathic remedy *Lachesis* is prepared from the

lethal poison of the 'Surukuku' snake of South America. Peculiar to this snake is the tendency to sleep all winter, pass black and offensive stool, and protrude a black trembling and bifurcated tongue. Similarly, a patient requiring a homoeopathic preparation of *Lachesis* will constantly protrude a bifurcated tongue with a black streak in the middle, and pass black and offensive stool. It must be emphasized that the doctrine of signatures when employed alone is not an appropriate tool in the declaration of any substance as being therapeutic. The founder of the art and medicine, Dr. Samuel Hahnemann, was strongly against this concept. In aphorism 110, Hahnemann as quoted by (Jost Kunzli *et al* 1982: 61) stated that the only possible way to ascertain the medicinal powers of a substance is to observe the changes the same substance induces in a healthy individual.

Reasoning by analogy, as is the case in the doctrine of signatures, has yielded multiple developments in the art and practice of medicine and thus should never be undermined. However, the legitimacy of any analogy should be substantiated by rational and scientific evidence. The doctrine of signatures can, from a homoeopathic sense, be regarded as a guiding tool in the intuitive approach in the pursuit of organic medicine (Bannett 2007:246-248). However, only those drugs which after a drug proving on healthy individual which reveal their original medicinal properties which are very similar in morbid state can be administered for ideal cure (Hahnemann as cited by Kumari 2019).

2.9 Sankaran's vital sensation and kingdoms

The sensation theorem is a relatively unexplored concept in the art and practice of homoeopathic medicine. Sankaran's sensation theorem is based on the premise of the existence of the vital force. The vital force, introduced by Hahnemann in the 4th edition of the *Organon* (1833), can be described as an imponderable, yet very specific and distinct, energy/force that acts and perpetuates all living organisms. This energy/force is also responsible for shaping life forms i.e. who they are, their likes and dislikes, how they act and feel, and more importantly their disease tendencies. According to Sankaran (2005: 123) this energy/force is unique in every individual, singular, and manifests as the core inner sensation i.e 'vital sensation'. Contrary to classical homoeopathic case-taking, Sankaran (2005:317-420) proposes that the physician focuses on the main complaint, which will lead to the patient's

specific sensation that runs through all his/her entire symptoms and plains. The utilization of sensations in the prescription process may thus assist the physician in obtaining the similimum i.e. the remedy that best matches the patient's manifestation of disease.

Using these sensations, Sankaran (2008: 22-27) proceeded to classify homoeopathic drugs into three (3) kingdoms i.e. plant, mineral, and animal kingdom. According to Sankaran's (2008: 22-27) classification, plant remedies are used for individuals possessing the 'vital sensations' belonging to the group of 'sensitivity'; animal remedies are used for those individuals having 'vital sensations' belonging to the class of 'survival instincts'; and mineral remedies are used for those belonging to 'structural consciousness' Sankaran's kingdom theorem proposes linking the vital sensations to a corresponding kingdom in order to obtain the similimum. Classical homoeopathy, on the other hand, dictates that the physician considers the mental, physical, general, and particular symptoms, whilst not neglecting qualifications such as causations, sensations, locations, modalities, and other concomitants on his quest for the similimum.

Sankaran's kingdom theorem challenges the norms of the entire homoeopathic discipline. The claims made by Sankaran (2008: 22-107), in this concept, do not confirm with those of classical homoeopathy case-taking, nor do they present any plausible scientific rationale to substantiate their claims. For example, in the plant kingdom, Sankaran's theorem proposes that the vital sensation of all plant remedies is 'sensitivity' (Sankaran 2008: 22-107). In the Materia Medica, however, one finds multiple remedies derived from minerals and animals displaying sensitivity of the highest order. The researcher thus concludes that Sankaran's (2008) kingdom theorem requires a sequel in order to provide the noephytic practitioner and critics with rationale and reasoning that is both homoeopathic and rational as per existing paradigms. Failure to do so may prove to be very detrimental to the development of the profession especially when such a construct has the potential to divide the proffesion (Homoeopathy Resource by Homebook.com 2019).

The assumption of the existence of the vital force is yet to be discarded. Any attempt at proving the material origin of life to date has failed dismally. Hence, Sankaran's assumption

of a special unobservable organising dynamic (vital force) in living organisms, which differs from the interaction of constituents and is absent in non-living matter, is warranted. Based on the assumption that the organism is inanimate, ruled by an inherent spirit-like principle (the vital force), the physician is able to understand individuals and their diseases better and thus be guided to the best suitable cure (Roy 1999: 2-18).

2.10 Anacardiaceae plant family

The Anacardiaceae plant family of the order Sapindale, commonly known as the cashew family, is a family of flowering plants including approximately 800 species, in 80 genera, of evergreen trees, shrubs and woody vines (Petruzzello 2017). This plant family is divided into two main sub-groups, the Anacardieae and Spondieae (Hooker 1872 as cited by Umadevi *et al.* 1988: 205-208). The Anacardiaceae plant family consists mainly of trees and shrubs. On rare occasions, plant species that are lianas or subshrubs also occur. Most plant species belonging to this family have resin ducts in their barks which produces a characteristic milky exudate that turns black upon exposure to air (Pell *et al* 2009: 7).

2.10.1 Flowers

The flowers of the Anacardiaceae plant family are not very visible due to their small size, but are distinguishable by their characteristic intrastaminal, nectariferous disc and apotropous ovules. These flowers tend to grow at the tip of branches and stems, or at an angle where the leaf joins the stem. These flowers produce three to seven calyces, forming a whorl that encloses the same number of petals that overlap each other inside the bud. Occasionally, petals may be absent. The stamen is the male reproductive organ of the flower consisting of a filament attached to an anther. The pistil is the female reproductive organ of the flower consisting of the stigma, style, ovary and ovules. The stamen is responsible for the production of pollen. The number of stamens in these flowers may be equal or double the number of petals. These stamens attach at the base of the fleshy ring of the flower, below the pistil. Individual stamens are separate from one another. This enables mobility to the pollen-containing anthers, an important trait for facilitating the shedding of pollen. Most of these stamens-producing flowers will contain single-celled ovaries. Pistillate flowers may produce

quadricelled and quinticelled ovaries. A single flower may however contain as many as three styles, each with a single ovule occurring at its cavity (Pell *et al.* 2009: 7-22).



Figure 2. Typical flower of Anacardiaceae family: Pink peppercorn tree (*Schinus terebinthifolia*) with distinctive intrastaminal nectariferous disc and apotropous ovule (Pell 2009: 2)

2.10.2 Leaves

The leaf architecture of these plant species is very diverse. The primary leaf venation of most of these plant species is pinnate, rarely palmate. Some species produce evergreen leaves, whilst others shed their leaves annually. The leaves are usually imparipinnate with opposite leaflets, rarely paripinnate. Other species produce trifoliate leaves. The margin of these leaves can be dentate, entire, serrate or crenate, prominently revolute, and on rare occasions, spinose (Pell *et al.* 2009: 7-22).

2.10.3 Fruits

The fruit morphology of the Anacardiaceae plant species is also very diverse. This is due to the vast number of species within the family. Though diverse, most of these species produce fruits that are drupes, or samaras. These fruits rarely open at maturity. Most of these fruits contain a single locule, housing a single seed. Multi-locular fruits are not uncommon. Some

fruits may have as many as twelve locules. Rarely do these fruits house seeds equal to the number of locules. The pericarp of these fruits is multi-layered and well differentiated. This tissue develops from the ovary wall of the flower that surrounds the seeds and is characterised by the endocarp, mesocarp and exocarp. The exocarp, outermost layer of the pericarp, varies in thickness and in colour amongst the different species. This layer may have a rigid woody consistency that is smooth, or a hairy leathery consistency. In some species, the exocarp is thin and dry, and will separate from the mesocarp at maturity. The mesocarp, middle layer, is fleshy and resinous, but can also be waxy or oily. The mesocarp is usually the edible layer. In some species, the mesocarp contains a black resin which can irritate the skin upon exposure. This resin is housed in various canals which vary in thickness. , There are scattered vascular and fibre bundles in the mesocarp. The endocarp, inner layer, can either be bony, thick and rigid, or thin and flimsy. Wannan and Quin (1990) as cited by (Pell *et al.* 2009: 7-22) describes two structurally distinct endocarp types in this family, the spondias type and the anacardium type. The spondias type is characterised by a mass of rigid, woody, and irregular orientated sclerenchyma, and the anacardium type on the other hand is discretely layered with highly thickened scleriods forming a palisade-like enclosure. During the germination process, these endocarps will split open via various mechanisms to release the embryo (Pell *et al.* 2009: 7-22).




Figure 3 Typical fruit of Anacardiaceae family: Mango (*Mangifera indica*), cross-section of fruit and pit (Armstrong 2011: 8

2.10.4 Seeds

The seeds of the Anacardiaceae family vary in size, ranging between 2mm and 10cm. Within every seed is a dicotyledonous embryo. Cotyledons are embryonic leaves which serve the plant as a food source after germination, up until maturation when the plant is then able to photosynthesize.

(Morton, 1987).




Figure 4 Typical endocarp of Anacardiaceae: *Pistacia* (*Pistacia Vera*), splitting of endocarp, and exposure of seed and coat (Polito & Pinney 1999) as cited by (Armstrong 2012)

2.10.5 Phytochemicals and toxicity

Typical of the Anacardiaceae plant family are important phytochemical compounds such as: glycosides, saponins, flavonoids, tannins, and alkaloids (Pell et al. 2009: 7-13). Highly hydroxylated compounds such as myricetin and gallic acid are very common in this family. The chemical differences amongst the various species are very subtle. Most of the plant species in this family are also rich in proanthocyanidins and flavonols such as quercetin, kaempferol and their methoxylated derivatives. Tannins, saponins and iridoids are less common than the above-mentioned phytochemical compounds (Pell et al. 2009:7-22).

The most poisonous substances in these plant species are phenols, primary catechols and resorcinols. These plants exude a pentadecylcatechol containing oleoresin that causes an allergic reaction when it comes into contact with the skin. Collectively, pentadecylcatechol are referred to as urushiol. Approximately 15-25% of the general population has no allergic reaction to urushiol. Urushiol-induced contact dermatitis is a Type IV hypersensitivity reaction, also termed delayed-type hypersensitivity, which presents with itching, swelling and oozing watery blisters, and in severe cases, a burning sensation. If ingested, urushiol may cause damage to the mouth and digestive tract, and in some cases, severe systemic reactions i.e. anaphylaxis. Other poisonous compounds in this family include heptadecylcatechols, salicyclic acid derivatives, bhillawanols, moreakol, thitsiol, renghol and semecarpol (Pell *et al.* 2009: 7:22).




Figure 5: Chemical structure of urushiols found in resin canals (illustration by Mark Hopkins, Palomar College as cited by Armstrong, 2011: 5)

2.10.6 Medicinal uses

The Anacardiaceae plant family has been used extensively to treat multiple ailments i.e. colds, fever, hepatitis, respiratory disease, skin disease, wounds, venereal diseases, and pregnancy related conditions (Pell *et al.* 2014). Tannin, which is mostly found in the dried flowers of mango, is used traditionally as an astringent to assist in the treatment of diarrhoea, chronic dysentery, gonorrhoeal catarrh and urethritis. Another astringent prevalent in mangoes, mangiferine, which is highly concentrated in the barks, is used in the treatment of rheumatism and diphtheria in India. In some parts of Southern America, juice prepared from the apples of *anacardium occidentale*, also containing tannin, is used as a remedy for the treatment of

chronic dysentery and sore throat. Fresh or distilled preparations of anacardium is believed to promote diuresis and diaphoresis. Fermented preparations of anacardium are used as an embrocation in the treatment of rheumatic and neuralgic pain. In Cameroonian folk medicine, *Anacardium* leaf extracts are used in the treatment of diabetes and hypertension (Tedong *et al.* 2006: 140-147). In some parts of Asia, the astringent bark of *Ambarella* is used to treat diarrhoea (Morton 1987: 240-242).

2.10.7 Distribution

Most of the *Anacardiaceae* plant species are native to tropical and subtropical regions of the world. Some of these species may also be found in temperate regions of the world. These plant species are indigenous to the western hemisphere, Africa, southern Europe, tropical and subtropical Australia, temperate and tropical Asia, and across most of the Pacific Islands. These plant species rarely occur in extreme desert areas and areas of high altitude. Some of these plant species are also found in areas with an altitude as high as 3500m above sea level (Pell *et al* 2009: 7-22).




Figure 6. Global distribution of *Anacardiaceae* and *Burseraceae* (red area being *Anacardiaceae* only, blue being *Burseraceae* only, and grey where the two families' distributions overlap) (Weeks *et al.* 2014: 409).




Figure 7: Typical Patterns of the Anacardiaceae family. Elpel (1997-2017)

2.10.8 Anacardiaceae plant family in Homoeopathy

The Anacardiaceae plant family has a relatively limited use in Homoeopathy, especially when one considers the number of species the family contains versus the number of proven remedies, and those applied in practice. *Anacardium orientale* and *Rhus toxicodendron* are two well represented remedies belonging to this family. Other remedies belonging to this family are generally considered to be smaller remedies and thus their application in practice is also relatively limited.

On a quest to broaden the understanding of homoeopathic remedies derived from the plant kingdom, Sankaran (2002) studied plants according to botanical families by applying a version of the group analysis method that he developed himself. By extracting “sensations”, Sankaran was able to establish a link between various plant species belonging to the Anacardiaceae plant family based on their shared symptomatology. This enabled him to categorise these plants according to his extended version of the miasmatic theory. Sankaran convincingly demonstrated the importance and relevance of botanical classification of plant species in the homoeopathic discipline (Schiller 2005: 203-206).

Homoeopathic remedies belonging to a classified family group share multiple similarities that set them apart from other remedies belonging to other family groups. This information has been ascertained from the tireless efforts of researchers who have compiled various data that links the different aspects of remedies. Pioneering authors of homoeopathic medicine have identified common traits and characteristics of remedies belonging to the same family and used this information to identify the main themes of the different family groups. This grouping of remedies has allowed practitioners to gain a deeper understanding of remedies and has also enabled them to successfully predict the behaviour of unknown remedies belonging to these known family groups (Yakir 2017:6).

Sankaran (2002: 73-116) identified the themes of the Anacardiaceae plant family of remedies and classified these according to sensation, passive reaction, active reaction, and compensation. According to Sankaran (2002: 73-116), the sensation of this family is that of being caught, stiff, tight, tension, stuck, cramps, pressing, not allowed to move, and restricted. As a result of the sensation the active reaction of this family is constant movement and restlessness. These individuals aggravate when restricted, sitting motionless, and when initiating movement. The passive reaction of this family thus becomes paralysis and immobility (Sankaran 2002: 73-116).

Scholten (2013: 458-465) described the main theme of the Anacardiaceae plant family of remedies as being centred on adaptation, conservation of structural hierarchy, and feeling worthless and mediocre. This eventually brewed into an internal conflict as these individuals usually regard themselves as being special. Scholten (2013: 458) used the Disney character Cinderella as a point of reference, a character who feels special but is disrespected and humiliated. Thus, mentally these individuals tend to feel powerless, unfortunate, restless, blank and empty, forgetful, betrayed, attacked, cheated, insulted, angry, enraged, abused, hard, unfeeling. They have delusions of familiar places/people being unrecognisable and dreams of fire, death, disease, danger, and strangers. The general sensation in this family group is that of being caught, stuck, restricted, stiff, tight, tension, cramps, and bandaged, thus concurring with the work of Sankaran (2002). Other pioneering authors of homeopathic medicine, such as Yakir (2017), have done extensive work on the group analysis of the Anacardiaceae plant family of remedies presenting a different thought pattern according to

her own individual understanding of Group Analysis, and that of the Plant Kingdom. Yakir's (2017) development is the most recent Group Analysis approach. In her development Yakir (2017: 3-4) proposes the concept of the evolution of plants, a construct similar to that of Scholten's mineral kingdom.

Yakir's and Scholten's work on the plant kingdom is considered by many to be the most precise and sophisticated work on the subject thus far (Anon. 2019). Both authors have successfully incorporated scientific elements into homoeopathic group analysis which has been a major contribution to the quest of establishing homeopathy as a science. Sankaran's approach to group analysis incorporates a miasmatic approach to studying plant families which Yakir and Scholten do not, thus also boasting equal importance on the subject of group analysis.

Multiple group analysis studies have been conducted at the Homoeopathy department at the Durban University of Technology, but very few studies have gone the route of collating and correlating the homoeopathic symptoms of these remedies to their natural history.

Phamane (2014) conducted a group analysis and evaluation of the *acidum* family and discovered that the group analysis methodology is a sufficient method of collecting and organising data. Chhiba (2013) conducted a group analysis study on synthetic recreational drug isolate remedies and found the results to support the group analysis methodology as outlined by Sankaran (2002). Kasiparsad (2012) conducted a group analysis study of the Salicaceae plant family in terms of known materia medica. Kasiparsad (2012: 79) concluded that the group analysis is a powerful method which can be of great assistance to the prescribing process. Harkhu (2011) conducted a group analysis and evaluation of the class Aves and discovered that her findings validated the claims made by Sanakaran (2002) on the group analysis method. All the above mentioned studies did not however incorporate the correlation of the homoeopathic symptomatology to the natural history. Long (2011) has been the only researcher at the Durban University of Technology to conduct such a study. Long (2011) conducted a study of the relationship between the natural history of the Solanaceae plant family and the general and mental symptomatology thereof. Long (2011) concluded that there exists a relationship between the natural history and the homoeopathic symptoms of the Solanaceae family. Long (2011) indicated how such paradigm, though

relatively new, could create a platform for the scientific development of homoeopathic medicine and could also be utilised homoeopathically to study and analyse family groups of remedies such as the Anacardiaceae plant family, as is the case in this research study.

Due to the qualitative nature of this study, the researcher will focus only on those remedies that are well documented in authentic literature sources. The remedy selection process which constituted the proposed methodology of this study will be presented in Chapter 4. The following chapter describes the methodology applied by the researcher for the purpose of this study.

CHAPTER 3: METHODOLOGY

This study used a theoretical, non-empirical correlation of the Anacardiaceae plant family of remedies and the thematic analysis thereof. Furthermore, the study was strictly theoretical and did not involve any experimentation on humans and/or animals. Therefore, gatekeeper permission was not necessary.

The aim of this study was to explore the natural history of the selected homoeopathic remedies belonging to the Anacardiaceae plant family and compare this information to existing homoeopathic literature.

The study set out to answer the following questions:

- Is there a relationship between the natural history of the selected homoeopathic remedies belonging to the Anacardiaceae plant family and their respective mental and general homoeopathic literature?
- Are there any common themes, traits, and sensations in the homoeopathic Anacardiaceae plant family of remedies?

For the purpose of this study the following methodology was applied:


3.1_Sample selection

For the purpose of selecting the sample population, the researcher defined the Anacardiaceae plant family and set out to determine its members. The list was then refined to include only those members of the family that were utilized homoeopathically. The Anacardiaceae family consists of well over 700 plant species. Using the computer software Macrepertory (2017), the researcher compiled a list of all the remedies that were applied homoeopathically. According to Macrepertory (2017), the Anacardiaceae plant family consists of 19 remedies. These remedies are presented in Table 1 of Chapter 4.

Focusing particularly on the remedies with well-defined symptomatology, the list of 19 remedies was further refined to include only those remedies that have been clinically verified and applied extensively homoeopathically. Clinically verified remedies are those remedies linked to multiple cured cases and their affects well documented, as opposed to those remedies asserted only by the opinions of authors. The homoeopathic Materia Medica, which stretches back for centuries, is based on these clinically verified cases. The researcher thus consulted with three of the most widely utilised Materia Medica at the Durban University of Technology in order to establish the clinical tangibility of these remedies. These Materia Medica included: W. Boericke's *Pocket Manual* (2005), Dr. S.R. Phatak's *Materia Medica of Homoeopathic Medicines*, 2nd edition (2013), and F. Vermeulen's (2004) *Concordant Materia Medica*.

Less than 50% of the Anacardiaceae plant family of remedies featured in all the above-mentioned Materia Medica. A total of four (4) remedies featured in all the Materia Medica, namely: *Rhus toxicodendron*, *Anacardium orientale*, *Mangifera indica*, and *Comocladia dentata*.

Using the Macrepertory (2017), the researcher extracted the total number of rubrics of individual remedies of the Anacardiaceae plant family and tabulated them as such. Remedies were tabulated according to the total number of rubrics they featured in. To date, 5 is the smallest number of remedies to be utilised in a group analysis study (Weston, 2010), and is also the smallest number recommended by Sankaran (2002) for the purpose of a group analysis study. The researcher thus opted to compose a subset group consisting of no less than 5 remedies. The subset group would therefore be equal to 5 remedies, or be greater than 5 remedies. In order to determine the subset group of remedies the researcher required the median number of rubrics, i.e. Q2, and the upper quartile median i.e. Q3. The median is the value separating the higher and lower half of the total number of rubrics. Q3 is the median of the upper half values above Q2. Below is an illustration of this quartile concept.



Q1= First quartile

Q2= Median/ second quartile

Q3= 3rd quartile/upper median

The researcher then set out to determine the median number of rubrics i.e. Q2. The median number of rubrics determined by the researcher was 133 rubrics. Nine (9) remedies consisted of a total number of rubrics above 133, i.e. above the median, and nine (9) remedies below the median. The researcher then went on to determine the upper median i.e. Q3, the number in the middle of the upper half of the total rubrics above the Q2. The remedies situated above the upper half of Q2, i.e. above Q3, each consisted of no less than 2000 rubrics. The total number of rubrics of the remedy situated just below Q3 was 1213 rubrics which is almost half the number of rubrics of the value Q3. A total of five (5) remedies were located above the value of Q3. Since five (5) remedies is the smallest number to be used in a study of this nature, and is the smallest number recommended by Sankaran (2002), the researcher decided that the subset group would include only those remedies with values above that of Q3. Thus, remedies featuring in less than a total of 2000 rubrics were less significant for the purpose of this study, and thus excluded. A total of five (5) remedies featured in more than 2000 rubrics.

The researcher consulted various Materia Medica to ensure that enough homoeopathic information was recorded for these remedies of the subset group. Various data sources were then also consulted to ensure that these five (5) remedies of the subset group contained enough literature on their respective natural history that was required for the purpose of this study. These five (5) remedies met the data-sufficiency standard determined by the

researcher, and thus formed the subset group of remedies for this study. The subset group was determined by the remedy's homoeopathic significance, as well as the availability of reputable literature sources that encompass the individual remedy's natural history.

The subset group of remedies included the following:

- *Rhus toxicodendron*
- *Anacardium orientale*
- *Mangifera indica*
- *Comocladia dentata*
- *Rhus venenata*

The researcher then set out to determine the physical and mental rubrics of the individual members of the subset group. Using Macrepertory (2017), a computer repertory extraction was performed for the individual members of the subset group. The parameters were set to include only the general and mental symptoms as the study focused only on those symptoms. This information was then tabulated to allow for easy extraction of information on the respective variables in question i.e. mental and physical symptoms. This tabulated information was then used to extract the homoeopathic themes of individual members of the subset group and the subset group as a whole.

The natural history of the individual members of the Anacardiaceae plant family of remedies, in terms of botanical classification, toxicology, and doctrine of signatures, was sources determined from various literature.

3.2 Data Analysis

For the purpose of this study, the researcher adopted a comparative qualitative thematic analytic approach. All the data utilised for this study is presented in table form in Chapter 4. The initial step in the data processing was the identification and extraction of keywords and concepts from the natural history of individual members of the subset group of remedies to

extract the natural themes and sensation of the individual remedies. The various components of the natural history utilised to achieve this are presented in Tables 3 and 4 of Chapter 4.

The components of the natural history used to extract these themes included the physical properties, habitat and distribution, historical significance, associated mythology, uses, active principal, physiological action, toxicology, and doctrine of signatures. Using the homoeopathic general and physical symptomatology, the researcher extracted the homoeopathic themes and sensations of the individual remedies of the subset group. *The Oxford Paperback Thesaurus* (2012) and Thesaurus.com (2019) were consulted to check the extracted keywords from the natural history in order to identify keywords and synonyms relatable to the homoeopathic themes and sensations of the various members of the subset group.

The researcher aimed to identify commonalities between the natural history of individual members of the Anacardiaceae plant family and their respective homoeopathic symptomatology. For collation purposes, this information was tabulated, thus also facilitating the grouping of similar themes and sensations. The commonalities pertaining to the themes and sensations of the natural history of individual remedies and their respective homoeopathic themes and sensations were tabulated and discussed. Upon conclusion of individual remedy analysis and correlation, a collective analysis of the entire subset group was performed. The researcher was able to identify collective commonalities existing between the whole natural history of the remedies and their collective homoeopathic symptomatology.

For verification purposes the themes and sensations that emerged from this study were further compared to those from existing literature from pioneering authors of homoeopathic medicine, namely, Scholten, Sankaran, and Yakir. On completion of the correlation, the researcher was able to identify commonalities between the themes extracted from this study and those from pioneering homoeopathic authors.

3.3 Conclusion

The selected methodology will enable the researcher to successfully explore the natural history, general and mental symptomatology of a select number of individual members of the Anacardiaceae plant family of remedies. This exploration will facilitate the comparison of the Anacardiaceae plant family's natural history, and its general and mental symptomatology represented in the Repertory, Materia Medica and various other sources of literature. The methodology that will be applied in this study will also enable the researcher to determine the homoeopathic themes and sensations of the Anacardiaceae plant family of remedies and compare these with those themes emerging from the family's natural history with the aim of highlight existing commonalities. This study was undertaken with the aim of validating the more recent homoeopathic advances in the Group-Analysis approach which incorporates multiple scientific elements, as the entire profession continually strives to develop scientific aspects that are on par with the governing scientific paradigm.

CHAPTER 4: RESULTS

4.1 Anacardiaceae plant family as per application homoeopathically

According to Macrepertory (2017), there are nineteen (19) remedies belonging to the Anacardiaceae plant family. These remedies are presented in Table 1 below. Table 1 also indicates the total number of rubrics for each remedy, arranged in a descending order, from the greatest number of rubrics to the least number of rubrics.

Table 1: Anacardiaceae remedies used in Homoeopathy as per Macrepertory (2017) arranged from greatest number of rubrics to the least number of rubrics

REMEDY	COMMON NAME	TOTAL RUBRICS
Rhus toxicodendron	Poison Ivy	20565
Anacardium orientale	Marking nut	8628
Mangifera indica	Mango	6944
Comocladia dentata	Toothed Maiden Plum	2449
Rhus venenata	Poison elder	2425
Rhus glabra	Smooth Sumac	1213
Rhus radicans	Eastern poison Ivy	429
Rhus aromatica	Fragrant Sumac	268
Rhus dentata	Nana-Berry	194
Anacardium occidentale	Cashew Nut	133
Schinus molle	Peruvian Pepper Tree	89
Rhus lancea	Karee	17
Rhus crenata	Dune Crow-berry	1

Rhus succedaneum	Japanese Wax Tree	0
Rhus verniciciflua	Lacquer Tree	0
Karaka	Kopi Tree	0
Sclerocarya caffina	Marula Tree	0
Cotins Coggygria	Smoke Tree	0
Pistacia lentiscus	Mastic Tree	0

The subset group of remedies was based on the analysis of individual remedies in terms of homoeopathic significance and the quality of available data on that particular remedy from various sources. These various sources of information, pivoting the criteria of inclusion and exclusion of remedies for the subset group, included books, articles, journals, videos, podcasts, blogs, lecture notes, tweets and various other publications. Due to the nature of this study, namely, qualitative thematic analysis, the subset group was limited to five (5) remedies. Five (5) remedies is the smallest number to ever be used in a group analysis study, and the smallest number recommended by Sankaran (2002). . The five remedies, forming the subset group of this study, are listed below in Table 2 in descending order, according to the total number of rubrics and homoeopathic significance of each remedy.

Table 2: Remedies forming subset group as per General, Mental, and total rubrics (MacRepertory, 2017).

REMEDY	GENERAL RUBRICS	MENTAL RUBRICS	TOTAL RUBRICS
Rhus toxicodendron	2402	1269	20565
Anacardium orientale	1193	1065	8628
Mangifera indica	1091	336	6944
Comocladia dentata	424	95	2449

Rhus venenata	393	74	2425
---------------	------------	-----------	------

The table above indicates that the most represented remedy in the Anacardiaceae family, according to MacRepertory and various literature sources, is Rhus Toxicodendron. This is not surprising as most homoeopaths consider Rhus Toxicodendron to be a ‘polychrest’ remedy i.e. a remedy of many uses. The second most represented remedy in the subset group is Anacardium Orientale, also considered by most homoeopaths to be a polychrest remedy. The least represented remedy in the subset group is Mangifera Indica. Though not nearly as popular as the latter two, Mangifera Indica is applied extensively in Ayurvedic medicine in India.

4.2 Data analysis tables

The natural history of the Anacardiaceae plant family of remedies was determined. This data was collected and summarised in terms of botanical classifications, toxicology, and doctrine of signatures. For qualitative and standardization purposes, the researcher drew up data analysis tables. The data analysis tables allowed the researcher to read, understand, compare, and analyse the data more easily. The researcher also considered the fact that data tables are compact and concise. The data of the natural history of the Anacardiaceae plant family of remedies is presented below in Tables 3-5.

TABLE 3: DATA ANALYSIS TABLE 1

SPECIES	Physical Properties	HABITAT & DISTRIBUTION	HISTORY	Mythology
Rhus toxicodendron	Deciduous, mostly flowering shrubs, with imparipinnate leaves. Leaf edges smooth, toothed or	Widespread dense deciduous shrub in sun exposed areas, climbing/creeping vine in shaded	Made into poultice & used by Meskwaki, Ojibwa, and Potawatomi	Strong connection to black magic. Mixed with deer blood &

	<p>lobed. All three patterns may present simultaneously.</p> <p>Greyish/White drupes. Glandular pubescent fruit.</p> <p>Tendency of fruit wall to separate.</p> <p>Non-enlarging calyx in fruit stage. One basal ovule. Stigma and style at apical position. Staminal number same as petals. One-celled ovary barried shallow within intrastaminal disc.</p> <p>Tan/dun-coloured/white creamy exudate from exocarp wall.</p> <p>Fatty/waxy mesocarp with black striations (Gillis 1971: 161-237).</p>	<p>areas. Throughout mountains, valleys, sloped areas rarely above 5000ft, dense forest (Armstrong 2011: 1-2).</p> <p>Native to north & northern South America, Mediterranean Eastern Africa, Southern Africa, Southern Europe through to Southern Asia China & Japan, Malaysia, and polyresia (Gillis 1971: 161-237).</p>	<p>Indians to remove warts or alleviate swelling (Smith 1928, 1932, as cited by Gillis 1975: 93-121). Used by the Yuki tribe to treat ringworm and rattlesnake bites (Gillis 1971: 161-237).</p>	<p>charcoal from lightning-struck tree to make poison arrow by Ramah Navahos tribe. Mixed with mountain hemlock & suet to make ceremonial face masks in Yuki tribe to conjure demonic spirits. Used to make good luck potions. Stem dipped in water and used to “keep women in subjection” (Powers 1877, as cited by Gillis 1971: 161-237).</p>
Anacardium orientale	<p>Deciduous medium height/tall tree with grey exfoliating bark.</p> <p>Greenish white</p>	<p>Hills, slopes, altitudes between 500-1000m above sea level,</p>	<p>Very popular herb in Ayurvedic medicine.</p>	<p>Claimed to be Ayurvedic medicines’ “HAIF physician”</p>

	<p>flowers at panicle appearing around same time as leaves. Large imperipinnate oblong/obovate leaves. Red exudate from bark turns black upon exposure to air. Orange/red ovoid/oblong fruit that is a drupe. Fruit with proximal and distal parts. Proximal portion cup-shaped, smooth, fleshy, and edible when ripe. Distal portion thick, black, smooth, shiny and poisonous. Corrosive whitish corrosive exudate in premature pericarp which turns brownish/black upon pericarp maturity (Jain and Sharma 2013: 564-572).</p>	<p>(Semecarpus Anacardium 2019:200-335). Tropical Asia, India, Sub-Himalaya, Bihar, Orissa, Central India (Jain and Sharma 2013: 564-572).</p>	<p>Extensive use in treatment of piles, skin eruptions, benign/malignant growths, fever, haemoptysis, menorrhagia, leucorrhoea, deficient lactation, constipation, intestinal parasites (Jain and Sharma 2013: 564-572).</p>	<p>(Jain and Sharma 2013: 564-572). Name derived from seed which is located outside fruit i.e. 'Ana'= without and 'cardium'=heart. Feared so much by locals in India that no one dares touch the seeds without gloves (Yakir 2010: 416-418).</p>
Mangifera indica	<p>Large, perennial, nearly evergreen, heavy branched, dome shaped tree</p>	<p>Tropical lowlands with moderate rainfall. Thrives in rich, well-drained</p>	<p>In India, Ayurvedic medicine, dried flower</p>	<p>In India, festoons made from leaves of plant hung on</p>

	<p>with dense leaves. Leaves occur periodically & irregular on branches. Leaves yellowish-pink, deep rose-wine red, and dark green upon maturity. Top surface glossy & bottom surface lighter. Leaves spirally arranged on branches, linear to oblong/oval & lanceolate. Fruits are drupes, round/oval-oblong, kidney-shaped, asymmetrical, often with break at apex. Exocarp smooth, waxy, leathery, thick, dark green to light-green/ yellowish-orange, reddish pink, greenish/reddish dots, whitish-grey/purplish bloom when fully ripe. Edible mesocarp,</p>	<p>soil, hot climates, dry conditions (Morton 1987).</p> <p>Native to Southern parts of Asia, especially India, Burma & Andaman Islands (Morton 1987: 221-239).</p>	<p>preparation used to treat diarrhoea, chronic dysentery, bladder catarrh, & gonorrhoeal urethritis. Preparations from tree bark used for diphtheria, rheumatism, diabetes, chest complaints, & hypertension. Resinous gum from tree trunk applied on cracked skin, scabies, & syphilis. Decoction prepared from seed used to treat diarrhoea, bleeding, bleeding haemorrhoids. Waxy resin administered for</p>	<p>doorways for religious functions and celebrating Hindu new year. Teeth brushed with twigs from plant on holy days. Deity (Shiva) offered water using leaves. Fragrance of flowers considered as one of five arrows of God of love (Cupid). Used as firewood for cleansing & purification ceremonies (Hawan & Yagya). Plant believed to be symbol of love & that it can fulfil wishes. Fruit given to newlywed</p>
--	--	---	--	--

	yellow/orange colour, sweet, juicy, in some species stringy. Single seed, flattened, oval, kidney-shaped, pale/yellowish white (Morton 1987: 221-239).		stomatitis. Combined decoction of mango & other herbs given after childbirth (Morton 1987: 221-239).	couple to ensure conception of multiple offspring. Birth of male offspring celebrated by hanging fresh leaves of plant on house door. Fruit sent as gifts for diplomatic purposes (Singh 2017: 1257).
Comocladia dentata	Deciduous unisexual trees/shrub with simple, solitary, decumbent to erect, or repent stems. Alternate, imperipinnate leaves. Leaves aggregate at apex of stems, alternate, spiral, patent or slightly ascending. Leaves with short brown hairs or glabrous. Petiolates	Woodlands at lower altitudes, Camaguey provinces, Havana, Mantanzas, Santa Clara, Cuba, Higher altitudes in Trinidadian mountains and Santo Domingo (Britton 1910: 345-363).	Plant resin used by males to tattoo name of loved one on body. No evidence to support plant being used for medicinal purposes. Used by Yoruba-Bakongo cultists to curse enemies & cause them to swell. Used to	Tendency to grow in graveyards. Used for black magic in Cuba. Wide shared superstition of plant being evil. Believed to be only capable of doing harm to others, locals dare not touch it with bare

	<p>with opposite toothed/spinose margined leaflets. Thin flimsy green leaflets. Remote or clustered flowers. Flower heads with three to four parts, overlapping perianths of light red calyxes and red/purple corollas. Androecium with single series of stamens equal in number to number of proper petals alternating them. Slender, tapering, and filiform filaments inserting at disk notches. Fruits are drupes with yellow/red/black exocarp, and fleshy mesocarp. Persistent calyx around fruit. Fleshy and oblong cotyledenous seeds (Atha et al. 2011: 370-375).</p>	<p>Mexico, Northern Central America, and West Indies (Atha et al. 2011: 370-375).</p>	<p>incite catastrophic events, ruin households, sow conflict within families & turn friends against each other. Slightest contact causes severe pruritus & inflammation (Davis 1998: 106).</p>	<p>hands (Yakir 2017: 419).</p>
--	---	---	--	---------------------------------

Rhus venenata	Deciduous shrub/small tree with pinnate reddish leaves. Leaf with multiple foliole. Foliole oval/oblong, tapering to sharp point, wedge-shaped at base, undulate, downside glabrous or slightly pubescent. Red stems along foliole. Greenish-yellow flowers, loose branching clusters. Fruits are drupes, whitish/grey and waxy, droop loosely from stalks, subspherical, flattened & small berries. New bark light-grey, darker upon maturity (White 1873: 1-32).	Native to swampy, acidic areas of North America (White 1873: 1-32). Low marshy places, found near creeks, rivulets, dark & shaded locations (Horsfield 1798: 2-20).	In Japan, used to make varnish & brownish dye (White 1873: 1-32).	Candle made from oil of tree buried during rituals and festivals in Japan. Said that when the tree is touched, imparts cold sensation to hand (Horsfield 1798: 2-20). On accounts of its poisonous nature, seldom used (White 1873: 1-32).
--------------------------	--	---	---	--

The data in the table above highlight certain aspects of the individual plant species of the Anacardiaceae family that constitute the subset group. All members of the Anacardiaceae plant family share certain basic features, for instance leaf and flower morphology. However, each genus and species have their own distinct characteristics. The description of these

species varies and ranges from somewhat perennial evergreen trees with dense leaves, as seen in *Mangifera Indica*, to deciduous woody shrubs/vines, as seen in *Rhus toxicodendron*. Characteristics such as habitat and distribution also vary amongst the different species. The habitat ranges from mountains, hills, and slopes, to deciduous forest, lowlands, and low marshy acidic areas. The different species of this plant family are globally distributed with species occurring mostly in North and South America, Southern Europe, Eastern Africa, Southern Africa and Southern Asia.

Species like *Rhus Toxicodendron*, for instance, occur in five of the world's seven continents with species occurring in northern South America, Mediterranean Eastern Africa, Southern Africa, and Southern Europe through to Southern Asia in countries like China, Japan, Malaysia, and Polynesia.

The table above also highlights the history and application of individual species by various historical groups. *Mangifera Indica* has been utilised extensively in Ayurvedic medicine of India, in the treatment of various diseases including diarrhoea, dysentery, gonorrhoeal urethritis, diabetes and hypertension. The mythology surrounding the individual species is also highlighted in the above table. Myths ranging from the use of plant species in traditional ceremonies, as seen in *Rhus-Venenata* and *Mangifera Indica*, to myths of plants being used in black magic, as seen in *Rhus-Toxicodendron* and *Comocladia Dentata*.

TABLE 4: DATA ANALYSIS

SPECIES	USES	PHYSIOLOGICAL ACTION	ACTIVE PRINCIPLE	TOXICOLOGY
Rhus Toxicodendron	<p>Made into poultice to remove warts, alleviate swelling and pain (Smith, 1928, 1932, as cited by Gillis 1975: 93-121).</p> <p>Plant resin used as a dye or ink. Used to treat ringworm and rattlesnake bites (Gillis 1971: 161-237).</p>	<p>Immediate Hypersensitivity: Body produces IgE immunoglobulin upon exposure to antigen. IgE binds to surface of mast cells and basophils and secrete vasoactive amines resulting in inflammation.</p> <p>Abrupt Chemical changes upon exposure to resin (Armstrong 2011: 1-2).</p> <p>Delayed hypersensitivity: Antigen penetrates skin and taken up by antigen presenting cells i.e. Langerhans cells. T lymphocyte recognise antigen as</p>	<p>Urushoil, long chain catechols with the most common being Pentadecylcate chols (Armstrong 2011: 1-2).</p>	<p>Causes II types of Urushoil induced contact dermatitis. Type 1 is an immediate hypersensitivity characterised by hives, with severe cases progressing to anaphylaxis. With anaphylaxis, swelling of lips, tongue & airways, and in some cases convulsions and shock. Trouble breathing and swallowing. Type II is a delayed hypersensitivity with absence of hives and anaphylaxis. Symptoms include pruritus and irritability, swelling, redness, blisters with yellowish</p>

		being foreign and release inflammatory markers i.e. cytokines. Cytokines cause the aggregation of monocytes of the blood which become macrophages of tissue causing inflammation (Armstrong 2011: 1-2).		exudate, crusting skin, red streak, pain, and sometimes fever with night chills. Great prostration. Scratching causes secondary infection (Armstrong 2011: 1-2)
Anacardium orientale	Treatment of piles, skin diseases, benign/malignant growths, fever, chills, night sweats, haemoptysis, menorrhagia, leucorrhoea, deficient lactation, constipation, intestinal parasites (Jain and Sharma 2013: 564-572). Anti-athrogenic, anti-inflammatory, antioxidant, anti-	Type IV hypersensitivity i.e. cell mediated hypersensitivity. MHC (major histocompatibility complex) class II on surface of antigen presenting cells form complex with foreign antigen. CD4 helper T cells recognises antigen as being foreign and secrete macrophages aggregating cytokines. Macrophages	Urushoil, most common being Bhilawanol. Mixture of cis and trans isomers of urushenol, anacardol, and catechol (Kumar <i>et al</i> 2017: 564-572).	Extremely poisonous. Urushoil induced contact dermatitis. Mostly type IV dermatitis i.e. delayed hypersensitivity. Symptoms include severe pruritus, burning sensation, redness, swelling, papules, and blisters, streaking along point of contact, fever with night chills,

	microbial, anti-reproductive, stimulates central nervous system, anti-carcinogenic, and promotes hair growth. Treatment of hypoglycaemia (Bhatia <i>et al</i> 2014: 122-127).	secrete cytokines which stimulate further production of helper T cells. CD8 helper T cells induce further release of cytokines, thus mediating immune response. Overreaction of helper T cells cause inflammation & tissue damage (Ghaffar 2016).		prostration (Bhatia <i>et al</i> 2014: 122-127). Hemodynamic effects and acute renal failure if ingested (Kumar <i>et al</i> 2017: 25-31) Inhalation of urushoil containing smoke causes rash and inflammation of airways, extreme pain, and fatal dyspnea. Ingestion of urushoil damages buccal & oesophageal mucosa (Bhatia <i>et al</i> 2014: 122-127).
Mangifera indica	Edible raw/ripe. Used to treat mouth infections, relapse sickness, exhaustion, heat stroke, gastrointestinal disorders, bilious disorders, blood disorders, scurvy,	Delayed hypersensitivity: Antigen penetrates skin and taken up by antigen presenting cells i.e. Langerhans cells. T lymphocyte recognise antigen as being foreign and release inflammatory	Major component of bark is mangiferin (Okwu and Ezenagu 2008: 705-716).	Rare form of contact dermatitis. Mostly due to contact with unripe plant exudate. Commonly delayed type reaction. Symptoms include itchy eyes, facial swelling, respiratory difficulty,

	<p>night blindness, diabetes, weight loss, throat disorders, and pain due to bee and scorpion stings (Bally 2006: 1-25).</p> <p>Anti-bacterial, anti-inflammatory, antioxidant, anti-allergic, anti-helminthic, hepato-protective, anti-cancerous, and anti-hypoglycaemic (Kalita 2014: 72-76).</p> <p>Used to treat diarrhoea, emaciation, chronic dysentery, catarrh of the bladder, chronic urethritis, rheumatism, diphtheria, scabies, cracked skin,</p>	<p>markers i.e. cytokines. Cytokines cause the aggregation of monocytes of the blood which become macrophages of tissue causing inflammation (Armstrong 2011: 36-42).</p>	<p>Urushiol. Major component of resin is 5-[2(2)-heptadecenyl]resorcinol (Lampe 1986: 171-180).</p>	<p>and in some cases blisters of the skin</p> <p>Hypersensitive individuals may react with severe periorbital oedema, and oedema of the face and lips (Morton 1987: 221-239).</p> <p>Indigestion, dysentery, and colic (Bally 2006: 1-25).</p>
--	---	---	---	--

	<p>syphilis, haemorrhages, bleeding haemorrhoids, stomatitis, chest complaints, hypertension, and assist in childbirth (Morton 1987)</p> <p>Sore gums, toothache, sore throat, and malaria (Okwu and Ezenagu 2008: 705- 716).</p>			
Comocladia dentata	<p>Treatment of cholera, yellow fever, chronic dysentery, gonorrhoeal ailments, syphilis, atonic deafness, sciatica, sprains, gout, and bites from venomous reptiles</p>	<p>Cell-mediated immune response i.e. delayed type hypersensitivity. Urushiol penetrates skin to bind to MHC complex on surface of antigen presenting cell i.e. Langerhans's cell. Antigen presenting cell (with</p>	<p>Chemistry of sensitizing phenols of genus, i.e. Comocladia, have not been explored (Lampe 1986: 171-180).</p>	<p>Urushoil induced contact dermatitis. Terribly caustic to skin. Exposure to resin leaves black spot on skin. Severe dermatitis resembling 2nd degree burns, erythema, pruritus, and severe general</p>

	<p>(The Encyclopaedia Britannica 1891: 202).</p> <p>Plant resin used to burn of warts and corns (Lampe 1986: 171-181).</p> <p>Plant resin makes ink used for scribing tattoos (Davis 1998: 106).</p> <p>Limited application due to poisonous nature. Preference given to next of kin i.e. family members (Yakir 2017: 419)</p>	<p>MHC & antigen on surface) migrates to lymph node where duplicates of effector T-cells are primed to recognise urushiol. Subsequent exposure results in the release of cytokines by T-cells, attracting macrophages and 'killer' T-cells. These release lytic enzymes & perforins, killing everything in the vicinity and thus causing blistering rash (Armstrong 2011: 36-42)</p>	<p>Catechol containing Urushiol (Armstrong 2011: 36-42).</p> <p>Semicarbol (monohydroxy phenol compound) and bharilawanol (Gupta 2018: 309-315).</p>	<p>disturbance if inhaled (Davis 1998: 130-132).</p>
Rhus venenata	<p>In Japan, used to make varnish & brownish dye</p> <p>Irritant, rubecient, stimulant, narcotic (Grieve 1971: 444).</p>	<p>Delayed type hypersensitivity reaction to urushiol. Initiated by T-lymphocyte after initial sensitisation. Urushiol catechols</p>	<p>Urushiol with catechols. 3-N pentadecylcatechols being the most active principle</p>	<p>Urushiol induced contact dermatitis. Inflammation, erythema, hyperemic macules/papules, vesicles and</p>

		<p>penetrate skin & binds to surface proteins of antigen-presenting cells i.e. macrophages and cells of Langerhans. Antigen internalized and processed by antigen presenting cells. Antigen presenting cells migrate to regional lymph nodes and present antigen to CD4 T-helper lymphocytes. Urushoil-specific T-helper cells duplicated. Clonal cells trigger cell-mediated cytotoxic immune response after subsequent exposure. Immune response characterised by dermal vasculature, redness, swelling, and destruction of epidermal cells</p>	<p>(Gladman 2006: 120-128).</p>	<p>pustules, or alternatively scales, excoriation, ulcer, cicatrix. Mild to severe itching and burning. Severe cases with stinging heat to the point of sleep deprivation. Fever, Coated tongue, prostration, loss of appetite, constipation, nephritis or febrile conditions is some cases (White as cited by McNair 1916: 419-428).</p> <p>Lethal erysipelatous swellings, red bullous rash that suppurates to for large crusts, systemic disturbances (Gray's supplement to the pharmacopoeia, as cited by Prichard 1891: 22-26).</p>
--	--	---	---------------------------------	--

		(Gladman 2006: 120-128).		
--	--	--------------------------	--	--

The data table above, highlights some of the important aspects of the natural history of the different species of the Anacardiaceae plant family that constitute the subset group. Urushiol, a yellowish organic compound consisting of catechol and hydrocarbon chains, is common amongst the Anacardiaceae species. Urushiol is also prevalent in all the species of the subset group, presented in the table above. However, the chemical composition thereof varies amongst the different species. Urushiol contains allergic properties which can cause varying degrees of contact dermatitis. The key active principle of urushiol of the different species of the subset group is highlighted in the table above.

The traditional application of the different plant species of the subset group is also highlighted in the table above. Most of these plant species produce a viscous and highly adhesive resin which tends to turn black upon exposure to air. This resin is used as ink/dye or as varnish in different parts of the world. Some species produce edible drupes, as in the case of *Mangifera Indica*, whilst other species are so extremely toxic that sitting under the shade of the tree can result in serious health issues.

The toxicology and physiological action of the different plant species of the subset group is also highlighted in the table above. The chemical composition of these species is very relatable, thus producing very similar effects. Anacardiaceae plant species cause inflammation to contact areas and cause a skin reaction known as Urushiol induced contact dermatitis. Ingestion of whole plant or inhalation of plant vapours causes inflammation of the internal organs which can result in serious health implications such as anaphylaxis and shock.

Table 5: Data analysis Table 3

Doctrine of signatures of subset group of remedies

<u>Species</u>	<u>Signatures</u>	<u>Traditional medicinal uses</u>
<i>Rhus toxicodendron (Poison Ivy)</i>	Plant spreads quickly over countryside, does not stay in one place, covers extensive territory along ground/ climbs over other plants (Gillis 1971: 161-237).	Recommended for restless individuals, constantly moving, tossing and turning in their sleep (Durban University of Technology 2014: 1-10).
<i>Anacardium orientale (Marking Nut)</i>	Core/heart outwardly located i.e. 'without heart' (Durban University of Technology 2014: 1-21)	Harsh, heartless, cold and unfeeling individuals. Loss of sensation/coldness of body parts (Durban University of Technology 2014: 1-21).
<i>Mangifera indica (Mango)</i>	Orange/yellow/amber coloured food and bark exudate (Anon. 2016).	Splashy yellow diarrhoea, diabetes, obesity, antispasmodic, pains, cramps, digestion, constipation (Anon. 2016).
<i>Comocladia dentata (Maiden plum)</i>	Highly sensitive plant easily succumbs to injury. Produces milky exudate that turns black upon exposure to air (The Encyclopaedia Britannica 1891: 202).	Oversensitivity of the skin and mind. Fluid filled vesicles of the skin and mucous membranes (Davis 1998: 130-132).
<i>Rhus venenata (Poison Elder)</i>	Highly sensitive plant. Green leaves that turn dark red upon injury (Gray's	Oversensitivity, Erythematous skin rash,

	supplement to the pharmacopoeia as cited by Prichard 1891: 22-26).	darkening of the skin (Grieve 1971: 444).
--	--	---

The table above highlights some of the doctrine of signatures of the Anacardiaceae plant family of remedies that constitute the subset group. The doctrine of signatures is an age-old concept designed to aid the health practitioner in his/her quest of discovering the curative herbs of nature. The concept suggests that nature has left certain markers on different plants/organisms that indicate their intended application in the restoration of health. The table of the doctrine of signatures of the different remedies of the Anacardiaceae plant family of remedies thus substantiates the natural history of these plants.

4.3 Analysis of Keyword

The researcher analysed Tables 3, 4, and 5. The *Oxford Paperback Thesaurus* (2012), Thesaurus.com (2019), and similar online sources were used to search for the keywords that were then extracted from these tables. . This enabled the researcher to identify the main themes of the natural history and correlate these themes with those extracted from the general & mental symptoms of the remedies of the subset group. This information is presented in Table 6 below.

Table 6: Remedies from the subset group with extracted keywords from data analysis tables as well as related synonyms.

REMEDY	KEYWORDS	SYNONYMS
Rhus toxicodendron	Wart	Growth, lump, swelling, protuberance, carbuncle, boil, blister, verruca, corn, tumour, keloid
	Swelling	Bump, lump, bulge, inflammation, protuberance, excrescence, enlargement, prominence, protrusion, tumour, node, nodule, boil, blister, bunion, carbuncle, wen, sty, welt.
	Ringworm	Tinea
	Black	Dark, unlit, unilluminated, sable, ebony, tragic, disastrous, nightmarish, gloomy, grim, threatening, ominous, cynical, mysterious, covert.

	Magic	Sorcery, witchcraft, wizardry, necromancy, enchantment, incantation, devilry, divination, malediction, voodoo, hoodoo, witchery, charm, hex, illusion, deception, trickery, charm, enchantment
	Poison	Toxin, venom, bane, pollution
	Demonic	Devilish, satanic, diabolical, hellish, infernal, evil, wicked, unholy, ungodly, Mephistophelian
	Spirit	Soul, psyche, pneuma, anima, ethos, essence, life-force, ghost, phantom, spook.
	Charm	Attachment, warmth, passion, devotion, compassion, benevolence, sympathy, friendliness, desire, lust
	Love	Attachment, warmth, passion, devotion, compassion, benevolence, sympathy, friendliness, desire, lust
	Subjection	Subjugation, domination, oppression, control, repression, suppression, bondage, slavery, persecution, exploitation, abuse
	Hypersensitive	Allergic, oversensitive
	Hives	Urticaria
	shock	Anaphylactic shock
	Redness	red
	Blisters	Bleb, bulla, pustule, vesicle, blain
	Exudate	Emission, exudation, discharge, secrete
	Itchy	Irritating, prickly, scratchy, pruritic
	Burning	Blistering, hot, acrid, excoriating, raging, intense, searing, sizzling, forceful, uncontrollable
	Irritable	bad-tempered, moody, touchy, grumpy, peevish
	Crusty	Dry, crisp, brittle, friable
	Widespread	Dispersed, scattered, diffuse, extensive, general, epidemic
	Dense	Thick, heavy, concentrated, condensed, ignorant, foolish, obtuse
	Creeping	Crawl, edge, slither, slide, sneak, tiptoe
	Alleviate	Reduce, ease, relieve, palliate, dilute, soothe, attenuate, pacify, diminish
	Abrupt	Instant, prompt, direct, unforeseen, quick, immediate, sudden, startling, violent, curt, blunt, sharp, brisk, snappish, rough, harsh, rude, discourteous, uncivil, churlish

	Fever	Perspiration, moisture, dampness
	Sweat	Coldness, shivering, shuddering
	Pain	Suffering, agony, affliction, torture, hurt, ache, throb, burn, prickle, sting, pinch, stitch
	Convulsion	Collapse, weakness, debility, faintness, lassitude, fatigue, tiredness,
	Prostration	paralysis, depression, despondency
Anacardium occidentale	Eruption	Rash, outbreak, inflammation, discharge
	Piles	Haemorrhoids
	Fever	Pyrexia, shivering, delirium, temperature
	Chills	Coldness, shivering
	Haemoptysis	Haemoptysis, bleeding
	Menorrhagia	Menstruation, hypermenorrhoea, menses
	Leucorrhoea	Secretion, catarrh, puss, phlegm, expectoration, sputum, discharge
	Deficient	Lacking, skimpy, insufficient, incomplete, inferior, faulty
	Lactate	Breastfeed
	Dry	Parched, shrivelled, withered, bare, cold, hard, arid, depleted, desiccated, barren, dehydrated, anhydrous, drained, sere
	Constipation	Dyschezia, impaction
	Parasite	Leech, dependent, sponge
	Stimulant	Tonic, restorative, analeptic, stimulus
	Rash	Eruption, efflorescence, roseola, reckless, impulsive, hasty, foolish
	Inflammation	Swelling, redness, tenderness, hotness, burning, stinging, soreness, pain, tenderness, sensitivity, infection, festering, eruption
	Pruritus	Itching
	Redness	Red, scarlet, flushing, rosiness
	Swelling	Bump, lump, bulge, inflammation, protuberance, excrescence, enlargement, prominence, protrusion, tumour, node, nodule, boil, blister, bunion, carbuncle, wen, sty, welt.
	Blister	Bleb, bulla, pustule, vesicle, blain
	Streak	Band, stripe, slash, vein
	Pain	Suffering, agony, affliction, torture, hurt, ache, throb, burn, prickle, sting, pinch

	Damage	Harm, injure, destroy, defile, deface, ruin, blemish, impair, spoil
	Growth	Proliferation, thickening, swelling, magnification, development
	Papule	Boil, fester, hickey, pimple, pock, pustule, wheek, zit
	Hypersensitive	Allergic, susceptible, sensitised,
	Tropical	Humid, sweltering
	Fear	Fright, agitation, dread, unrest, worry, angst, foreboding, dismay, distress, doubt, discomposure.
	Arthritis	Osteoarthritis, joint pain, gout
	Stiff	Immobile, numb, debilitated, incapacity, rigor, hard, heavy, harsh, severe, punishing, strong, drastic, crippling
	Dyspnoea	Orthopnea, breathlessness
	Hypoglycaemia	Collapse, weakness, debility, faintness, lassitude, fatigue, tiredness,
	Prostration	paralysis, depression, despondency
	Poison	Toxin, venom, bane, pollute, murder
Mangifera indica	Diarrhoea	Dysentery, flux, shigellosis
	Chronic	Persistent, incurable, immedicable, long-term, long-standing, hopeless, appalling, dreadful, awful, lamentable
	Catarrh	Cold, coryza, flu, mucous, nasopharyngitis, discharge, phlegm, snot, inflammation, salivation.
	Inflammation	Swelling, redness, tenderness, hotness, burning, stinging, soreness, pain, tenderness, sensitivity, infection, festering, eruption
	Diphtheria	Infection, Boulogne sore throat.
	Complaint	Disorder, disease, infection, affliction, illness, ailment, sickness, weakness, condition, problem, upset, trouble, bug, virus, protest.
	Hypertension	Hyperpiesis, pressure
	Dry	Parched, shrivelled, withered, bare, cold, hard, arid, depleted, desiccated, barren, dehydrated, anhydrous, drained, sere

	Tropical	Hot, humid, lush, sweltering, equatorial
	Bleed	Haemorrhage
	Celebrate	Commemorate, honour, remember, salute
	Offering	Sacrifice, atonement, expiation, oblation, gift, contribution
	Deity	God, idol, immortal, celestial, creator, goddess, godhead
	Love	Attachment, warmth, passion, devotion, compassion, benevolence, sympathy, friendliness, desire, lust
	Cleanse	Purify, clean, purge, wash, bathe, disinfect, sanitize, decontaminate,
	Infection	Contamination, poison, sepsis, inflammation, septicaemia
	Exhausted	Drained, fatigued, tired, depleted, spent, debilitated, prostrated, consumed, wasted, sapped
	Pain	Hotness, warmth, passion, intensity, agitation, fury, anger, violence, animation
	Heat	Hotness, warmth, passion, intensity, agitation, fury, anger, violence, animation
	Redness	Red, scarlet, flushing, rosiness
	Papules	Boil, fester, pimple, pock, pustule, hickey, lump, bump, excrescence, carbuncle, caruncle, furuncle, blackhead, blemish, acne, inflammation, abscess
	Weight-loss	Slimming, emaciation, thinning
Comocladia Dentata	Chronic	Persistent, incurable, immedicable, long-term, long-standing, hopeless, appalling, dreadful, awful, lamentable
	Dysentery	Diarrhoea, shigellosis
	Discharge	Excretion, ejection, emission, expulsion, exudate
	Atony	Atonicity, amyotonia
	Syphilis	Infection, condylomata
	Sciatica	Nueralgia, nerve-pain, neuritis
	Sprain	Wrench, twist, turn, pull, stretch, injure, hurt, damage
	Gout	Urarthritis, gouty arthritis
	Poison	Toxin, venom, bane
	Burn	Scorch, light, inflame, incinerate

	Wart	Growth, lump, swelling, protuberance, carbuncle, boil, blister, verruca, corn, tumour
	Inflammation	Swelling, redness, tenderness, hotness, burning, stinging, soreness, pain, tenderness, sensitivity, infection, festering, eruption
	Caustic	Corrosive, mordant, acid, burning, stinging, acrid, harsh, destructive, venomous, virulent, astringent, pungent, bitter
	Erythema	Redness, reddening, rash, erythroderma
	Pruritus	Itching
	Disturbance	Distress, alarm, irritation, disruption, upset, annoyance, worry, disorder, fluster, dismay, instability, disequilibrium, unbalance
	Black	Unlit, unilluminated, sable, ebony, tragic, disastrous, nightmarish, gloomy, grim, threatening, ominous, cynical, mysterious, covert.
	Curse	Hex, damn, jinx, ban, excommunicate, execrate, malediction, imprecation, voodoo, hoodoo
	Enemy	Foe, adversary, opponent, rival, nemesis, antagonist, combatant
	Catastrophic	Disastrous, calamitous, fatal, dire, awful, terrible, black, woeful
	Ruin	Destroy, devastate, ravage, crush, waste, wreck, decay, disintegrate
	Conflict	Dispute, quarrel, squabble, collide, clash, differ, diverge, collide
	Deadly	Fatal, lethal, mortal, ashen, ghostly, pallid, pale
	Evil	Wicked, bad, immoral, sinful, ungodly, unholy, foul, vile, corrupt, ignoble, iniquitous, sinister, malevolent, devilish, demonic, fiendish, dark, vicious, villainous
Rhus Venenata	Graveyard	Cemetery, churchyard, necropolis, boneyard
	Harm	Hurt, injure, pain, suffering, torment, anguish, torment, anguish, grief, abuse, molest, wound, misuse
	Irritation	Aggravation, discomfort, affliction, curse, plague, plight, annoyance
	Stimulant	Tonic, restorative, analeptic, stimulus

	Narcotic	Hypnotic, analgesic, opiate, soporific, sedative, tranquiliser
	Inflammation	Swelling, redness, tenderness, hotness, burning, stinging, soreness, pain, tenderness, sensitivity, infection, festering, eruption
	Erythema	Redness, reddening, rash, erythroderma
	Hyperaemia	Engorgement, congestion
	Eruption	Discharge, ejection, emission, rash, outbreak, inflammation
	Macule	Spot, cutis, blemish, freckle, lentigo
	Papule	Boil, fester, pimple, pock, pustule, hickey, lump, bump, excrescence, carbuncle, caruncle, furuncle, blackhead, blemish, acne, inflammation, abscess
	Vesicle	Blister, cavity, cell, cyst, bladder, utricle, bulla, sac, dictyosome
	Pustules	Pimple, spot, blackhead, boil, swelling, eruption, carbuncle, wen, cyst, abscess, blister, comedo, blain, bleb, papule
	Scaly	Dry, flaky, rough, scabious, squamate, squamous, scrupulous, scabby
	Excoriated	Chafed, abraded, scraped, damaged, inflamed
	Ulcer	Sore, abscess, boil, carbuncle, pustule, blister, cyst, wen, aphtha, chancre, furuncle, fester, impostume
	Cicatrix	Pockmark, keloid, callus, cicatrice
	Itchy	Irritating, prickly, scratchy, pruritic
	Burning	Blistering, fiery, flaming, tropical, torrid, intense, zealous, acute, keen, frantic, vigorous, strong, uncontrollable
	Stinging	Prickling, biting, burning, sharp, smarting, irritating, tingling, agonising
	Heat	Hotness, warmth, passion, intensity, agitation, fury, anger, violence, animation
	Insomnia	Sleeplessness, restlessness, vigilance, wakefulness, tension, stress, insomnolence
	Fever	Pyrexia, shivering, delirium, temperature, febrility
	Prostration	Debility, fatigue, lassitude, weakness, collapse, tiredness, paralysis, despair, despondency, dejection, despair, helplessness
	Appetite	Craving, hunger, longing, yearning, thirst, passion
	Constipation	Dyschezia, impaction

	Nephritis	Nephropathy, nephrosis, glomerulonephritis
	Febrile	Feverish, fevered, hot, burning, fiery, flushed, shivering, pyretic, delirious.
	Erysipelas	Saint Anthony's fire
	Swelling	Bump, lump, bulge, inflammation, protuberance, excrescence, enlargement, prominence, protrusion, tumour, node, nodule, boil, blister, bunion, carbuncle, wen, sty, welt.
	Inflammation	Swelling, redness, tenderness, hotness, burning, stinging, soreness, pain, tenderness, sensitivity, infection, festering, eruption
	Redness	Red, scarlet, flushing, rosiness.
	Bullous	Vesicular, blistered
	Rash	Eruption, efflorescence, roseola
	Suppuration	Ichor, pus, humour, discharge, festering, gleet
	Disturbance	Distress, alarm, irritation, disruption, upset, annoyance, worry, disorder, fluster, dismay, instability, disequilibrium, unbalance
	Cold	Chilly, cool, polar, freezing, frosty, inhospitable, withdrawn, stony, reserved, formal, impersonal, stiff
	Acidic	Pungent, sharp, sour, unsweetened, zestful, zingy, dry, tart, vinegary

From the table above, which presents the analysis of the different elements of the natural history of the subset group of remedies of the Anacardiaceae plant family, it is evident that the central theme of the natural history of the Anacardiaceae plant family of remedies is inflammation. The inflammatory process, which is characterised by swelling, redness, heat, pain, and temporary loss of function & sensation, is a common phenomenon in this family group of remedies. Inflammation, as a central theme of this family group, has a strong affinity towards the integumentary system, mucous membranes, joints, bones, and gastrointestinal tract. Other major themes of this family group of remedies include pruritus, irritability, atony, exhaustion, vesicular eruptions, and sorcery.

4.4 Rubric extraction and analysis

A computer repertory search was carried out using Macrepertory (2017) in order to compile a list of all the general and mental rubrics of the individual remedies that constitute the subset group. Parameters were set for each repertory search to include only those rubrics which contain the two variables of interest i.e. mental and general rubrics. The mental and general rubrics of all the remedies of the subset group were extracted and tabulated (Appendix A-E). These rubrics configured the basis of the crude data employed to investigate the homoeopathic general and mental symptoms of the subset group of remedies, and facilitated the extraction of the homoeopathic themes of individual remedies and the entire group of remedies.

4.5 Keyword and synonym analysis of general and mental symptoms of subset group of remedies

The subsequent step, as pertaining to the analysis procedure in this study, was to investigate the general and mental rubrics of the Anacardiaceae plant family of remedies in order to extract individual remedy themes for each member of the subset group. Keywords and synonyms relatable to the individual remedies of the Anacardiaceae family were extracted from the data presented in Appendix A-E. A summary of these keywords and synonyms are presented in Table 7 below.

Table 7: Keyword and synonym analysis from general, mental, and subrubrics of the subset group of remedies

Rhus toxicodendron	Anacardium orientale	Mangifera indica	Comocladia dentata	Rhus venenata
Anger	Rage	Anger		Anger
		Hatred		
Anxiety	Anxiety	Anxiety		Anxiety
Confusion	Confusion	Confusion		
Coldness	Coldness	Coldness	Coldness	Coldness
Convulsions	Convulsions	Convulsions	Convulsions	

Delusional	Delusional	Delusional	Delusional	
Discharges	Discharges	Discharges	Discharges	Discharges
Dreamy	Dreamy	Dreamy	Dreamy	Dreamy
Dullness	Dullness	Dullness	Dullness	Dullness
Dryness		Dryness	Dryness	Dryness
Inflammation	Inflammation	Inflammation	Inflammation	inflammation
Forgetfulness	Forgetfulness	Forgetfulness		
Poisoning	Intoxication	Intoxication	Intoxication	Intoxication
Injuries		Injuries		
Weakness	Weakness	Weakness	Weakness	Weakness
Restlessness	Restlessness		Restlessness	Restlessness
Pain	Pain	Pain	Pain	Pain
Sadness	Sadness		Sadness	
Sensitive	Oversensitive	Sensitive		Oversensitive
Insensibility		Insensibility		Insensibility
		Emaciation		Emaciation
Unconsciousness		Unconsciousness		
			Cheerfulness	Cheerfulness
Excitable	Excitable	Excitable	Excitable	Excitable
Irritable	Irritable	Irritable	Irritable	Irritable
Stiffness		Stiffness	Stiffness	
Shrieking	Mania			
Tingling				
Weeping			Contemptuous	Despair
	Abrupt		Indifference	
	Emptiness			
		Infiltration		
			Absorbed	
				Shock

4.6 Hypothesis 1: There are commonalities that exist between the homoeopathic general and mental symptoms of the individual remedies of the Anacardiaceae plant family and their respective natural history.

Upon further investigation of the natural history and homoeopathic symptomatology of the Anacardiaceae family, the researcher identified keyword symptoms from the homoeopathic rubrics that can be related to the remedy's natural history which are presented below.

4.6.1. Rhus Toxicodendron

Regarding the remedy, Rhus Toxicodendron, the general and mental symptoms were found to be of notable significance in relation to the remedy's natural history. The symptoms that were found to be of most significance to the remedy's natural history under the general rubrics are listed below:

GENERALS-Abcesses

GENERALS-Coldness

GENERALS- Convulsions

GENERALS- Discharge

GENERALS-Fever

GENERALS-Heat

GENERALS- Inflammation

GENERALS- Intoxification

GENERALS- Itching

GENERALS-Metastasis

GENERALS- Pain

GENERALS-Paralysis

GENERALS- Sensitiveness

GENERALS-Shuddering

GENERALS-Sudden manifestations

GENERALS- Swelling

GENERALS-Tumors

GENERALS-Weakness

GENERALS- Wounds

Certain rubrics under the general symptoms contained sub-rubrics that were also relatable to the keywords and synonyms of the natural history of the remedy, Rhus Toxicodendron. These rubrics were more significant as they added depth to the correlation of the two variables of this study, namely, homoeopathic symptoms and natural history. These general rubrics containing sub-rubrics with multiple keywords and synonyms relatable to the remedy's natural history are listed below:

Generalities- **Abscesses**, suppurations-**painful**

Generalities- **Abscesses**, suppurations-pus-**acrid**, corrosive, **excoriating**

Generalities- **Abscesses**, suppurations-**stitching**

Generalities- **Coldness**, lack of vital heat-**fever-during**

Generalities- **Convulsions**, spasms- **paralysis-with**

Generalities- **Discharges**, **secretions**-acrid, corrosive, **excoriating**

Generalities-**Discharges**, **secretions**-**burning**

Generalities-**Discharges**, **secretions**- **red**

Generalities- **Discharges**, **secretions**- **reddening parts**

Generalities- **Discharges**, **secretions**-**burning**

Generalities-**Faintness**, fainting-sudden, **paroxysmal**

Generalities-**Fever**, during-**heat**

Generalities- **Lameness**-**fever**, during

Generalities-**Pain**-applications-**cold**-agg.

Generalities-**Pain**-**chill**, during

Generalities-**Pain-exhaustion**, from

Generalities-**Pain-fever**, during-**heat**

Generalities-**Pain-perspiration** agg.

Generalities- **Pain-vesicles**- amel.

Generalities-**Pain-warmth**- agg

Generalities-**Pain- weakness**, with

Generalities-**Pain**-internal-**fever**, during

Generalities-**Pain**-internal-**itching** with

Generalities-**Pain**-external-**heat**; during

Generalities-**Pain**-parts-**paralyzed**

Generalities-**Pain**-joints, articulations-**fever**, during

Generalities-**Pain**-joints, articulations-**perspiration**, during

Generalities-**Pain-burning, smarting-fever**-during

Generalities-**Pain-burning, smarting- vesicles**, outbreak of, amel

Generalities-**Pain- convulsive, spasmodic**

Generalities-**Pain**-sore, bruised-**chill, during**

Generalities-**Pain**-sore, bruised-**cold**-agg.

Generalities-**Pain**-sore, bruised-**fever**-during

Generalities-**Pain**-sore, bruised-**perspiration** agg.

Generalities-**Pain-stitching-burning**

Generalities-**Pain-ulcerative**

Generalities-**Pain-sudden, paroxysmal**-tension acutely increases, leaves with a snap on first motion

Generalities-**Pain**-one-sided, hemiplegia-**coldness** of **paralyzed** part, with

Generalities-**Paralysis-chill**, during

Generalities-**Paralysis-eruptions**, after suppressed

Generalities-**Paralysis-toxic**

Generalities-**Secretions** of mucous membranes-**acid, corrosive, excoriating**

Generalities-**Shuddering, shivering**

Generalities-**Swelling-chill**, during

Generalities-**Swelling-heat**, during

Generalities-**Swelling-black**

Generalities-**Swelling-hot**

Generalities-**Swelling-inflammatory**

Generalities-**Swelling-painful**

Generalities-**Swelling-painful-burning**

Generalities-**Swelling-red**

Generalities-**Swelling-sudden**

Generalities-**Swelling-edemous-eruption**, after suppressed

Generalities-**Swelling-edemous-fever**-after

Generalities-**Swelling-edemous-painful-burning**

Generalities-**Swelling-edemous-painful-stitching**

Generalities-**Tumors-keloid**

Generalities-**Weakness-emissions, pollutions**, after seminal

Generalities-**Weakness-heated** from walking, becoming, and rapid **cooling**, after

Generalities-**Weakness-narcotics**, abuse of

The symptoms from the mental rubrics of the remedy, Rhus Toxicodendron were also evaluated for keywords and synonyms relatable to its natural history. These are listed below:

Mind-Abrupt

Mind-Anger

Mind-Convulsions

Mind-Darkness

Mind-Irritable

Mind-Pain

Mind-Perspiration

Mind-Prostration

Mind-Weakness

Mind-Quarrellsomeness

Mind-Sensitive

Mind-Sudden manifestations

Mind-Weakness

Mind-Unconsciousness

The following mental rubrics listed below contain sub-rubrics with more than one keyword or synonym relatable to the natural history of Rhus-Toxicodendron.

Mind-**Anger-chill**, during

Mind-**Anger-fever**, during

Mind-**Anger-perspiration**, during

Mind-**Irritability- chill**, during

Mind-**Irritability-Pain**, during

Mind-**Prostration** of mind-**narcotics**, from abuse of

Mind- **Prostration** of mind-**narcotics-Paralysis** of lower limbs, with

Mind-**Prostration** of mind-**narcotics-weakness**, with bodily

Mind-**Sensitive, oversensitive**-impressions, to all external

Mind-**Sensitive, oversensitive**-noise, to

Like the sub-rubrics of the general symptoms of Rhus Toxicodendron, the sub- rubrics of the mental symptoms of Rhus-Toxicodendron also contained keywords and synonyms relatable to the remedy's natural history. The correlation between the natural history of the remedy Rhus-Toxicodendron and its homoeopathic symptomatology can thus be summarised as illustrated in the table below:

Table 8: Keywords and synonyms of the general and mental rubrics of the remedy Rhus-Toxicodendron that are relatable to its natural history

Keywords from Natural History	Keywords from Rubrics
Chills	Coldness
Convulsions	Convulsions
Black	Darkness
Fever	Fever
Burning	Heat
Swelling	Inflammation
Poison	Intoxication
Irritable	Quarrelsome
Itchy	Itchy

Pain	Pain
Prostration	Prostration
Sweat	Perspiration
Sensitive	Oversensitive
Abrupt	Anger
Weakness	Weakness
Vesicle	Vesicles

The results thus conclude that a relationship exists between the natural history of Rhus-Toxicodendron and its general and mental symptoms in terms of the extracted keywords and synonyms from the remedy's natural history and homoeopathic general and mental rubrics, thus proving the hypothesis to be applicable to the remedy Rhus-Toxicodendron.

4.6.2 Anacardium Orientale

Similar to Rhus-Toxicodendron, Anacardium Orientale exhibited a relationship that is significant between the general and mental symptoms, and the natural history thereof. The two remedies also share multiple attributes in terms of their historical and homoeopathic applications as indicated by the data collected. Both remedies exhibited a significant relationship between their respective natural history and homoeopathic general and mental symptoms. In the case of Rhus-Toxicodendron, the main Homoeopathic rubrics of Anacardium Orientale contained keywords and synonyms relatable to its natural history. However, fewer relatable keywords and synonyms were found in the remedy's sub-rubrics. The general symptoms of Anacardium Orientale that were found to be relatable to its natural history are listed below:

Generalities- Abscesses

Generalities- Coldness

Generalities-Convulsions

Generalities- Cramps

Generalities- Discharges

Generalities- Dryness

Generalities- Faintness

Generalities- Hardness

Generalities- Heat

Generalities- Heaviness

Generalities- Inflammation

Generalities- Injuries

Generalities- Intoxicated

Generalities- Itching

Generalities- Numbness

Generalities- Pain

Generalities- Paralysis

Generalities- Redness

Generalities-Secretions

Generalities-Stiffness

Generalities- Swelling

Generalities-Weakness

The general rubrics and sub-rubrics of Anacardium Orientale that contained more than one keyword or synonym relatable to its natural history are listed below:

Generalities- **Abscesses, suppurations-pus**-acid, corrosive, **excoriating**

Generalities- **Coldness**, lack of vital **heat- pain**, during

Generalities-**Coldness**, lack of vital **heat-chill**, during

Generalities-**Coldness**, lack of vital **heat-fever**, during

Generalities-**Convulsions-spasms-heat**-during

Generalities-**Convulsions-spasms-paralysis**; before

Generalities- **Discharges- exhausting**

Generalities- **Discharges-secretions**, acrid, corrosive, **excoriating**

Generalities- **Discharges-hot**

Generalities- **Discharges- secretions-burning**

Generalities- **Discharges- secretions- reddening** parts

Generalities-**Faintness, fainting-coldness** of extremities, with

Generalities-**Faintness, fainting-unconsciousness**, without

Generalities-**Faintness, fainting-sudden, paroxysmal**

Generalities-**Heat**-flushes of-**chilliness**-after

Generalities-**Heated, warmed, hot, becoming**-agg.

Generalities- **Inflammation-** joint, **arthritis**

Generalities- **Pain- chilliness**, during

Generalities-**Pain-fever**, during

Generalities- **Pain- weakness**, with

Generalities- **Pain-external- perspiration**, during

Generalities- **Pain- burning**, smarting

Generalities-**Pain-paralytic**

Generalities- **Secretions** of mucous membranes- acrid, corrosive, **excoriating**

Generalities- **Secretions** of mucous membranes- **acrid-** profuse

Generalities- **Weakness-emissions, pollutions**, after seminal

Generalities- **Weakness-fever** during

Generalities- **Weakness- heaviness** with

Generalities- **Weakness-perspiration-** with

Generalities- **Weakness- paralytic**

The mental rubrics of Anacardium Orientale listed below were found to be relatable to its natural history. The sub-rubrics of these rubrics however contained no keywords or synonyms relatable to the remedy's natural history.

Mind- Abrupt

Mind-Abusive

Mind-Dullness

Mind- Harshness

Mind-Rudness

Mind- Sensitive

The correlation of the natural history and the homoeopathic general and mental symptoms of Anacardium Orientale can thus be summarised as illustrated in Table 9 below:

Table 9: Keywords and synonyms of the general and mental rubrics of the remedy
Anacardium Orientale that are relatable to its natural history

Keywords from Natural History	Keywords from Rubrics
Rash	Abscesses
Chills	Coldness
Impulsive	Abrupt
Punishing	Abusive
Weakness	Dullness
Hypersensitive	Sensitive
Pain	Pain
Incapacity	Stiffness
Poison	Intoxicated

The investigation of both the mental and general homoeopathic rubrics of Anacardium Orientale revealed multiple rubrics containing keywords and synonyms relatable to the natural history of the remedy. Further investigation revealed that the sub-rubrics of the general symptoms of Anacardium Orientale also contained keywords and synonyms that are relatable to its natural history. The sub-rubrics of the mental symptoms, however, contained no keywords and synonyms relatable to its natural history. The overall findings indicate the existence of a relationship between the general and mental symptoms of Anacardium Orientale and the natural history thereof, thus proving the hypothesis to be applicable to Anacardium Orientale.

4.6.3 Mangifera Indica

The investigation of the remedy Mangifera indica revealed that both the general and mental symptoms of the remedy were relatable to its natural history. The keywords and synonyms of the homoeopathic symptoms relatable to this remedy's natural history were obtainable from both the general and mental rubrics. The sub-rubrics of the general symptoms of Mangifera Indica, however, contained significantly fewer keywords and synonyms relatable to its natural history. The mental rubrics contained even fewer keywords and synonyms relatable to the remedy's natural history.

Listed below are the general rubrics containing keywords and synonyms relatable to the natural history of Mangifera Indica:

Generalities- Abscesses

Generalities- Discharges, secretions

Generalities- Dryness

Generalities- Emaciation

Generalities- Heat

Generalities- Inflammation

Generalities- Pain

Generalities- Redness

Generalities- Secretions of mucous membranes

Generalities- Swelling

Generalities- Weakness

Listed below are the general rubrics containing more than one keyword or synonym relatable to the natural history of Mangifera Indica:

Generalities-**Discharges**, secretions-acrid, **corrosive**, **excoriating**

Generalities-**Discharges**, secretions- **bloody**

Generalities-**Discharges**, secretions- **exhausting**

Generalities-**Inflammation**- joints, **arthritis**

Generalities-**Inflammation**- **catarrhal**- **chronic**

Generalities-**Inflammation**-**chronic**

Generalities-**Pain**- **weakness**, with

Generalities-**Pain**- **burning**, **smarting**

Generalities-**Pain**-**chronic**

Generalities-**Secretions** of mucous membranes- acrid, **corrosive**, **exoriating**

Generalities-**Secretions** of mucous membranes-**bloody**

Generalities-**Swelling**-**inflammatory**

Generalities-**Swelling**- **painful**

Generalities- **weakness**- **menses**-during

Listed below are the mental rubrics of Mangifera Indica containing keywords and synonyms relatable to its natural history.

Mind- Benevolence

Mind- dullness

The sub rubrics of the mental symptoms of Mangifera Indica contained no keywords and synonyms relatable to its natural history. The correlation between the homoeopathic general and mental symptoms of Mangifera Indica to the natural history thereof can thus be summarised as per illustration below

Table 10: Keywords and synonyms of the general and mental rubrics of the remedy *Mangifera Indica* that are relatable to its natural history:

Keywords from Natural History	Keywords from Rubrics
Abscesses	Abscesses
Catarrh	Discharge
Dry	Dryness
Weight-loss	Emaciation
Inflammation	Inflammation
Pain	Pain
Bleeding	Bloody
Tiredness	Weakness
Love	Benevolence

From the analysis of the above data of *Mangifera Indica*, it is observed that the general symptoms are more significant than the mental symptoms in relation to the remedy's natural history. Though not significant, the mental rubrics do contain keywords and synonyms relatable to the remedy's natural history. However, according to the applied methodology, these mental symptoms were viewed as being less significant. The overall findings indicate that there is a relation between the remedy's homeopathic symptoms and natural history, thus proving the hypothesis is also applicable to *Mangifera Indica*.

4.6.4 COMOCLADIA DENTATA

Upon the investigation of the remedy *Comocladia Dentata*, the researcher found that both the general and mental symptoms of the remedy exhibited some relation to its natural history. The general symptoms however were of more significance than the mental symptoms as these contained multiple keywords and synonyms. The mental symptoms contained only

one keyword/synonym relatable to the remedy's natural history, thus rendering these symptoms less significant for the purpose of this study. Listed below are the general symptoms of Comocladia Dentata containing keywords or synonyms relatable to its natural history:

Generalities-Discharges

Generalities-Heat

Generalities-Inflammation

Generalities-Pain

Generalities-Redness

Generalities-Swelling

Listed below are the the general rubrics and sub-rubrics of Comocladia Dentata containing more than one keyword or synonym relatable to the remedy's natural history:

Generalities-**Discharges**, secretions-**acrid**

Generalities-**Pain-burning, smarting**

Generalities-**Pain-corrosive**, gnawing

Generalities-**Pain- neuralgic**

Generalities- **Swelling-red**

Only one mental symptom was found to be relatable to the natural history of Comocladia Dentata. Keywords and synonyms from the mental sub rubrics that are relatable to the remedy's natural history could not be identified.

Regarding the mental symptoms of Comocladia Dentata containing keywords or synonyms relatable to the remedy's natural history, only one was identified:

Mind-**Malicious**, vindictive

The correlation between the homoeopathic general and mental symptoms of Comocladia Dentata to the natural history thereof can thus be summarised as per illustration below:

Table 11: Keywords and synonyms of the general and mental rubrics of the remedy Comocladia Dentata that are relatable to its natural history

Keywords from Natural History	Keywords from Rubrics
Discharge	Discharge
Hotness	Heat
Inflammation	Inflammation
Pain	Pain
Erythema	Redness
Swelling	Swelling
Harm	Malicious
Caustic	Corrosive

The results above indicate that the general symptoms of Comocladia Dentata feature significantly more than the mental symptoms in terms of keywords and synonyms relatable to its natural history. As a result, it can be said that a relationship exists between the homoeopathic symptoms of Comocladia Dentata and the natural history thereof. Thus, the hypothesis is also applicable to the remedy Comocladia Dentata.

4.6.5 Rhus Venenata

The investigation into the remedy Rhus Venenata revealed that both the general and mental symptoms of the remedy exhibited some relation to its natural history. The general symptoms, however, were more significant than the mental symptoms as these contained multiple keywords and synonyms relatable to the remedy's natural history. The mental symptoms contained only two rubrics with keywords/synonyms relatable to the remedy's natural history, thus rendering these symptoms less significant for the purpose of this study.

Listed below are the general symptoms of Rhus Venenata containing keywords or synonyms relatable to its natural history:

Generalities-Coldness

Generalities-Discharge

Generalities-Dryness

Generalities-Eruptions

Generalities-Heat

Generalities-Inflammation

Generalities-Pain

Generalities-Redness

Generalities-Swelling

Generalities-Tumors

Generalities-Weakness

Listed below are the the general rubrics and sub-rubrics of Rhus Venenata containing more than one keyword or synonym relatable to the remedy's natural history.

Generalities-Coldness, lack of vital heat

Generalities-Discharge, secretions-acrid, corrosive, excoriating

Generalities-**Pain-cold**-agg.

Generalities-**Pain-fever**-during

Generalities-**Pain-warmth**-agg

Generalities-**Pain-burning, smarting**

Generalities-**Pain-burning, smarting-warmth**-agg

Generalities-**Pain-burning, smarting-itching**

Generalities-**Swelling-heat**, during

Generalities-**Swelling-inflammatory**

Generalities-**Swelling-painful**

Generalities-**Swelling-red**

With regard to the mental symptoms, the researcher discovered only two mental symptoms that are relatable to the natural history of the remedy Rhus Venenata. The researcher was unable to identify any keywords and synonyms from the mental sub rubrics that are relatable to the remedy's natural history.

Listed below are the mental symptoms of Comocladia Dentata containing keywords or synonyms relatable to the remedy's natural history:

Mind-Despair

Mind-Irritability

The correlation between the homoeopathic general and mental symptoms of the remedy Rhus Venenata and its natural history are summarised in the table below.

Table 12: Keywords and synonyms of the general and mental rubrics of the remedy *Rhus Venenata* that are relatable to its natural history

Keywords from Natural History	Keywords from Rubrics
Cold	Coldness
Suppuration	Discharge
Scaly	Dryness
Eruptions	Eruptions
Heat	Heat
Inflammation	Inflammation
Swelling	Swelling
Redness	Redness
Weakness	Weakness
Irritation	Irritability
Prostration	Despair

The results above indicate that the general symptoms of *Rhus Venenata* featured significantly more than the mental symptoms in terms of keywords and synonyms relatable to its natural history. Therefore, the hypothesis is also applicable to the remedy *Comocladia Dentata* because of the existence of a relationship between the homoeopathic symptoms and its natural history.

4.7 Commonalities exist between the general and mental symptoms of the Anacardiaceae family and its natural history collectively.

4.7.1 Commonalities in keywords existing in the Anacardiaceae family as a whole

The researcher identified commonalities, in terms of keywords and synonyms, relatable to the entire subset group of remedies of the Anacardiaceae plant family. These commonalities represent the common themes of the Anacardiaceae plant family of remedies as per analysed data. The table below lists the themes and sensations of the Anacardiaceae family that emerged during data analysis.

Table 13: Themes and sensations of the Anacardiaceae plant family according to analysed data

Pain
Inflammation
Swelling
Redness
Coldness
Burning
Irritable
Eruptions
Weakness

The researcher then reviewed the work of pioneering homoeopathic authors Sankaran, Scholten, and Yakir. Common themes and sensations were extracted from each author's work on the subject matter. . These are presented below in Table 14.

Table 14: Themes and Sensations exhibited by the Anacardiaceae plant family of remedies according to Sanakaran (2002), Scholten (2013), and Yakir (2017)

Themes & Sensations according to Sankaran	Themes & sensations according to Scholten	Themes & sensations according to Yakir
Cramps	Cramps	Cramps
Caught	caught	Fixity
Stiff	stiff	Stiffness
Paralysed	Paralysis	Paralysis

Tight Restricted Tension Pressing Constriction Immobile Tight	Constricted Restricted Tension stuck Immobile Lump Plug	Rigidity
	Powerless	Fatigue Exhaustion Feeble Laziness
	Attacked Betrayed Cheated Insulted	
Restlessness	Restlessness	Restlessness
Anxiety	Threatened	Anxiety Fear Superstitious
Pain Soreness	Agony	Pain
Chilliness Coldness		
Sadness	Empty Unfeeling	
Ill-humour	Sarcasm Angry Hard Cruel Censorious Mocking Rage Fury Abusive Scolding	Evil Anger Strict Linear
	Devils Evil forces Cursed Outcast	

	Death Dangers Strangers	
Pulsation	Herpetic eruptions Itching Inflammation Diseases Burning Fire	Eruptions Itchiness
		Obsessiveness
	Forgetful Blank Unfortunate	Study difficulty Suppression
Periodicity		Split Duality Guilt

The above highlights the themes of the Anacardiaceae plant family according to the studies conducted by; Sankaran (2002), Scholten (2013), and Yakir (2017). The words printed in bold are themes that were obtained from this study.

4.8 Conclusion

In this chapter, a select number of remedies from the Anacardiaceae plant family of remedies were interrogated for similarities between their homoeopathic symptomatology and their respective natural history. This was achieved by extracting keywords and synonyms from both the homoeopathic symptomatology and natural history.

Upon investigation of the remedies forming the subset group of this study, the researcher identified similarities between the homoeopathic symptomatology and the natural history of the individual remedies. Furthermore, the researcher compared the themes of the Anacardiaceae plant family that emerged from this study to those of pioneering Homoeopathic authors and identified similarities. These results are discussed in Chapter 5.

CHAPTER 5: DISCUSSION OF RESULTS

In the preceding chapter the researcher established the existence of a relationship between the natural history and the homoeopathic physical and mental symptomatology of the Anacardiaceae plant family of remedies via the extraction and collation of keywords and synonyms. In this chapter, the broader concepts pertaining to the relationship that exists between the natural history and homoeopathic mental and general symptoms of individual remedies featured in this study will be discussed. The relationship that may exist between the natural history of the Anacardiaceae plant family and its homoeopathic symptoms as a whole will also be discussed. Furthermore, the themes of the Anacardiaceae family found in this study will be compared to those presented by Sankaran (2002), Scholten (2013), and Yakir (2017).

5.1 Relationships between individual Anacardiaceae remedies and their related natural histories

5.1.1 Rhus Toxicodendron

The examination of the natural history and doctrine of signatures of Rhus Toxicodendron revealed multiple characteristics of the plant's botanical history that alluded to how the plant is applied homoeopathically in terms of the fundamental governing law of homoeopathic medicine i.e. '*The law of similars*'. Not enough evidence was present however in the natural history of the plant to suggest the application of the doctrine of signatures.

Rhus Toxicodendron, now botanically referred to as Toxicodendron Radicans, manifests as a deciduous shrub in mountainous areas and valleys, and a climbing vine with adventitious roots in shady canyons and riverbanks. The plant is native to north & northern South America, Mediterranean Eastern Africa, Southern Africa, Southern Europe through to Southern Asia, China, Japan, Malaysia, and Polynesia. The plant's appearance varies according to its environment but can be identified by some of its distinctive features such as clusters of three (3) leaflets arranged in alternating positions with each cluster, possessing an individual stem

connecting it to the main vine. *Rhus Toxicodendron* contains urushiol, a skin irritant, which causes inflammation upon exposure to skin and soft tissue. Many species belonging to the Anacardiaceae family produce urushiol, all with a somewhat different chemical composition and potency. Urushiol-induced contact dermatitis causes two (2) types of skin reactions. Type 1 is an immediate hypersensitivity reaction characterised by hives, swelling of the lips, tongue and airways. In severe cases, the symptoms may rapidly progress to dyspnoea, convulsions, anaphylaxis, and shock. The second type of skin reaction is a Type IV hypersensitivity reaction, also known as delayed type hypersensitivity. Type IV hypersensitivity reactions may take several days to manifest after exposure. Symptoms include prostration, pruritus, irritability, swelling, redness, blisters with yellowish exudate, crusting skin, red streak, pain, fever and night chills.

From this abundance of characteristics found in the natural history of the remedy, *Rhus Toxicodendron*, the researcher identified commonalities relatable to the remedy's natural history in the form of keywords and concepts. These commonalities are discussed below:

- The keyword “Abrupt”, from the natural history, holds two meanings in the context of this study. “Abrupt” i.e. happening suddenly, describes the onset of the symptoms of *Rhus Toxicodendron* and features in this study as such. “Abrupt” i.e. snappish and blunt, quantifies the abstract noun and is synonymous with the word ‘anger’ found in the homoeopathic mental rubrics of *Rhus Toxicodendron*.
- The keyword “Black”, found in the natural history of *Rhus Toxicodendron*, is synonymous with the word “Darkness” featured in the homoeopathic symptomatology of this study. Mythologically, this can be related to witchcraft and the inclination to do harm through sorcery.
- The keyword “Burning”, found in the natural history of *Rhus Toxicodendron*, is synonymous with the word “heat” found in the homoeopathic rubrics of this study. This can be related to the toxicology of *Rhus Toxicodendron* as an irritant. *Rhus*

Toxicodendron tends to cause a burning sensation in body parts that come into contact with the plant or its resin.

- The keyword “Chills”, found in the natural history of Rhus Toxicodendron, is synonymous with the word “Coldness” found in the homoeopathic rubrics of this study. This relates to the systemic symptoms experienced by the individual, associated with the delayed type hypersensitivity response.
- The keyword “Convulsions” features in both the natural history and homoeopathic symptomatology of this study. In severe cases of Rhus Toxicodendron poisoning, especially if ingested, the individual may experience fatal symptoms such as convulsions.
- The keyword “fever” features in both the natural history and homoeopathic symptomatology of this study. Pyrexia is one of the systemic symptoms caused by poisoning with urushiol-containing Rhus Toxicodendron.
- The keyword “itchy” features in both the natural and homoeopathic symptomatology of this study. Urushiol is an irritant of the skin and other soft tissue which causes body parts to itch.
- The keyword “irritable”, found in the natural history and is synonymous with the word “quarrelsome” in the homoeopathic rubrics of this study, can be related to the individual’s temper during their period of ailment. Also, “Irritable” appearing in both the natural history and homeopathic rubrics can be ascribed to the physical symptom of abnormal sensitivity.

- The keyword “pain” features in both the natural history and homoeopathic symptomatology of Rhus Toxicodendron. Urushiol poisoning may cause the ailing individual to experience highly unpleasant physical sensations, to the point of agony.
- The keyword “poison”, found in the natural history, is synonymous with the word “intoxication” found in the homoeopathic rubrics of Rhus Toxicodendron. Urushiol is toxic to the general population and can be fatal if ingested.
- The keyword “prostration” features in both the natural history and homeopathic rubrics of Rhus Toxicodendron. “Prostration” is a symptom associated with prolonged debilitation due to illness caused by poisoning with Rhus Toxicodendron.
- The keyword “sensitive”, found in the natural history of Rhus Toxicodendron is synonymous to the word “oversensitive”, found in the homoeopathic rubrics thereof. This can be related to both the physical and mental symptoms caused by ingesting urushiol-containing Rhus Toxicodendron.
- The keyword “sweat” features in both the natural history and homoeopathic rubrics of the remedy Rhus Toxicodendron. Sweating is a symptom brought on by poisoning with urushiol and is usually accompanied by fever.
- The keyword “swelling”, found in the natural history of Rhus Toxicodendron, is synonymous with the word “inflammation” found in the homoeopathic rubrics thereof. Urushiol exposure causes swelling in exposed body parts. Swelling is usually accompanied by pain, redness, and heat.

- The keyword “vesicles” features in both the natural history and homeopathic rubrics of Rhus Toxicodendron. Urushiol skin exposure inflames the skin and causes fluid-filled skin eruptions, especially along the areas of exposure.
- The keyword “weakness” features in both the natural history and homoeopathic rubrics of Rhus Toxicodendron. Urushiol poisoning may cause systemic symptoms which debilitate the individual and cause physical and mental symptoms of extreme tiredness, to the point of weakness.

The discussion above describes the relationship between the natural history and homoeopathic symptomatology of Rhus Toxicodendron as per collation of extracted keywords from the natural history and homoeopathic general and mental rubrics thereof. It also clarifies the existence of a relationship between the natural history and homoeopathic symptomatology of Rhus Toxicodendron.

5.1.2 Anacardium Orientale

The examination of the natural history of Anacardium Orientale revealed multiple characteristics of the plant’s botanical history that alluded to how the plant is applied homoeopathically in terms of the fundamental governing law of homoeopathic medicine, that is, *‘Like cures like’*, as in the case of Rhus Toxicodendron. Not enough evidence was established however in the plant’s natural history to suggest that the knowledge of the doctrine of signatures influenced the plant’s application. Homoeopathically the plant has been known for its duality, both in the physical and mental plane, often described as the existence of two contradictory energies within a person. This duality can be observed when physically inspecting the plant i.e. the split of the seed from the fruit, and the contrary poisonous shell encapsulating an edible fruit. The doctrine of signatures thus can be a useful tool in assisting the physician on his quest for medicinal plants but should however not be the sole basis of the establishment of a plant’s curative nature.

Botanically referred to as *Semecarpus Anacardium*, *Anacardium Orientale* is a deciduous medium height tree with a grey exfoliating bark, greenish white flowers at the panicles that appear around the same time as the leaves. *Anacardium Orientale* produces a red exudate that turns black upon exposure to air. The fruit of *Anacardium Orientale* is composed of two (2) parts, a proximal and distal portion. The proximal portion is cup-shaped, smooth, fleshy, and edible when ripe. The distal portion is thick, black, smooth, shiny, and is very poisonous. *Anacardium Orientale* is native to tropical Asia, India, sub-Himalaya, Bihar, and Orissa. Like other species of the *Anacardiaceae* plant family, *Anacardium Orientale* contains urushiol. Urushiol is a skin irritant which causes inflammation upon exposure to skin and soft tissue. Urushiol-induced contact dermatitis causes two (2) types of skin reactions. Type 1 is an immediate hypersensitivity reaction characterised by hives, swelling of the lips, tongue and airways. In severe cases, the symptoms may rapidly progress to dyspnoea, convulsions, anaphylaxis, and shock. The second type of skin reaction is a type IV hypersensitivity reaction, also known as delayed type hypersensitivity. Type IV hypersensitivity reactions may take several days to manifest after exposure. Symptoms include prostration, pruritus, irritability, swelling, redness, and blisters with yellowish exudate, crusting skin, red streak, pain, and fever and night chills. *Anacardium Orientale* is a very popular herb in Ayurvedic medicine. Traditionally *Anacardium Orientale* has been used in the treatment of piles, skin eruptions, benign/malignant growths, fever, haemoptysis, menorrhagia, leucorrhoea, deficient lactation, constipation, and intestinal parasites.

From this abundance of characteristics found in the natural history of *Anacardium Orientale*, the researcher identified commonalities relatable to the remedy's natural history in the form of keywords and concepts. These commonalities are discussed below:

- The keyword “rash”, found in the natural history of *Anacardium Orientale*, is synonymous with the word “Abscesses” found in the homoeopathic rubrics thereof. “Rash”, as applicable in the context of the natural history of *Anacardium*, describes inflammation of the skin and/or eruptions thereof. Skin exposure to urushiol causes

the individual to develop a skin reaction characterised by swelling, fluid filled vesicles, redness, swelling, and pain.

- The keyword “chills”, found in the natural history of *Anacardium Orientale*, is synonymous with the word “coldness” found in the homoeopathic rubrics thereof. This relates to the systemic symptoms experienced by the individual and is generally associated with the delayed type of hypersensitivity response.
- The keyword “impulsive”, found in the natural history of the remedy *Anacardium Orientale*, is synonymous with the word “abrupt” found in the homoeopathic rubrics thereof. This relates to the mental symptoms of the ailing individual who has been exposed to urushiol or ingested it.
- The keyword “punishing”, found in the natural history of *Anacardium Orientale*, is synonymous with the word “abusive” found in the homoeopathic rubrics thereof. “Punishing” describes the mental/emotional symptoms brought on by poisoning with urushiol-containing *Anacardium Orientale*.
- The keyword “weakness”, found in the natural history of *Anacardium Orientale*, is synonymous with the word “dullness” found in the homoeopathic rubrics thereof. This relates to the physical and mental symptoms brought on by poisoning with urushiol-containing *Anacardium Orientale*.
- The keyword “hypersensitive”, found in the natural history of *Anacardium Orientale*, is synonymous with the word “sensitive” found in the homoeopathic rubrics thereof. This can be related to both the physical and mental symptoms caused by ingesting urushiol-containing *Anacardium Orientale*.

- The keyword “pain” features in both the natural history and homeopathic rubrics of Anacardium Orientale. Urushiol poisoning may cause the ailing individual to experience highly unpleasant physical sensations, to the point of agony.
- The keyword “incapacity”, found in the natural history of Anacardium Orientale, is synonymous with the word “stiffness” found in the homeopathic rubrics thereof. This can be related to both the physical and mental symptoms caused by ingesting urushiol-containing Anacardium Orientale.
- The keyword “poison” found in the natural history of Anacardium Orientale is synonymous with the word “intoxicated” found in the homeopathic rubrics thereof. This refers to the substance urushiol which can cause illness or death.

The discussion above describes the relationship between the natural history and homeopathic symptomatology of Anacardium Orientale as per collation of extracted keywords from the natural history and homeopathic general and mental rubrics thereof. It also clarifies the existence of a relationship between the natural history and homeopathic symptomatology of Anacardium Orientale. Anacardium, meaning “without heart” in Greek, is a huge homeopathic mental remedy centred on the concept of inner conflict. The keynote of this remedy is confusion of identity and sense of duality. From the perspective of the doctrine of signatures, this is evident in the plant's morphology i.e. poisonous fruit but edible nut, and red fruit versus white nut.

5.1.3 Mangifera Indica

Examination of the natural history of Mangifera Indica revealed multiple characteristics of the plant's botanical history that alluded to how the plant is applied homeopathically in terms of the fundamental governing law of homeopathic medicine, that is *‘Like cures like’*, as in the case of Rhus Toxicodendron and Anacardium Orientale. Not enough evidence was

established however in the plants natural history to suggest that the knowledge of the doctrine of signatures influenced the plants application.

Mangifera Indica, commonly known as mango, is a large perennial, heavy branched, nearly evergreen, dome shaped tree with dense leaves. The plant produces fruits that are drupes. The fruit may be round, oval, oblong, or kidney shaped. Like other species of the same family, *Mangifera Indica* contains the oily plant resin urushiol. Urushiol may cause contact dermatitis to the exposed individual. *Mangifera Indica* is native to the southern parts of Asia, especially India, Burma, and Andaman Islands. The *Mangifera Indica* plant thrives in tropical lowlands with moderate rainfall, rich, well drained soil, hot climates, and dry conditions. *Mangifera Indica* is a very popular herb in Ayurvedic medicine where preparations thereof are employed in the treatment of multiple illnesses, including diarrhoea, chronic dysentery, bladder catarrh, & gonorrhoeal urethritis, diphtheria, rheumatism, diabetes, chest complaints, & hypertension, cracked skin, scabies, syphilis, and stomatitis. A combined decoction of *Mangifera Indica* and other Ayurvedic herbs are given after childbirth to assist with the healing of the maternal parent. Mythologically, *Mangifera Indica* is used in many religious functions in Hinduism, either to celebrate, cleanse, or purify.

From this abundance of characteristics, found in the natural history of *Mangifera Indica*, the researcher was able to identify commonalities relatable to the remedy's natural history in the form of keywords and concepts. These commonalities are discussed below:

- The keyword “abscesses” features in both the natural history and homeopathic rubrics of *Mangifera Indica*. This can be related to the physical symptoms caused by the exposure to urushiol-containing plant resin.
- The keyword “catarrh”, found in the natural history of *Mangifera Indica*, is synonymous with the word “discharge” found in the homoeopathic rubrics thereof. Poisoning with urushiol causes inflammation of mucous membranes and causes the individual to produce a discharge.

- The keyword “dry”, found in the natural history of *Mangifera Indica*, is synonymous with the word “dryness” found in the homoeopathic rubrics thereof. Urushiol poisoning causes dryness of the mucous membranes.
- The keyword “weight-loss”, found in the natural history of *Mangifera Indica*, is synonymous with the word “emaciation” found in the homoeopathic rubrics thereof. Urushiol poisoning may cause weight-loss due to the loss of fluids and lack of appetite.
- The keyword “inflammation” features in both the natural history and homoeopathic rubrics of the remedy *Mangifera Indica*. Urushiol exposure causes inflammation of the soft tissue of individuals.
- The Keyword “pain” features in both the natural history and homoeopathic rubrics of the remedy *Mangifera Indica*. Urushiol poisoning may cause the ailing individual to experience highly unpleasant physical sensations, to the point of agony.
- The keyword “bleeding” found in the natural history of *Mangifera Indica* is synonymous with the word “bloody” found in the homoeopathic rubrics thereof. Urushiol poisoning may cause the ailing individual to bleed from orifices.
- The keyword “tiredness”, found in the natural history of *Mangifera Indica*, is synonymous with the word “weakness” found in the homoeopathic rubrics thereof. This relates to the physical and mental symptoms brought on by poisoning with urushiol.
- The Keyword “love”, found in the natural history of *Mangifera Indica*, is synonymous with the word “benevolence” found in the homoeopathic rubrics thereof. This is

related to the traditional and mythological applications of *Mangifera Indica* in Hinduism where it is considered as one of the arrows of Cupid, the love deity.

The discussion above describes the relationship between the natural history and homoeopathic symptomatology of *Mangifera Indica* as per collation of extracted keywords from the natural history and homoeopathic general and mental rubrics thereof. It also substantiates the existence of the relationship between the natural history and homoeopathic symptomatology of the remedy, *Mangifera Indica*.

5.1.4 Comocladia Dentata

Examination of the remedy *Comocladia Dentata* revealed that it exhibits a selection of characteristics from its natural history that are relatable to the homoeopathic rubrics thereof. Once again, not enough evidence was established in the natural history of the plant to suggest the application of the doctrine of signatures.

Comocladia Dentata, commonly referred to as guao in Cuba and the Dominican Republic, is a deciduous tree/shrub characterised by opposite pairs of leaflets with toothed or spiny edges. A characteristic of this plant is the inflorescence of panicles of flowers budding from the leaf axils. *Comocladia Dentata* produces fleshy, yellow, red, or black-skinned fruits that are drupes. Like other species of the Anacardiaceae family, *Comocladia Dentata* produces an oily urushiol-containing exudate that may cause contact dermatitis to susceptible individuals and can also be fatal if ingested. The slightest contact with the plant causes severe pruritus & inflammation.

Comocladia Dentata is distributed in Mexico, northern Central America, and the West Indies. *Comocladia Dentata* usually thrives at lower altitudes in woodland areas. However, the plant can also thrive at high altitudes, especially in the mountains of Trinidad and Santo Domingo. Traditionally, *Comocladia Dentata* has been used by Yoruba-Bakongo cultists to curse enemies & cause them to swell. The plant has also been used tribally to incite catastrophic

events, ruin households, sow conflict within families & turn friends against one another. Mythologically the plant is said to be capable of only doing harm.

From these characteristics found in the natural history of *Comocladia Dentata*, the commonalities relatable to the remedy's natural history in the form of keywords and concepts were identified. These commonalities are discussed below:

- The keyword “discharge” features in both the natural history and homoeopathic rubrics of the remedy *Comocladia Dentata*. Urushiol poisoning may cause the ailing individual to produce a discharge.
- The keyword “hotness”, found in the natural history of the remedy *Comocladia Dentata*, is synonymous with the word “heat” found in the homoeopathic rubrics thereof. Urushiol poisoning may cause the individual to experience high body temperatures and discomfort. High body temperatures are usually accompanied by perspiration.
- The keyword “inflammation” features in both the natural history and homoeopathic rubrics of the remedy *Comocladia Dentata*. Exposure to urushiol causes inflammation of the skin, and of the mucous membranes if ingested.
- The Keyword “pain” features in both the natural history and homoeopathic rubrics of the remedy *Comocladia Dentata*. Urushiol poisoning may cause the ailing individual to experience highly unpleasant physical sensations, to the point of agony.
- The keyword “erythema”, found in the natural history of *Comocladia Dentata*, is synonymous with the word “redness” found in the homoeopathic rubrics thereof. Urushiol poisoning causes reddening of exposed skin areas. The reddening of the skin

may extend to involve non-exposed areas. This usually presents as streaks and/or macular-papular lesions. In the case of ingestion, urushiol may cause similar infections to the mouth and gastro-intestinal tract.

- The keyword “swelling” features in both the natural history and homoeopathic rubrics of the remedy *Comocladia Dentata*. “Swelling”, which is caused by urushiol poisoning, is one of five characteristics of inflammation along with pain, heat, redness, and loss of function.
- The keyword “harm”, found in the natural history of the remedy *Comocladia Dentata*, is synonymous with the word “malicious” found in the homoeopathic rubrics thereof. According to the traditional applications and mythology of *Comocladia Dentata*, the plant is only capable of doing harm.
- The keyword “caustic”, found in the natural history of the remedy *Comocladia Dentata*, is synonymous with the word “corrosive” found in the homoeopathic rubrics thereof. Urushiol can burn and corrode organic tissue when it comes into contact with it.

The foregoing discussion describes the relationship between the natural history and homoeopathic symptomatology of the remedy *Comocladia Dentata* as per collation of extracted keywords from the natural history and homoeopathic general and mental rubrics thereof. It thus substantiates the existence of a relationship between the natural history and homoeopathic symptomatology of the remedy *Comocladia Dentata*.

5.1.5 Rhus Venenata

Upon the examination of the remedy *Rhus Venenata*, it was discovered that it exhibits a selection of characteristics from its natural history which are relatable to the homoeopathic

rubrics thereof. *Rhus Venenata*, now botanically referred to as *Toxicodendron Vernix*, is a deciduous shrub/small tree growing up to approximately 9m in height. *Rhus Venenata* produces compound leaves consisting of 7-13 oval leaflets with smooth margins. These leaves start off as a bright orangey colour and mature to a strong green glossy colour. The bark of the plant is light grey, and as it matures, becomes darker in colour. *Rhus Venenata* produces greenish flowers that grow loosely on the axillary panicles. The fruits of *Rhus Venenata* are somewhat spherical in shape, grey/creamy-white in colour, and occur in clusters. Like other species of the same family, *Rhus Venenata* contains the oily resin urushiol. *Rhus Venenata* is native to North America where it thrives in dark, shaded, swampy, marshy, and acidic areas. Once again, not enough evidence was established in the natural history of the plant to suggest the application of the doctrine of signatures.

In Japan, *Rhus Venenata* has been utilized traditionally in the making of varnishes and dyes. Mythologically, also in Japan, *Rhus Venenata* has been employed in the production of candles for various rituals. It is also believed that, when the tree is touched, it imparts a cold sensation to the hand.

From these characteristics found in the natural history of the remedy *Rhus Venenata*, the researcher identified commonalities relatable to the remedy's natural history in the form of keywords and concepts. These commonalities are discussed below:

- The keyword “cold”, found in the natural history of the remedy *Rhus Venenata* is synonymous with the word “coldness” found in the homoeopathic rubrics thereof. This relates to the systemic symptoms experienced by the individual when exposed to urushiol and is generally associated with the delayed type hypersensitivity response.
- The keyword “suppuration”, found in the natural history of the remedy *Rhus Venenata*, is synonymous with the word “discharge” found in the homoeopathic rubrics thereof. This is related to the symptoms induced by urushiol poisoning to the individual. When one considers the doctrine of signatures, the plant is found growing in wet and swampy areas thus eluding to its application.

- The keyword “scaly”, found in the natural history of the remedy *Rhus Venenata*, is synonymous with the word “dryness” found in the homoeopathic rubrics thereof. Urushiol poisoning may cause dry and scaly eruptions of the skin, or to the mucous membranes. The bark of the tree can be described as being somewhat scaly.
- The keyword “eruption” features in both the natural history and homoeopathic general and mental rubrics of the remedy *Rhus Venenata*. Contact with urushiol may cause the individual to develop a skin reaction.
- The keyword “heat” features in both the natural history and homoeopathic general and mental rubrics of the remedy *Rhus Venenata*. “Heat” is one of the cardinal signs of inflammation due to exposure to urushiol. “Heat” may also be associated with fever due to urushiol exposure/ingestion. The plant is distributed in warm areas, thus eluding to its application according to the doctrine of signatures.
- The keyword “inflammation” features in both the natural history and homoeopathic general and mental rubrics of the remedy *Rhus Venenata*. Exposure to urushiol causes inflammation of the skin, and of the mucous membranes if ingested.
- The keyword “swelling” features in both the natural history and homoeopathic general and mental rubrics of the remedy *Rhus Venenata*. “Swelling”, which is caused by urushiol poisoning, is one of five characteristics of inflammation along with pain, heat, redness, and loss of function.
- The keyword “redness” features in both the natural history and homoeopathic general and mental rubrics of the remedy *Rhus Venenata*. “Redness”, which is caused by urushiol poisoning, is one of the five characteristics of inflammation along with swelling, pain, heat, and loss of function.

- The keyword “weakness” features in both the natural history and homoeopathic general and mental rubrics of the remedy Rhus Venenata. This relates to both the physical and mental symptoms brought on by poisoning with urushiol.
- The keyword “irritation” features in both the natural history and homoeopathic general and mental rubrics of the remedy Rhus Venenata. This relates to both the physical and mental symptoms brought on by poisoning with urushiol.
- The keyword “prostration”, found in the natural history of the remedy Rhus Venenata, is synonymous with the word “despair” found in the homoeopathic physical and mental rubrics. Urushiol poisoning may cause systemic symptoms which debilitate the individual and cause physical and mental symptoms of extreme tiredness, to the point of weakness.

The discussion above describes the relationship between the natural history and homoeopathic symptomatology of the Remedy Rhus Venenata as per collation of extracted keywords from the natural history and homoeopathic general and mental rubrics thereof. It thus substantiates the existence of a relationship between the natural history and homoeopathic symptomatology of the remedy Rhus Venenata.

The discussion in Section 5.1 above highlights the relationship between the natural history and the homoeopathic physical and mental symptoms of a select number of remedies from the Anacardiaceae plant family of remedies, thus proving the first hypothesis.

5.2 Commonalities exist between the general and mental symptoms of the Anacardiaceae family

Upon the investigation of the different remedies of the subset group of remedies of this study, the researcher identified features common to all the members of the subset group. These

included pain, inflammation, swelling, redness, coldness, burning, Irritability, eruptions, and weakness. These commonalities can be interpreted as the themes of the Anacardiaceae plant family.

5.2.1 Commonalities in keywords existing in the Anacardiaceae family as a whole

The researcher identified commonalities, in terms of keywords and synonyms, related to the subset group. These commonalities in terms of keywords and synonyms included pain, inflammation, swelling, redness, coldness, burning, irritable, eruptions, and weakness.

Upon examination of the entire family, the researcher identified that this botanical family is capable of producing violent affections, even from the slightest of contacts. Species like *Comocladia* and *Rhus Venenata* are respected so much in their indigenous habitat that people dare not touch them. It was also found that the common site of action for most of these remedies was the skin, joints, and mucous membranes. All the members of the subset group displayed symptoms in one or more of the above-mentioned body systems. What set these remedies apart were the severity and intensity of their affections, as well as their accompanying modalities. Another common feature of this family was the ability to produce urushiol. Urushiol is a viscous milky substance that turns black upon exposure to air, and stains linen/skin for prolonged periods of time. This aspect, when interpreted according to the doctrine of signatures, alludes to deep-seatedness of ailments/affections affecting individuals of these particular constitutions.

Pain and inflammation are two very pronounced symptoms of this plant family. Pain, as a commonality of the subset group, presented in varying degrees amongst the different remedies of this family. For instance, pain in the remedy *Mangifera Indica* is not as pronounced as that of *Comocladia Dentata*, *Rhus Toxicodendron* and *Rhus Venenata*. The skin symptoms of this family are also very pronounced. Skin symptoms include, swelling, inflammation, pain, pruritis, fluid-filled eruptions that tend to burst and ulcerate. Irritability is also common in this family. This included both physical and mental irritability. The irritability in some cases is so severe that it causes restlessness and anger. Individuals with this

constitution can even display these symptoms nocturnally which is also indicative of its tendency to darkness, both in temperament and physical manifestations.

5.2.2) Commonalities exist in the themes and sensations exhibited by the Anacardiaceae plant family extracted from this study and those of Sankaran (2002), Scholten (2013), and Yakir (2017).

Sankaran (2002), Scholten (2013), and Yakir (2017) have all done extensive work on the group analysis of the different family groups of remedies. Each author provides a unique method of learning and understanding remedies, whilst also expanding on the subject matter. Upon close examination of the work of these authors, the researcher identified common themes and sensations of the Anacardiaceae plant family. These themes were then tabulated and compared with one another in order to identify commonalities. The themes and sensations presented by Yakir, Sankaran and Scholten are elaborate and share multiple similarities. The work of Scholten and Yakir is more modern than that of Sankaran and provides more depth to the subject matter. Fundamentally, however, each author's presentation of the Anacardiaceae family is relatable.

The themes that were extracted from the works of Sankaran, Yakir, and Scholten were compared to those themes that emerged from this study. The researcher identified commonalities between the themes that emerged from this study and those that emerged from the works of Yakir, Scholten, and Sankaran.

5.3 Conclusion

Traditional medicine is the sum of knowledge, skills and practices based on theories, beliefs and experiences that are indigenous to a group of people. Mental symptoms addressed via traditional medicine placed a lot of emphasis on spirituality and religion, rather than botany. Thus not a lot of the peculiar mental symptoms of these homoeopathic remedies were found in their respective traditional history. Also, not enough evidence was established in the plants natural history to suggest that the doctrine of signatures influenced the plants application.

The overall findings of this study however do support the hypotheses. The first hypothesis claims the existence of commonalities between the homoeopathic general and mental symptoms of individual remedies and their respective natural history. The second hypothesis claims the existence of a collective of commonalities existing between the homoeopathic general and mental symptoms of the Anacardiaceae plant family as a whole and the collective natural history thereof. These hypotheses are further substantiated by the existence of commonalities between the themes that emerged from this study and those extracted from the works of three of the most pioneering authors of homoeopathic medicine.

CHAPTER 6: CONCLUSION AND RECOMMENDATIONS

This comparative analytical study explored the natural history of remedies belonging to the Anacardiaceae plant family and compared this information to existing homoeopathic literature. The researcher determined both the themes of the natural history and homoeopathic symptomatology of individual members of the Anacardiaceae plant family.

Upon the investigation of these themes, the researcher identified commonalities between the two variables in question, thus validating the first hypothesis. The researcher then collectively extracted the themes of the Anacardiaceae family's natural history and that of its homoeopathic symptomatology. These collective themes were then collated and compared. Again, the researcher identified commonalities between the two variables in question, thus concurring with the second hypothesis. The themes extracted by the researcher included pain, swelling, inflammation, redness, irritability, coldness, and burning. The themes that emerged from this study were then compared to those extracted from the work of pioneering authors, Sankaran, Scholten and Yakir for validation purposes. Once again, the researcher found commonalities between these and those extracted from the work of the above-mentioned authors.

Comparative analytical studies, such as the one conducted in this dissertation, are a relatively new development in homoeopathic medicine. This study had two main goals, firstly, developing the learning, understanding, and teaching of the Anacardiaceae plant family through the exploration and comparison of the family's natural history and respective homoeopathic symptomatology; secondly, identifying concepts and ideas that could facilitate the scientific development of homoeopathic medicine via the establishment of a definite relationship between the ethno-botanical, historical, and mythological characteristics of the Anacardiaceae plant family of remedies.

The selected methodology in this study facilitated the achievement of these goals. Further, the researcher believes that the selected methodology facilitated the development of a deeper understanding of homoeopathic family groups, especially as it related homoeopathic knowledge to scientific constructs. Homoeopathic medicine has remained very dogmatic to the concepts developed by the founding fathers in the mid-1700s. As a result of this dogma, stagnancy of any form of linear accumulation of knowledge and progression of the discipline towards scientific accolade occurs. However, one can argue that the current scientific paradigm, along with its norms and commonly held beliefs that function to regulate it, do not facilitate the development of any model that contradicts the norm. One can feel the subtle pressure of socialization and indoctrination into conventional mannerism when conducting research. The original basis of science as a discipline has always been to provide the best possible explanation for a phenomenon observed in nature, and in doing so helps understand the current and predict the future. These scientific explanations are subject to change. The homoeopathic discipline, however, has done very little in the last century to challenge the dogma of the scientific paradigms. The homoeopathic discipline has been pushed multiple times to the verge of extinction, thus, making it crucial to develop the legitimacy of the profession through the demonstration of scientific plausibility.

6.1) Challenges in the application of the methodology

For this methodology to be applicable, the researcher required adequate information regarding both the natural history of individual remedies, as well as the homoeopathic mental and general symptomatology. The availability of adequate information regarding the natural history of the different remedies was difficult to obtain. Most of the information regarding the natural history was very scant and superficial and did not elaborate on many of the points that the researcher regarded as being important for the purpose of this study. Most of the remedies that constituted the subset group had an inadequate rubric representation and thus limited their correlation to their natural history. According to Macrepertory (2017) there are 19 remedies in the *Materia Medica* belonging to the *Anacardiaceae* family. Of the 19 remedies, only five (5) satisfied the selection criteria for this study i.e. *Rhus Toxicodendron*, *Anacardium Orientale*, *Mangifera Indica*, *Comocladia Dentata*, and *Rhus Venenata*. These five (5) remedies constituted the subset group for this study. Although the subset group provided

adequate information for the purpose of this study, the methodology yielded no positive results when applied to the 'smaller' remedies of the Anacardiaceae family.

6.2 Recommendations for further studies

The Anacardiaceae plant family contains more than 700 plant species in more than 80 genera. Most of these genera are of economic importance. However, medicinally the plant family is greatly underutilized. Research into the Anacardiaceae plant family is thus important for the further development of the understanding, teaching, and learning of the family, especially as pertaining to those members that are underutilized homoeopathically/medicinally.

The study was able to identify a number of remedies that contained a very limited number of homoeopathic rubrics. This limited the sample size as these smaller remedies could not be included in the study due to their limited rubric number. Thus, a probe into homoeopathic clinical trials and provings is warranted in order to improve the comprehension and utilization of individual remedies.

Most of the plant species belonging to this family are native to South America and Asia. Information regarding these plant species have been recorded in their respective native/official languages. Many of these sources of information, that the researcher felt were important for this study, were omitted due to their not having any English copies or translations, thus preventing further research. An increase in reputable sources of information will allow for better comparative analysis studies that provide more depth and quality for the understanding, teaching, and learning of these remedies.

REFERENCES

Admin, A. 2020. *Update: Number Of Homeopathic Remedies Available Now Is 8,200*.
[Online] The Aurum Project. Available at: <<https://aurumproject.org.au/homeopathic-remedies-8200/> [Accessed 21 March 2020].

Anon. 2016. *Doctrine of signatures: foods that resemble the body parts they heal* (blog). Available:
<http://foreverhealthy.blogspot.com/2012/05/doctrine-of-signatures-foods-that.html> [Accessed 10 October 2018].

Anon. 2019. *Introduction to the evolutionary point in the plant kingdom- International Academy*.
[Online] Available: <http://www.theothersong.com/com/international/introduction-evolutionary-point-plant-kingdom/> [Accessed 14 march 2019].

Archibel, SA. 2009. Radar Synthesis. 10.4 ed. Assesse, Belgium: Archibel Homoeopathic Software.

Armstrong, W.P. 2004. *Wayne's Word: 9 May. 2001*.
<https://www2.palomar.edu/users/warmstrong/index.htm> [Accessed 20 December 2018]

Armstrong, W.P. 2012. *Wayne's Word: 9 May. 2001*.
[Hhttps://www2.palomar.edu/users/warmstrong/ecoph43.htm](https://www2.palomar.edu/users/warmstrong/ecoph43.htm) [Accessed 10 February 2019].

Armstrong, W.P. 2011. Poison oak: more than just scratching the surface. *Herbalgram*, 34: 36-42.
Available at: [// www2.palomar.edu/users/warmstrong/ww0802.htm#taxonomy](http://www2.palomar.edu/users/warmstrong/ww0802.htm#taxonomy) [Accessed 10 February 2019].

Atha, D.E., Mitchell, J.D., Pell, S.K., Camacho, F.R. 2011. A new species of Comocladia (Anacardiaceae) from Belize & Guatemala. *Britonia*, 63: 370-375.

Banerjea, S.K. 2011. *Miasmatic prescribing*. 2nd edition. Uttar Pradesh, India: B. Jain Publishing.

Bally, I.S.E. 2006. *Mangifera Indica* (Mango). *Species profiles for pacific Island Agroforestry*: 1-25. Available: https://www.academia.edu/28042629/Mangifera_indica_mango_-_Agroforestry.net [Accessed 24 May 2019].

Bennet, B. 2007. Doctrine of signatures: An explanation of medicinal plant discovery or dissemination of knowledge? *Economy Botony*, 61(3): 244-255.

Bhatia, K., Kataria, R., Singh, A., Safder, Z.H., and Kumar, R. 2014. Allergic contact dermatitis by *Semecarpus Anacardium* for evil eye: a prospective study from Central India. *Indian Journal of Basic and Applied Medical Research*, 3(3): 122-127. Available: <http://ijbamr.com/pdf/122-127.pdf> (Accessed 10 March 2019).

Bhatia, M. and Golden I. 2006. A very exhaustive discussion on Homeoprophylaxis between Isaac Golden and Dr. Manish Bhatia. Find out everything about Homeoprophylaxis from its greatest experts! *Homeopathy 4 Everyone*, December 15. Available at: <http://hpathy.com/homeopathy-interviews/dr-isaac-golden-2/>. [Accessed 14 December 2018].

Boericke, W. 2005. Pocket manual of homoeopathic materia medica & repertory. New Delhi: B. Jain Publishers

Britton, N.L. 1910. *Studies of West Indian plants-III*. Available: <https://www.jstor.org/stable/2479263> [Accessed 2 March 2019].

Chibba, U. 2011. *A group analysis of selected synthetic recreational drug isolate remedies in terms of known materia medica*. M Tech., Homoeopathy, Durban University of Technology.

Davenas, E., Beauvais, F., Amara, J., Oberbaum, M., Robinzon, B., Miadonnai, A., Tedeschi, A., Pomeranz, B., Fortner, P., Belon, P. and Sainte-Laudy, J. 1988. Human basophil degranulation triggered by very dilute antiserum against IgE. *Nature*, 333(6176): 816-818.

Davis, W. 1998. *Passage of darkness: the ethnobiology of Haitian Zombie*. Chapel Hill: Univ. of North Carolina.

De Schepper, L. 2001. *Hahnemann revisited: a textbook of classical homeopathy for the professional*. Santa Fe: Full of Life Publications.

Devrient, C.H. 1833. *The homoeopathic medical doctrine or 'Organon of the healing art'*. 4th ed. Dublin: Samuel Stratten.

Dimitriadis, G. 2005. *The theory of chronic disease according to Hahnemann*. Sydney: Hahnemann Institute.

Elpel, T. 1997-2017. Anacardiaceae: Cashew or Sumac family: identify plants, flowers, shrubs, trees. Available at: https://www.wildflowers-and-weeds.com/Plant_Families/Anacardiaceae.htm [Accessed 3 May 2018].

Farrington, E.A. 1992. *Clinical Materia Medica*. 4th Ed. New Delhi: B. Jain Publishers.

Gaier, H. C. 1991. *Thorson's encyclopedic dictionary of homoeopathy*. London: Thorsons.

Gillis, W.T. 1971. The systematics and ecology of poison-ivy and poison-oaks (*Toxicodendron*, Anacardiaceae) (continued). *Rhodora*, 73(795): 465-540. Available: https://www.jstor.org/stable/233117255?seq=1&cid=pdf-reference#references_tab_contents. [Accessed April 2018]

Gillis, W.T.1975. Poison-ivy and its kin. *Arnoldia*, 35(2): 92-123. Available: www.jstor.org/stable/42962533 [Accessed June 2018].

Ghaffar, A. 2016. *Immunology. Chapter seventeen: Hypersensitivity reactions*. University of South Carolina School of Medicine. Available: <http://www.microbiologybook.org/ghaffar/hyper00.htm> (Accessed April 2019).

Gladman, A.C.2006. Toxicodendron Dermatitis: poison ivy, oak, and sumac. *Wilderness and Environmental Medicine* 17(2): 120-128. Available: [https://www.wemjournal.org/article/S1080-6032\(06\)70299-X/pdf](https://www.wemjournal.org/article/S1080-6032(06)70299-X/pdf) (Accessed April 2019).

Grieve, M. 1971. *A modern herbal*. Vol 2. Dover: Harcourt, Bruce & Company.

Gupta, P.K. 2018. *Illustrated toxicology: with study questions*. London: Academic Press.

Hahnemann, S. 1833. The homoeopathic medical doctrine or 'Organon of the healing art'. Translated from German by Devrient, C.H. Dublin: Samuel Stratten.

Hahnemann, S. 1996. Organon of the Medical Art. 6th ed. Edited and annotated by Wenda Brewster O'Reilly. California: Bird Cage Books.

Harkhu, N. 2011. *A group analysis evaluation of existing Avian (bird) homoeopathic remedies in terms of known materia medica*. M. Tech., Homoeopathy, Durban University of Technology.

Heudens-Mast, H. 2013. *The foundations of the chronic miasms in the practice of homoeopathy*. Blumenplatz 2. Narayan-Verlag.

Homeobook.com.2019. *Sankaran's Sensation Method- Not homoeopathic Not Scientific/ Homoeopathy Resource by Homeobook.Com.* [Online] Available: <https://www.homeobook.com/sankarans-sensation-method- not-homeopathic-not-scientific/> [Accessed 14 April 2019]

Horsfield, T. 1798. *An experimental dissertation and description of Rhus Vernix, Radicans and Glabrum.* PHD. University of Pennsylvania.

Jain, P. and Sharma, H.P. 2013. A potential ethnomedicinal plant: Semecarpus Anacardium Linn. *International Journal of Research in Pharmacy and Chemistry.* 3(3): 564-572. Available: <http://www.ijrpc.com/files/09-3138.pdf> [Accessed 20 April 2019].

Jost Kunzli, M.D. Naude, A. Pendleton, P. 1982. *Organon of medicine: The first intergral English translation of the definitive sixth edition of the original work on homoeopathic medicine.* 1st ed. Los Angeles: J.P. Tarcher, Inc. Available: <http://drcherylkasdorf.com/wp> [Accessed 23 April 2019].

Kalita, P. 2014. An overview on Mangifera Indica: importance and its various pharmacological action. *Pharmatutor Magazine*, 2(12): 72-76. Available: https://www.researchgate.net/publication/277753957_An_Overview_on_Mangifera_Indica_Importance_and_Its_Various_Pharmacological_Action [Accessed 20 April 2019].

Kuhn, T.S. 1962. *The structure of scientific revolutions.* Chicago: University of Chicago Press.

Kumar, V. 2006. *The Benefits of Homoeopathy.* Elgin: New Dawn Press, Inc.

Kumar, M.S. Prashant, T. and Kumar, S.P. 2017. Pharmacology, photochemistry and toxicology of Semecarpus Anarcaduim. *International Journal of Pharmaceutical Science Review and Research* 42(2). Available: <http://globalresearchonline.net/journalcontents/v42-2/06.pdf> (Accessed April 2019).

Kumar, K.R. 2019 Doctrine of signatures what Hahnemann says? International Journal of Homoeopathic Sciences, 3(1): 06-07. Available:<http://www.homoeopathicjournal.com/articles/49/2-4-10-493.pdf>.

Kasiparsad, S.V. 2012. *A group analysis of the Salicaceae plant family of homoeopathic remedies in terms of known materia medicae*. M. Tech., Homeopathy, Durban University of Technology.

Kayne, S. 2006. *Homeopathic Pharmacy Theory and Practice*. 2nd ed. Edinburgh: Elsevier Churchill Livingstone.

Lampe, K.F.1986. Dermatitis producing Anacardiaceae of the Caribbean area. *Clinics in dermatology*, 4(2): 171-180. Available: <https://pdf.sciencedirectassets.com/271159/1-s2.0-S0738081X00X00788/1-s2.0> [Accessed June 2018]

Lockie, A. 2000. *Encyclopedia of Homoeopathy*. London: Dorling Kindersly.

Lockie, A. 1998. *The Encyclopaedia of Homoeopathy*. New York: Penguin books.

Long, B. 2011. *A study of the relationship between the natural history of the Solanaceae species and the general and mental symptomatology of the Solanaceae remedies utilized in homoeopathy*. M Tech., Homoeopathy, Durban University of Technology.

Maharaj, M. 2014. Rhus Toxicodendron (Lecture notes). Materia Medica, Department of Homoeopathy, Faculty of Health Sciences. Durban University of Technology, April 2014.

Mangialavori, M. 2010. *Praxis Volume 1 and 2* - English edition [online]. Available at: http://www.narayana-publishers.com/homeopathy/pdf/Praxis-Volume-1-and-2-English-edition-Massimo-Mangialavori.07934_3Preface.pdf [Accessed 30 April 2018].

McNair, J.B. 1916. The pathology of Dermatitis Venenata from Rhus Deiversiloba. *The Journal of Infectious Diseases*, 19(3): 419-428. Available: <https://academic.oup.com/jid/article-abstract/19/3/419/939069?redirectedFrom=fulltext> [Accessed April 2019].

Morrison, R. 2001. Against Divisiveness. *Homeopathy Today*, 2: 2 -22.

Moskowitz, R. 2012. Review of the book *Praxis: a new approach to homeopathic medicine: Method of Complexity: the search for coherence in clinical phenomena, Vols. I and II* by Mangialavori, M.

Moskowitz, R. 2002. *The Fundamentalist Backlash*. Available: www.grundlagen-praxis.de/debatte/englisch/backlash.pdf [Accessed 17 October 2018].

Montagnier, L. Del Guidice, E. Aissa, J. Lavalle, C. Motshchiwiller, S. Capolupo, A. Polcari, A. Romano, P. Tedeschi, A. Vitiello, G. 2104. Transduction of DNA information through water and electromagnetic waves. *Electromagnetic biology and medicine*, 34(2):106-112. Available: <https://arxiv.org/abs/1501.01620> [Accessed April 2019].

Morton, J. F. & Dowling, C. F. 1987. *Fruits of warm climates*. Miami, FL.: J.F. Morton.

Oxford paperback thesaurus. 2012. 4th ed. Oxford: Oxford University Press.

Okwu, D.E. and Ezenagu, V. 2008. Evaluation of the phytochemical composition of mango (*Mangifera Indica* Linn) stem bark and leaves. *International Journal of Chemical Sciences* (online), 6(2): 705-716. Available: <https://www.tsijournals.com/articles/evaluation-of-the-phytochemical-composition-of-mango-mangifera-indica-linn-stem-bark-and-leaves.pdf> [Accessed 24 April 2019].

Pell, S.K. 2009. Anacardiaceae. Cashew family. Version 03 January 2009 (under construction) [online] Available at: <http://tolweb.org/Anacardiaceae/21262/2009.01.03v> in The Tree of life Web Project, <http://tolweb.org/> [Accessed April 2018].

Pell S.K. Mitchell, J.D. Miller, A.J. Lobova, T.A. 2009. *The families and genera of vascular plants: flowering plants and Eudicots*. Vol 10. Berlin: springer

Petruzzello, M. 2017. *Britannica Academic*. Available at: <https://academic.eb.com/levels/collegiate/article/Anacardiaceae/7316> [Accessed 28 May 2018].

Phahamane, E. 2014. A group analysis evaluation of the selected members of the acidum family of homoeopathic remedies in terms of known materia medica. MTech. Dissertation. Durban University of Technology.

Phatak, S. R. n.d. Materia medica of homoeopathic medicines. Available: RadarOpus (Archibel, 2014). (Accessed 28 April 2015).

Polito, V.S. Pinney, K. 1999. Endocarp Dehiscence in Pistachio (*Pistacia Vera* L.). *Internationa journal of plant science*, Vol 160(5): 827-835. Avialable: <https://www.journals.uchicago.edu/doi/abs/10.1086/314186#/doi/abs/10.1086/314186>. [Accessed April 2018].

Prichard, W.A.1891. Case of poisoning by *Rhus Venenata*. *Bristol Medico-Churgical Journal*, 9(31): 22-26. Available: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5041735/?page=2> [Accessed April 2019].

Roy, M. 1999. *The principles of Homoeopathic philosophy*. London: Winter press

Rutten, L. Manchanda, R.K. 2016. Homoeopathy: Discussion on scientific validation. *Indian journal of research in homoeopathy*, 10(1): 66-74.

Sankaran, R.1994. *The substance of Homoeopathy*. Mumbai India: Homoeopathic Medical publishers.

Sankaran, R. 1997. *The soul of remedies*. Mumbai: Homoeopathic Medical Publishers.

Sankaran, R. 1999. *The substance of homoeopathy*. 4th ed. Mumbai: Homoeopathic Medical Publishers.

Sankaran, R. 2002. *An insight into plants - Volume I*. (2nd Ed). Homoeopathic Medical Publishers: Mumbai.

Sankaran, R. 2004. *The sensation in homoeopathy*. Mumbai India: Homoeopathic Medicinal publishers

Sankaran, R. 2005. *Sankaran's schema*. Mumbai: Homoeopathic Medical Publishers.

Sankaran, R. 2005. *The sensation in homoeopathy*. 2nd ed. Mumbai: Homoeopathic Medical Publishers.

Sankaran, R. 2005. *An insight into plants. Volume II*. 2nd ed. Homoeopathic Medical Publishers: Mumbai.

Sankaran, R. 2008. *Structure: experiences with the mineral kingdom. Vol I.* 2nd ed. Mumbai: Homoeopathic Medical Publishers.

Sankaran, R. 2011. *Homeopathy for today's world: discovering your animal, mineral, or plant nature.* Vermont: Inner Traditions.

Sankaran, R. 2013. Kingdom understanding in a system-based approach. *Homoeopathic links*. 26(1): 12-19.

Schiller, J. 2005. An insight into taxonomy. *Homoeopathic Links*, 18 (1): 203-206. Available: <https://www.thieme-connect.de/products/ejournals/abstract/10.1055/s-2005-872934?device=mobile&innerWidth=360&offsetWidth=360>. [Accessed April 2019].

Scholten, J. 1993. *Homoeopathy and minerals*. Utrecht: Stichtings Alonnisos.

Scholten, J. 1996. *Homoeopathy and the elements*. Mumbai: Homoeopathic Medical Publishers.

Scholten, J. 2005. *Secret Lanthanides*. Utrecht: Alonnisos.

Scholten, J. and Burdet, C. 2013. *Wonderful plants*. Utrecht: Stichting Alonnisos.

Schulz, V., Hänsel, R. and Tyler, V. 2001. *Rational phytotherapy*. Berlin: Springer.

Simillimum.com. 2020. [*Homoeopathic Online Education, David Little*] *Dose and Potency According To the Organon*. [Online] Available at: <<http://www.simillimum.com/education/little-library/case-management/dpato/article.php>> [Accessed 19 March 2020].

Singh, J.P. 2017. Mango: history origin and distribution. *Journal of Pharmacognosy and Phytochemistry*, 6(6): 1257-1262.

Swayne, J. 2000. *Churchill Livingstone's International Dictionary of Homoeopathy*. London: Churchill Livingstone.

Sumner, J. 2000. *The Natural History of Medicinal Plants*. Portland: Timber Press.

Tedong, L. Dzeufiet, P.D.D. Dimo. Asongalen, T. Sokeng, S.D. Flejou, J.F. Callard, P. Kamtchouing, P. 2007. Acute and Subchronic Toxicity of *Anacardium occidentale* Linn (Anacardiaceae) Leaves Hexane Extract in Mice. *African journal of traditional, complementary and alternative medicines*. Vol 4(2): 140-147. Available: <https://www.ajol.info/index.php/ajtcam/article/view/31194>. [Accessed April 2018].

Umadevi, I., Daniel, M. and Sabnis, S.D.1988. 'Chemotaxonomic studies on some members of the anacardiaceae'. *Proceedings: Plant Science*, 98(3) India: Maharaja Sayarirao University of Baroda.

Vermeulen, F. 2004. *Prisma. The Arcana of Materia Medica Illuminated: Similar and Parallels Between Substance and Remedy*. 3rd ed. Netherlands: Emrys Publishers.

Vithoulkas, G., 1980. *The science of Homeopathy*. New York: Grove Press.

Vithoulkas, G. 1998. *The science of homeopathy*. New Delhi: B. Jain Publishers.

Vithoulkas, G., 2002. *The science of homeopathy*. B. Jain Publishers.

Vithoulkas, G. 2008. British media attacks on homeopathy: Are they justified? *Homeopathy*. 97(2): 103-106.

Vogel, A. 2006. *A group analysis of the Class Insecta in terms of known materia medica*. M. Tech., Homeopathy, Durban University of Technology.

Watson, I. 2004. *A guide to the methodologies of homeopathy*. Totnes: Cutting Edge Publications.

Weeks, A., Zapata, F., Pell, S., Daly, D., Mitchell, J. and Fine, P. 2018. To move or to evolve: contrasting patterns of intercontinental connectivity and climatic niche evolution in “Terebinthaceae” (Anacardiaceae and Burseraceae). *Frontiers in genetics*, Vol 5: 409. Available: https://www.researchgate.net/publication/269774551_To_move_or_to_evolve_Contrasting_patterns_of_intercontinental_connectivity_and_climatic_niche_evolution_in_Ancardiaceae_and_Burseraceae. [Assessed May 2018].

Weston, M. 2010. *A group analysis evaluation of the Class Arachnida/Order Aranea in terms of known materia medica*. M. Tech., Homeopathy, Durban University of Technology.

White, J.C. 1873. *On the action of Rhus Venenata and Rhus Toxicodendron upon the human*. New York: D. Appleton.

Wulfsohn, T. 2005. *A group analysis of the Graminae (Grass) plant family of homoeopathic remedies*. M. Tech., Homeopathy, Durban University of Technology.

Yakir, M. 2017. *Wondrous Order*. Kandern: Narayana Verlag.

Appendix A

General and mental symptoms of Rhus Toxicodendron with corresponding rubrics & sub rubrics

Generalities- ALTERNATING states

Generalities- ALTERNATING sides

Generalities- CROSSWISE

Generalities-CROSSWISE- left upper and right lower

Generalities- CROSSWISE- left lower and right upper

Generalities- LEFT

Generalities- LEFT- right, then

Generalities- ONE-SIDED

Generalities- RIGHT

Generalities- DAYTIME- agg

Generalities- DAYTIME- amel

Generalities- MORNING, five am. - nine am.- agg

Generalities- MORNING, five am. - nine am.- agg.- five am

Generalities- MORNING, five am. - nine am.- agg.- five am.- ten am., until

Generalities- MORNING, five am. - nine am.- agg.- six am.

Generalities- MORNING, five am. - nine am.- agg.- six am.- eight am., until

Generalities- MORNING, five am. - nine am.- agg.- six am.- ten am., until

Generalities- MORNING, five am. - nine am.- agg.- seven am.

Generalities- MORNING, five am. - nine am.- agg.- seven am.- eight am., until

Generalities- MORNING, five am. - nine am.- agg.- evening, and

Generalities- MORNING, five am. - nine am.- agg.- evening, and

Generalities- MORNING, five am. - nine am.- agg.- night, and

Generalities- MORNING, five am. - nine am.- agg.- sunrise; after

Generalities- MORNING, five am. - nine am.- agg.- bed, in

Generalities- MORNING, five am. - nine am.- agg.- rising; on

Generalities- MORNING, five am. - nine am.- agg.- rising; after

Generalities- MORNING, five am. - nine am.- agg.- waking, on

Generalities- MORNING, five am. - nine am.- amel.

Generalities- MORNING, five am. - nine am.- amel.- rising, on or after

Generalities- FORENOON, nine am. – noon- agg.

Generalities- FORENOON, nine am. – noon- agg.- nine am.

Generalities- FORENOON, nine am. – noon- agg.- nine am.; ten am., until

Generalities- FORENOON, nine am. – noon- agg.- ten am.

Generalities- FORENOON, nine am. – noon- agg.- ten am.; eleven am., until

Generalities- FORENOON, nine am. – noon- agg.- ten am.; six pm., until

Generalities- FORENOON, nine am. – noon- agg.- eleven am.

Generalities- NOON, twelve am., around- agg.

Generalities- NOON, twelve am., around- agg.- midnight, until

Generalities- AFTERNOON, one pm. - six pm.- agg.

Generalities- AFTERNOON, one pm. - six pm.- agg.- one pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- two pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- three pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.- six pm., until

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.- seven pm., until

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.- eight pm., until

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.- eight thirty pm., until

Generalities- AFTERNOON, one pm. - six pm.- agg.- four thirty pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- five pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- five pm.- eight pm., until

Generalities- AFTERNOON, one pm. - six pm.- amel.

Generalities- EVENING, six pm. - nine pm.- agg.

Generalities- EVENING, six pm. - nine pm.- agg.- six pm.

Generalities- EVENING, six pm. - nine pm.- agg.- six pm.- seven pm., until

Generalities- EVENING, six pm. - nine pm.- agg.- six pm.- eight pm., until

Generalities- EVENING, six pm. - nine pm.- agg.- six pm.- six am., until

Generalities- EVENING, six pm. - nine pm.- agg.- six pm.- morning, until

Generalities- EVENING, six pm. - nine pm.; agg.- six thirty pm.

Generalities- EVENING, six pm. - nine pm.; agg.- seven pm.

Generalities- EVENING, six pm. - nine pm.; agg.- eight pm.

Generalities- EVENING, six pm. - nine pm.; agg.- night, and

Generalities- EVENING, six pm. - nine pm.- agg.- midnight, until

Generalities- EVENING, six pm. - nine pm.- agg.- sunset- at

Generalities EVENING, six pm. - nine pm.- agg.- twilight

Generalities- EVENING, six pm. - nine pm.- agg.- bed, in

Generalities- EVENING, six pm. - nine pm.- agg.- lying down- agg.

Generalities- EVENING, six pm. - nine pm.- amel.

Generalities- EVENING, six pm. - nine pm.- amel.- bed, in

Generalities- NIGHT, nine pm. - five am- agg.

Generalities- NIGHT, nine pm. - five am.- agg.- nine pm.

Generalities- NIGHT, nine pm. - five am.- agg.- nine thirty pm.

Generalities- NIGHT, nine pm. - five am.- agg.- ten pm.

Generalities- NIGHT, nine pm. - five am.- agg.- ten pm.; six am., until

Generalities- NIGHT, nine pm. - five am.- agg.- eleven pm.

Generalities- NIGHT, nine pm. - five am.- agg.- bed, in

Generalities- NIGHT, nine pm. - five am.- agg.- waking, on

Generalities- NIGHT, nine pm. - five am.- agg.- weather, in cold, damp, wet

Generalities- NIGHT, nine pm. - five am.- amel.

Generalities- MIDNIGHT- before

Generalities- MIDNIGHT- about

Generalities- MIDNIGHT- about- three am., until

Generalities- MIDNIGHT- after

Generalities- MIDNIGHT- after- one am.

Generalities- MIDNIGHT- after- one am.- four am., until

Generalities- MIDNIGHT- after- two am.

Generalities- MIDNIGHT- after- two am.- five am., until

Generalities- MIDNIGHT- after- three am.- about

Generalities- MIDNIGHT- after- three am.- about- four am., until

Generalities- MIDNIGHT- after- three am.- after

Generalities- MIDNIGHT- after- four am.- about

Generalities- MIDNIGHT- amel. after

Generalities- SPRING- agg.

Generalities- SUMMER- agg.

Generalities- AUTUMN- agg.

Generalities- AUTUMN- agg.- warm days, cold, damp nights

Generalities- WINTER- agg.

Generalities- WINTER- agg.- winter solstice

Generalities- PERIODICAL

Generalities- PERIODICAL- twice a day

Generalities- PERIODICAL- every- fourteenth day

Generalities- PERIODICAL- every- fourth day

Generalities- PERIODICAL- every- other; day

Generalities- PERIODICAL- every- seventh day

Generalities- PERIODICAL- every- third day

Generalities- PERIODICAL- every- twenty-eighth day (123)

Generalities- PERIODICAL- annually

Generalities- EXTENDING- backward

Generalities- EXTENDING- downward

Generalities- EXTENDING- forward

Generalities- EXTENDING- outward

Generalities- EXTENDING- upward

Generalities- RADIATING, spreading complaints

Generalities- INTERNAL

Generalities- EXTERNAL

Generalities- PARTS, single

Generalities- PARTS, single- lain on

Generalities- PARTS, single- uncovered

Generalities- SPOTS

Generalities- BONES

Generalities- BONES- idiopathic

Generalities- BONES- syphilis, in

Generalities- BONES- projections

Generalities- BONES- condyles

Generalities- BONES- long bones

Generalities- BONES- periosteum

Generalities- BONES- sutures or symphysis

Generalities- CARTILAGES

Generalities- CONNECTIVE tissue

Generalities- GLANDS, liver, spleen etc.

Generalities- GLANDS, liver, spleen etc.- scrlatina, after

Generalities- GLANDS, liver, spleen etc.- hormonal

Generalities- GLANDS, liver, spleen etc.- hormonal- reproductive system, of

Generalities- GLANDS, liver, spleen etc.- lymphatic tissue

Generalities- GLANDS, liver, spleen etc.- secretory glands

Generalities- JOINTS

Generalities- JOINTS- air, open, agg.

Generalities- JOINTS- small joints

Generalities- JOINTS- ligaments

Generalities- JOINTS- synovia

Generalities- MUCOUS membranes

Generalities- MUSCLES

Generalities- NERVES

Generalities- ORIFICES

Generalities- SEROUS membranes

Generalities- SPHINCTERS

Generalities- TENDONS

Generalities- ABORTION, complaints after

Generalities- ABSCESSSES, suppurations

Generalities- ABSCESSSES, suppurations- internal

Generalities- ABSCESSSES, suppurations- bones

Generalities- ABSCESSSES, suppurations- bones- periosteum

Generalities- ABSCESSSES, suppurations- glands, liver, spleen etc.

Generalities- ABSCESSSES, suppurations- joints

Generalities- ABSCESSSES, suppurations- muscles

Generalities- ABSCESSSES, suppurations- gnawing

Generalities- ABSCESSSES, suppurations- incipient

Generalities- ABSCESSSES, suppurations- malignant

Generalities- ABSCESSSES, suppurations- painful

Generalities- ABSCESSSES, suppurations- pus- acrid, corrosive, excoriating

Generalities- ABSCESSSES, suppurations- pus- bland

Generalities- ABSCESSSES, suppurations- pus- bloody

Generalities- ABSCESSSES, suppurations- pus- brown

Generalities- ABSCESSSES, suppurations- pus- greenish

Generalities- ABSCESSSES, suppurations- pus- offensive, fetid

Generalities- ABSCESSSES, suppurations- pus- thin

Generalities- ABSCESSSES, suppurations- pus- watery

Generalities- ABSCESSSES, suppurations- pus- yellow

Generalities- ABSCESSSES, suppurations- stitching

Generalities- ABSCESSSES, suppurations- watery

Generalities- ACTIVITY- increased

Generalities- ACTIVITY- increased- afternoon

Generalities- ADHESION

Generalities- ADHESION- internal

Generalities- AGILITY

Generalities- AIR- cold- agg.

Generalities- AIR- cold- agg.- entering into

Generalities- AIR- cold- agg.- heated, from becoming

Generalities- AIR- cold- amel.

Generalities- AIR- cold- aversion

Generalities- AIR- dry- agg.

Generalities- AIR- indoor air- agg.

Generalities- AIR- indoor air- amel.

Generalities- AIR- night air- agg.

Generalities- AIR- open- agg.

Generalities- AIR- open- agg.- warm

Generalities- AIR- open- amel.

Generalities- AIR- open- aversion to

Generalities- AIR- open- desires

Generalities- AIR- open- desires- draft of air agg., but

Generalities- AIR- open- desires- head uncovered

Generalities- AIR- seashore air- agg.

Generalities- AIR- sensation of- cold

Generalities- AIR- warm- agg.

Generalities- AIR- warm- amel.

Generalities- AIR- warm- aversion to

Generalities- ALIVE sensation, internally

Generalities- ALONE, agg. being

Generalities- ANESTHESIA, insensibility

Generalities- ANESTHESIA, insensibility- one-sided

Generalities- ANESTHESIA, insensibility- convulsions; during

Generalities- ANESTHESIA, insensibility- perspiration, during

Generalities- ANESTHESIA, insensibility- parts- affected

Generalities- ANXIETY, general physical

Generalities- ANXIETY, general physical- restless

Generalities- APPLICATIONS- cold- agg.

Generalities- APPLICATIONS-cold- amel.

Generalities- APPLICATIONS- warm- agg.

Generalities- APPLICATIONS- warm- amel.

Generalities- APPLICATIONS- wet- agg.

Generalities- APPLICATIONS- wet- agg.- cold

Generalities- APPLICATIONS- wet- amel.

Generalities- APPLICATIONS- wet- amel.- warm

Generalities- ASCENDING- agg.

Generalities- ASCENDING- agg.- high

Generalities- ASCENDING- agg.- stairs

Generalities- ASCENDING- amel.

Generalities- BALL sensation, internally

Generalities- BARE, bones become

Generalities- BATHING, washing- agg.

Generalities- BATHING, washing- agg.- cold

Generalities- BATHING, washing- agg.- hot

Generalities- BATHING, washing- agg.- sea, in

Generalities- BATHING, washing- agg.- warm

Generalities- BATHING, washing- amel.

Generalities- BATHING, washing- amel.- warm

Generalities- BATHING, washing- amel.- warm- hot

Generalities- BATHING, washing- aversion to

Generalities- BED- going to

Generalities- BED- in

Generalities- BED- out of

Generalities- BED- amel.- going to

Generalities- BED- amel.- getting out of

Generalities- BENDING- agg.

Generalities- BENDING- agg.- backward

Generalities- BENDING- agg.- bed, in

Generalities- BENDING- agg.- double

Generalities- BENDING- agg.- forward

Generalities- BENDING- agg.- forward; head

Generalities- BENDING- agg.- parts affected

Generalities- BENDING- agg.- right, to

Generalities- BENDING- agg.- sideways

Generalities- BENDING- amel.- backward

Generalities- BENDING- amel.- backward- head

Generalities- BENDING- amel.- forward, double

Generalities- BENDING- amel.- part affected)

Generalities- BENDING- amel.- prolonged

Generalities- BENDING, turning- double

Generalities- BINDING up, bandaging amel.

Generalities- BITING, chewing- agg.

Generalities- BITING, chewing- agg.- teeth together

Generalities- BLACKNESS of external parts, gangrene

Generalities- BLOWING nose- agg.

Generalities- BLUENESS of parts, cyanosis

Generalities- BLUENESS of parts, cyanosis- infants, in

Generalities- BOARD or bar sensation

Generalities- BORING in ear or nose amel.

Generalities- BREAKFAST- before

Generalities- BREAKFAST- after

Generalities- BREAKFAST- amel. after

Generalities- BREATHING- agg.

Generalities- BREATHING- agg.- deep

Generalities- BREATHING- amel.

Generalities- BUBBLING sensation

Generalities- CARIES, necrosis

Generalities- CARIES, necrosis- bones

Generalities- CARIES, necrosis- bones periosteum

Generalities- CARIES, necrosis- joints

Generalities- CHANGE- position, of- agg.

Generalities- CHANGE- position, of- amel., desire for

Generalities- CHANGE- position, of- amel., desire for- agg. afterwards

Generalities- CHANGE- temperature, of, agg.

Generalities- CHANGE- temperature, of, agg.- warm to cold

Generalities- CHICKEN-POX, varicella, after

Generalities- CHILDREN, complaints in

Generalities- CHILDREN, complaints in- babies

Generalities- CHILDREN, complaints in- babies- newborns

Generalities- CHILL- before

Generalities- CHILL- during

Generalities- CHOREA

Generalities- CHOREA- bath, after a cold

Generalities- CHOREA- eruptions, after suppressed

Generalities- CHOREA- eruptions, after suppressed- measles

Generalities- CHOREA- wet, after getting

Generalities- CHOREA- rheumatic

Generalities- CHRONIC diseases, chronicity

Generalities- CLIMACTERIC period agg.

Generalities- CLOSING- eyes- agg.

Generalities- CLOSING- eyes- amel.

Generalities- CLOTHING- intolerance of, loosening amel.

Generalities- CLOTHING- intolerance of, loosening amel.- woolen, of

Generalities- COITION- during (97)

Generalities- COITION- after

Generalities- COLD- agg.

Generalities- COLD- agg.- heat, and

Generalities- COLD- agg.- hot days and cold nights

Generalities- COLD- amel.

Generalities- COLD- amel.- heat agg.

Generalities- COLD- taking, becoming

Generalities- COLD- taking, becoming- heated, after becoming

Generalities- COLD- taking, becoming- part of body

Generalities- COLD- taking, becoming- part of body- extremities

Generalities- COLD- taking, becoming- part of body- feet

Generalities- COLD- taking, becoming- part of body- hand, out of bed

Generalities- COLD- taking, becoming- part of body- head

Generalities- COLD- taking, becoming- perspiration, during

Generalities- COLD- taking, becoming- sitting on cold stones, steps

Generalities- COLD- taking, becoming- easily

Generalities- COLD- taking, becoming- easily- spring

Generalities- COLD- taking, becoming- easily- autumn

Generalities- COLD- taking, becoming- easily- winter

Generalities- COLDNESS, lack of vital heat

Generalities- COLDNESS, lack of vital heat- left

Generalities- COLDNESS, lack of vital heat- one-sided

Generalities- COLDNESS, lack of vital heat- one-sided- fever, during septic

Generalities- COLDNESS, lack of vital heat- right

Generalities- COLDNESS, lack of vital heat- afternoon

Generalities- COLDNESS, lack of vital heat- evening

Generalities- COLDNESS, lack of vital heat- evening- bed, in

Generalities- COLDNESS, lack of vital heat- night

Generalities- COLDNESS, lack of vital heat- bed, in

Generalities- COLDNESS, lack of vital heat- chill, during

Generalities- COLDNESS, lack of vital heat- cough- with

Generalities- COLDNESS, lack of vital heat- fever- during

Generalities- COLDNESS, lack of vital heat- touch, cold to the, but not by patient

Generalities- COLDNESS, lack of vital heat- trembling, with

Generalities- COLDNESS, lack of vital heat- warmth- amel., of fire or sun

Generalities- COLDNESS, lack of vital heat- parts- affected

Generalities- COLDNESS, lack of vital heat- parts- single

Generalities- COLDNESS, lack of vital heat- spots, in

Generalities- COLDNESS, lack of vital heat- internal

Generalities- COLDNESS, lack of vital heat- external

Generalities- COLDNESS, lack of vital heat- flushes of

Generalities- COLDNESS, lack of vital heat- icy

Generalities- COMBING or brushing hair- agg.

Generalities- COMBING or brushing hair- agg.- backward

Generalities- COMPLEXION, color of eyes, face, hair- dark eyes and fair, blonde hair

Generalities- COMPLEXION, color of eyes, face, hair- dark, brunette

Generalities- COMPLEXION, color of eyes, face, hair- fair, blonde, light

Generalities- COMPLEXION, color of eyes, face, hair- fair, blonde, light- lax fiber, with

Generalities- COMPLEXION, color of eyes, face, hair- red hair

Generalities- COMPLEXION, color of eyes, face, hair- reddish brown, auburn

Generalities- CONCUSSION- agg., ailments from

Generalities- CONSCIOUS of body

Generalities- CONSCIOUS of body- internal organs, of

Generalities- CONSTITUTION- hydrogenoid

Generalities- CONSTITUTION- leucophlegmatic

Generalities- CONSTITUTION- lymphatic

Generalities- CONSTITUTION- phlegmatic

Generalities- CONSTRICTION

Generalities- CONstriction- internal

Generalities- CONstriction- internal- glands, liver, spleen etc.

Generalities- CONstriction- external

Generalities- CONstriction- bones

Generalities- CONstriction- muscles

Generalities- CONstriction- band sensation

Generalities- CONstriction- band sensation- belt, as of a

Generalities- CONTRACTING facial muscles agg.

Generalities- CONTRACTIONS, strictures, stenoses

Generalities- CONTRACTIONS, strictures, stenoses- chill, during

Generalities- CONTRACTIONS, strictures, stenoses- inflammation, after

Generalities- CONTRACTIONS, strictures, stenoses- orifices, sphincter spasm

Generalities- CONTRACTIONS, strictures, stenoses- convulsive, spasmodic

Generalities- CONTRADICTORY and alternating states

Generalities- CONVULSIONS, spasms

Generalities- CONVULSIONS, spasms- night

Generalities- CONVULSIONS, spasms- bathing, washing- agg.

Generalities- CONVULSIONS, spasms- bathing, washing- agg.- cold

Generalities- CONVULSIONS, spasms- children, in

Generalities- CONVULSIONS, spasms- ergotism

Generalities- CONVULSIONS, spasms- falling, with

Generalities- CONVULSIONS, spasms- falling, with- backward

Generalities- CONVULSIONS, spasms- falling, with- forward

Generalities- CONVULSIONS, spasms- heat- during

Generalities- CONVULSIONS, spasms- injuries, from

Generalities- CONVULSIONS, spasms- motion- amel.

Generalities- CONVULSIONS, spasms- paralysis; before

Generalities- CONVULSIONS, spasms- paralysis- with

Generalities- CONVULSIONS, spasms- pregnancy, in

Generalities- CONVULSIONS, spasms- sleep- during

Generalities- CONVULSIONS, spasms- uterine complaints, in

Generalities- CONVULSIONS, spasms- wet, after getting

Generalities- CONVULSIONS, spasms- wounds, from

Generalities- CONVULSIONS, spasms- internal

Generalities- CONVULSIONS, spasms- upper

Generalities- CONVULSIONS, spasms- clonic

Generalities- CONVULSIONS, spasms- clonic- fever heat, during

Generalities- CONVULSIONS, spasms- epileptic

Generalities- CORYZA- suppressed, agg.

Generalities- COUGH- during

Generalities- COUGH- during- lying on back agg.

Generalities- COUGH- after

Generalities- COVERING- agg. or intolerance of

Generalities- CRACKING- joints

Generalities- CRACKS, fissures, orifices

Generalities- CRAMPS

Generalities- CRAMPS- internal

Generalities- CRAMPS- joints

Generalities- CRAMPS- muscles

Generalities- CREAKING, joints

Generalities- CROOKED, irregular, deformed bones

Generalities- CROSSING limbs- agg.

Generalities- CROWDED places agg.

Generalities- CRUMBLING, bones

Generalities- CURVING of body

Generalities- DARKNESS- agg.

Generalities- DARKNESS- amel.

Generalities- DEBAUCHERY agg.

Generalities- DECAY in old people

Generalities- DECOMPOSITION of fluids

Generalities- DELIVERY, parturition- during

Generalities- DELIVERY, parturition- after, puerperal

Generalities- DELIVERY, parturition- after, puerperal- forceps delivery, after

Generalities- DENTITION agg.

Generalities- DESCENDING- agg.

Generalities- DESCENDING- agg.- stairs

Generalities- DESCENDING- amel.

Generalities- DIGESTION, indigestion, from

Generalities- DINNER- agg.

Generalities- DINNER- amel.

Generalities- DIPHTHERIA, after

Generalities- DISCHARGES, secretions- amel.

Generalities- DISCHARGES, secretions- acid, sour

Generalities- DISCHARGES, secretions- acrid, corrosive, excoriating

Generalities- DISCHARGES, secretions- ammonia, like

Generalities- DISCHARGES, secretions- bland

Generalities- DISCHARGES, secretions- bloody

Generalities- DISCHARGES, secretions- bloody- clots

Generalities- DISCHARGES, secretions- bloody- streaks

Generalities- DISCHARGES, secretions- briny, fishy odor

Generalities- DISCHARGES, secretions- brownish

Generalities- DISCHARGES, secretions- burning

Generalities- DISCHARGES, secretions- curdled

Generalities- DISCHARGES, secretions- dripping

Generalities- DISCHARGES, secretions- exhausting

Generalities- DISCHARGES, secretions- flocculent

Generalities- DISCHARGES, secretions- foamy, frothy

Generalities- DISCHARGES, secretions- gelatinous, jelly-like

Generalities- DISCHARGES, secretions- gray

Generalities- DISCHARGES, secretions- green

Generalities- DISCHARGES, secretions- gushing

Generalities- DISCHARGES, secretions- hair, destroying

Generalities- DISCHARGES, secretions- hot

Generalities- DISCHARGES, secretions- lumpy

Generalities- DISCHARGES, secretions- meat water, like

Generalities- DISCHARGES, secretions- metallic taste

Generalities- DISCHARGES, secretions- milky

Generalities- DISCHARGES, secretions- mucopurulent

Generalities- DISCHARGES, secretions- musty, mouldy

Generalities- DISCHARGES, secretions- offensive, fetid

Generalities- DISCHARGES, secretions- offensive, fetid- putrid

Generalities- DISCHARGES, secretions- profuse, increased

Generalities- DISCHARGES, secretions- purulent

Generalities- DISCHARGES, secretions- red

Generalities- DISCHARGES, secretions- reddening parts

Generalities- DISCHARGES, secretions- salty taste

Generalities- DISCHARGES, secretions- scanty, diminished

Generalities- DISCHARGES, secretions- slimy, mucous

Generalities- DISCHARGES, secretions- staining

Generalities- DISCHARGES, secretions- stringy, ropy

Generalities- DISCHARGES, secretions- suppressed

Generalities- DISCHARGES, secretions- sweetish taste

Generalities- DISCHARGES, secretions- tenacious, difficult to detach

Generalities- DISCHARGES, secretions- thick

Generalities- DISCHARGES, secretions- thin, liquid

Generalities- DISCHARGES, secretions- transparent, clear

Generalities- DISCHARGES, secretions- vicarious

Generalities- DISCHARGES, secretions- white

Generalities- DISCHARGES, secretions- yellow

Generalities- DISTORTIONS

Generalities- DISTORTIONS- bones

Generalities- DISTORTIONS- joints

Generalities- DRAFT of air- agg.

Generalities- DRAFT of air- agg.- cold

Generalities- DRAFT of air- agg.- cold- perspiration, during

Generalities- DRAFT of air- amel.

Generalities- DRAWING- up limb, flexing- agg.

Generalities- DRAWING- up limb, flexing- amel.

Generalities- DRAWING- drawing down sensation

Generalities- DRAWING- in, soft parts

Generalities- DRAWING- inward sensation

Generalities- DRAWN- together, as if parts are

Generalities- DRINKING- while

Generalities- DRINKING- after

Generalities- DRINKING- amel.

Generalities- DRUNKARDS, ailments of

Generalities- DRYNESS

Generalities- DRYNESS- cough, during

Generalities- DRYNESS- internal, parts usually moist

Generalities- DUST- agg., foreign bodies

Generalities- DUST- coating over external parts, as if

Generalities- EATING- before

Generalities- EATING- during

Generalities- EATING- after

Generalities- EATING- after- overeating

Generalities- EATING- amel.

Generalities- EATING- amel.- small quantities

Generalities- EMACIATION

Generalities- EMACIATION- children, in

Generalities- EMACIATION- old people

Generalities- EMACIATION- scarlatina, in

Generalities- EMACIATION- upper

Generalities- EMACIATION- lower

Generalities- EMACIATION- progressive

Generalities- EMISSIONS, pollutions, seminal- agg.

Generalities- EMPTINESS, hollow sensation

Generalities- EMPTINESS, hollow sensation- eating- after

Generalities- EMPTINESS, hollow sensation- internal

Generalities- EMPTINESS, hollow sensation- fainting, as from

Generalities- ENLARGED sensation

Generalities- EPISTAXIS- amel.

Generalities- EPISTAXIS- agg.

Generalities- ERUCTATIONS- agg.

Generalities- ERUPTIONS- agg., suppressed

Generalities- ERUPTIONS- amel.

Generalities- ERUPTIONS- mucous membranes

Generalities- EXERCISE, exertion- agg.

Generalities- EXERCISE, exertion- agg.- eyes, of

Generalities- EXERCISE, exertion- agg.- slight

Generalities- EXERCISE, exertion- amel.

Generalities- EXOSTOSES

Generalities- EXPIRATION- agg.

Generalities- EXPIRATION- amel.

Generalities- FAINTNESS, fainting

Generalities- FAINTNESS, fainting- morning

Generalities- FAINTNESS, fainting- morning- rising, on

Generalities- FAINTNESS, fainting- evening

Generalities- FAINTNESS, fainting- evening- nine pm.

Generalities- FAINTNESS, fainting- night

Generalities- FAINTNESS, fainting- night- ten pm.

Generalities- FAINTNESS, fainting- coldness of extremities, with

Generalities- FAINTNESS, fainting- cough- during

Generalities- FAINTNESS, fainting- delivery, parturition- during

Generalities- FAINTNESS, fainting- exertion, from

Generalities- FAINTNESS, fainting- heart complaints, in

Generalities- FAINTNESS, fainting- motion- amel.

Generalities- FAINTNESS, fainting- nausea- during

Generalities- FAINTNESS, fainting- pulse- imperceptible

Generalities- FAINTNESS, fainting- rising, on or after

Generalities- FAINTNESS, fainting- rising, on or after- lying, from

Generalities- FAINTNESS, fainting- standing agg.

Generalities- FAINTNESS, fainting- unconsciousness, without

Generalities- FAINTNESS, fainting- vertigo, in

Generalities- FAINTNESS, fainting- lightness, with feeling of

Generalities- FAINTNESS, fainting- sudden, paroxysmal

Generalities- FALLING- sensation

Generalities- FALLING- sensation- forward, internal

Generalities- FALLING out, hair

Generalities- FANNING, fanned- sensation like being

Generalities- FASTING, hunger- agg.

Generalities- FASTING, hunger- amel.

Generalities- FEVER- before

Generalities- FEVER- during

Generalities- FEVER- after

Generalities- FEVER- after- typhoid

Generalities- FISTULAE

Generalities- FLABBY feeling

Generalities- FLATUS- agg.

Generalities- FLATUS- amel.

Generalities- FLOATING sensation

Generalities- FLUTTERING sensation

Generalities- FOOD and drinks- alcohol, alcoholic drinks- agg.

Generalities- FOOD and drinks- alcohol, alcoholic drinks- aversion

Generalities- FOOD and drinks- alcohol, alcoholic drinks- desires

Generalities- FOOD and drinks- beer- agg.

Generalities- FOOD and drinks- beer- aversion

Generalities- FOOD and drinks- beer- desires

Generalities- FOOD and drinks- beer- desires- fever- during

Generalities- FOOD and drinks- brandy- agg.

Generalities- FOOD and drinks- brandy- aversion

Generalities- FOOD and drinks- bread- agg.

Generalities- FOOD and drinks- bread- aversion

Generalities- FOOD and drinks- broth- aversion

Generalities- FOOD and drinks- cheese- agg.

Generalities- FOOD and drinks- cheese- agg.- old

Generalities- FOOD and drinks- cheese- agg.- spoiled

Generalities- FOOD and drinks- coffee- agg.

Generalities- FOOD and drinks- coffee- amel.

Generalities- FOOD and drinks- coffee- aversion

Generalities- FOOD and drinks- cold- drinks- agg.

Generalities- FOOD and drinks- cold- drinks- agg.- heated, after becoming

Generalities- FOOD and drinks- cold- drinks- amel.

Generalities- FOOD and drinks- cold- drinks- aversion

Generalities- FOOD and drinks- cold- drinks- desires

Generalities- FOOD and drinks- cold- drinks- desires- fever, during

Generalities- FOOD and drinks- cold- drinks- desires- fever, during- heat

Generalities- FOOD and drinks- cold- food- agg.

Generalities- FOOD and drinks- cold- food- amel.

Generalities- FOOD and drinks- cold- food- desires

Generalities- FOOD and drinks- cold- food- desires- fever heat, during

Generalities- FOOD and drinks- cucumber- agg.

Generalities- FOOD and drinks- delicacies- desires

Generalities- FOOD and drinks- doughnuts, desires

Generalities- FOOD and drinks- drinks- aversion

Generalities- FOOD and drinks- drinks- aversion- thirst- with

Generalities- FOOD and drinks- drinks- desires

Generalities- FOOD and drinks- drinks- desires- thirst, without, thirstless

Generalities- FOOD and drinks- farinaceous food, starchy- agg.

Generalities- FOOD and drinks- fat and rich food- aversion

Generalities- FOOD and drinks- fish- agg.

Generalities- FOOD and drinks- fish- agg.- spoiled

Generalities- FOOD and drinks- food in general- aversion to

Generalities- FOOD and drinks- food in general- aversion to- appetite, with

Generalities- FOOD and drinks- food in general- aversion to- chill, during

Generalities- FOOD and drinks- food in general- aversion to- eating- after

Generalities- FOOD and drinks- food in genera- aversion to- eating- after- little, a

Generalities- FOOD and drinks- food in general- aversion to- fever- during

Generalities- FOOD and drinks- food in general- aversion to- fever- during- heat

Generalities- FOOD and drinks- food in general- aversion to- heaviness of head, with

Generalities- FOOD and drinks- food in general- aversion to- shaking, with

Generalities- FOOD and drinks- frozen- agg.

Generalities- FOOD and drinks- hearty food, desires

Generalities- FOOD and drinks- ice- agg.

Generalities- FOOD and drinks- ice- agg.- ice-water

Generalities- FOOD and drinks- ice-cream- agg.

Generalities- FOOD and drinks- liqueur- agg.

Generalities- FOOD and drinks- meat- agg.

Generalities- FOOD and drinks- meat- agg.- spoiled, bad

Generalities- FOOD and drinks- meat- aversion

Generalities- FOOD and drinks- milk, milk products- agg.

Generalities- FOOD and drinks- milk, milk products- amel.

Generalities- FOOD and drinks- milk, milk products- aversion

Generalities- FOOD and drinks- milk, milk products- desires

Generalities- FOOD and drinks- milk, milk products- desires- cold

Generalities- FOOD and drinks- milk, milk products- desires- cold- icy

Generalities- FOOD and drinks- oysters- agg.

Generalities- FOOD and drinks- oysters- desires

Generalities- FOOD and drinks- oysters- desires- cold

Generalities-FOOD and drinks- oysters- desires- raw

Generalities-FOOD and drinks- raw food- desires

Generalities- FOOD and drinks- sausages- agg.

Generalities- FOOD and drinks- sausages- agg.- spoiled

Generalities- FOOD and drinks- shell-fish- agg.

Generalities- FOOD and drinks- shell-fish- desires

Generalities- FOOD and drinks- soup- aversion

Generalities- FOOD and drinks- sour, acid- agg.

Generalities- FOOD and drinks- sour, acid- desires

Generalities- FOOD and drinks- spoiled food

Generalities- FOOD and drinks- stimulants- agg.

Generalities- FOOD and drinks- stimulants- amel.

Generalities- FOOD and drinks- sugar- desires

Generalities- FOOD and drinks- sweets- desires

Generalities- FOOD and drinks- sweets- desires- dainties

Generalities- FOOD and drinks- tea- agg.

Generalities- FOOD and drinks- tonics- desires

Generalities- FOOD and drinks- warm- drinks- agg.

Generalities- FOOD and drinks- warm- drinks- amel.

Generalities- FOOD and drinks- warm- food, cooked food- agg.

Generalities- FOOD and drinks- warm- food, cooked food- amel.

Generalities- FOOD and drinks- water- agg.

Generalities- FOOD and drinks- water- aversion

Generalities- FOOD and drinks- water- desires

Generalities- FOOD and drinks- whisky- agg.

Generalities- FOOD and drinks- whisky- aversion

Generalities- FOOD and drinks- wine- agg.

Generalities- FOOD and drinks- wine- aversion

Generalities- FORCING, urging

Generalities- FOREIGN bodies, as of

Generalities- FORMICATION, crawling

Generalities- FORMICATION, crawling- evening

Generalities- FORMICATION, crawling- chill, during

Generalities- FORMICATION, crawling- parts affected

Generalities- FORMICATION, crawling- internal

Generalities- FORMICATION, crawling- external

Generalities- FORMICATION, crawling- bones

Generalities- FORMICATION, crawling- glands, liver, spleen etc.

Generalities- FORMICATION, crawling- animals, as of little

Generalities- FROZEN, from being

Generalities- FULLNESS

Generalities- FULLNESS- internal

Generalities- FULLNESS- external

Generalities- FUMES, smoke, vapors, as of, internally

Generalities- GAIT reeling, staggering, tottering and wavering

Generalities- GAIT reeling, staggering, tottering and wavering- morning

Generalities- GAIT reeling, staggering, tottering and wavering- morning- rising, on

Generalities- GAIT reeling, staggering, tottering and wavering- chill, during

Generalities- GLISTENING, shining of mucous membranes

Generalities- GONORRHEA, sycosis

Generalities- GONORRHEA, sycosis- agg., suppressed

Generalities- GRASPING objects- agg.

Generalities- GRASPING objects- agg.- cold

Generalities- GRASPING objects- agg.- tightly

Generalities- GROWTH affected, disorders of

Generalities- GROWTH affected, disorders of- length, in, too fast

Generalities- GURGLING, clucking, internal

Generalities- HAIR sensation

Generalities- HANGING down limbs- agg.

Generalities- HANGING down limbs- amel.

Generalities- HANGING down, loose, suspended, as if

Generalities- HARD- bed, sensation of

Generalities- HARDNESS

Generalities- HARDNESS- inflammation, after

Generalities- HARDNESS- bones

Generalities- HARDNESS- cellular tissue

Generalities- HARDNESS- glands, liver, spleen etc.

Generalities- HARDNESS- muscles

Generalities- HARDNESS- chronic, glands

Generalities- HARDNESS- nodes under the skin, as from, glands

Generalities- HEART complaints, in

Generalities- HEAT

Generalities- HEAT- left

Generalities- HEAT- left; chill, after

Generalities- HEAT- night

Generalities- HEAT- during

Generalities- HEAT- headache, during

Generalities- HEAT- sleep, during

Generalities- HEAT- flushes of

Generalities- HEAT- flushes of- left

Generalities- HEAT- flushes of- afternoon

Generalities- HEAT- flushes of- chilliness- after

Generalities- HEAT- flushes of- headache- during

Generalities- HEAT- flushes of- upper body only

Generalities- HEAT- flushes of- water, warm- dashed over one, as if

Generalities- HEAT; flushes of; water, warm; poured over him, as if

Generalities- HEATED, warmed, hot, becoming- agg.

Generalities- HEATED, warmed, hot, becoming- agg.- walking, while

Generalities- HEATED, warmed, hot, becoming- agg.- walking, while- air, in open

Generalities- HEATED, warmed, hot, becoming- amel.

Generalities- HEATED, warmed, hot, becoming- amel.- walking, while

Generalities- HEAVINESS

Generalities- HEAVINESS- right

Generalities- HEAVINESS- morning

Generalities- HEAVINESS- morning; waking, on

Generalities- HEAVINESS- afternoon

Generalities- HEAVINESS- evening

Generalities- HEAVINESS- exertion agg.

Generalities- HEAVINESS- motion agg.

Generalities- HEAVINESS- sitting- while

Generalities- HEAVINESS- waking, on or after

Generalities- HEAVINESS- internal

Generalities- HEAVINESS- internal- evening

Generalities- HEAVINESS- internal- eating- after

Generalities- HEAVINESS- internal- stool, after

Generalities- HEAVINESS- internal- glands, liver, spleen etc.

Generalities- HEAVINESS- external

Generalities- HEAVINESS- bones

Generalities- HEAVINESS- paralytic

Generalities- HEMORRHAGE- agg. after

Generalities- HEMORRHAGE- amel.

Generalities- HEMORRHAGE, uterine- agg.

Generalities- HEMORRHOIDS, after disappearance or suppression of bleeding

Generalities- HUMMING, buzzing and whizzing in body

Generalities- HYPERTROPHY, enlargement

Generalities- HYPERTROPHY, enlargement- exertion, from excessive

Generalities- ILL or sick feeling

Generalities- IMMOBILITY of affected parts

Generalities- INFECTIOUS diseases, after

Generalities- INFILTRATION

Generalities- INFLAMMATION

Generalities- INFLAMMATION- after

Generalities- INFLAMMATION- spots

Generalities- INFLAMMATION- internal

Generalities- INFLAMMATION- external

Generalities- INFLAMMATION- fibroid tissue, aponeuroses

Generalities- INFLAMMATION- cellular tissue, cellulitis

Generalities- INFLAMMATION- cellular tissue, cellulitis- delivery, parturition, after, puerperal

Generalities- INFLAMMATION- cellular tissue, cellulitis- diphtheria, in

Generalities- INFLAMMATION- connective tissue

Generalities- INFLAMMATION- lymphatic tissue, lymphangitis

Generalities- INFLAMMATION- bones, osteitis

Generalities- INFLAMMATION- bones, osteitis- periosteum, periostitis

Generalities- INFLAMMATION- glands, liver, spleen etc.

Generalities- INFLAMMATION- joints, arthritis

Generalities- INFLAMMATION- joints, arthritis- gonorrheal

Generalities- INFLAMMATION- mucous membranes

Generalities- INFLAMMATION- muscles, myositis

Generalities- INFLAMMATION- nerves, neuritis

Generalities- INFLAMMATION- tendons, tendinitis

Generalities- INFLAMMATION- tendons, tendinitis- synovitis

Generalities- INFLAMMATION- tendons, tendinitis- synovitis- cold, from

Generalities- INFLAMMATION- tendons, tendinitis- synovitis- injuries, from

Generalities- INFLAMMATION- tendons, tendinitis- synovitis- bursae, of, bursitis

Generalities- INFLAMMATION- catarrhal

Generalities- INFLAMMATION- catarrhal- chronic

Generalities- INFLAMMATION- catarrhal- suppressed

Generalities- INFLAMMATION- chronic

Generalities- INFLAMMATION- chronic- glands

Generalities- INFLAMMATION- gangrenous

Generalities- INFLAMMATION- rheumatic

Generalities- INFLAMMATION- rheumatic- joints

Generalities- INFLAMMATION- rheumatic- nerves

Generalities- INFLAMMATION- serous

Generalities- INFLAMMATION- surgical

Generalities- INFLUENZA- as from

Generalities- INJURIES, blows, falls and bruises

Generalities- INJURIES, blows, falls and bruises- exertion, strain, from

Generalities- INJURIES, blows, falls and bruises- extravasations, with

Generalities- INJURIES, blows, falls and bruises- shocks of injury

Generalities- INJURIES, blows, falls and bruises- glands, liver, spleen etc.

Generalities- INJURIES, blows, falls and bruises- muscles, of

Generalities- INJURIES, blows, falls and bruises- soft parts, of, contusions

Generalities- INJURIES, blows, falls and bruises- tendons, ligaments

Generalities- INJURIES, blows, falls and bruises- chronic

Generalities- INJURIES, blows, falls and bruises- cuts

Generalities- INJURIES, blows, falls and bruises- dislocation, luxation

Generalities- INJURIES, blows, falls and bruises- falls

Generalities- INJURIES, blows, falls and bruises- fractures etc., bones

Generalities- INJURIES, blows, falls and bruises- fractures etc., bones- compound

Generalities- INJURIES, blows, falls and bruises- rupture of- tendons

Generalities- INJURIES, blows, falls and bruises- sprains, distortions

Generalities- INJURIES, blows, falls and bruises- sprains, distortions- old

Generalities- INSPIRATION- agg.

Generalities- INSPIRATION- agg.- cold

Generalities- INSPIRATION- agg.- deep

Generalities- INSPIRATION- amel.

Generalities- INSPIRATION- amel.- deep

Generalities- INTOXICATED feeling

Generalities- INTOXICATED feeling; morning

Generalities- INTOXICATED feeling; rising from lying agg.

Generalities- INTOXICATION, after

Generalities- INTOXICATION, after- china abuse, from, without quinine cachexia

Generalities- INTOXICATION, after- ergotine

Generalities- INTOXICATION, after- fish

Generalities- INTOXICATION, after- mercury

Generalities- INTOXICATION, after- metals in general

Generalities- INTOXICATION, after- narcotics

Generalities- INTOXICATION, after- quinine

Generalities- INTOXICATION, after- rhus species

Generalities- INTOXICATION, after- secale, claviceps purpurea

Generalities- INTOXICATION, after- sulphur

Generalities- IRON, wire, needle, as from a hot

Generalities- IRRITABILITY- lack of physical

Generalities- IRRITABILITY- physical, excessive

Generalities- ITCHING, tickling

Generalities- ITCHING, tickling- internal

Generalities- ITCHING, tickling- back part, posterior

Generalities- ITCHING, tickling- bones

Generalities- ITCHING, tickling- glands, liver, spleen etc.

Generalities- ITCHING, tickling- mucous membranes

Generalities- JAR, stepping; agg.

Generalities- JAR, stepping; agg.- false step, misstep

Generalities- JERKING

Generalities- JERKING- convulsions; during

Generalities- JERKING- cough, with

Generalities- JERKING- fever, during

Generalities- JERKING- sleep- during

Generalities- JERKING- side- lain on

Generalities- JERKING- internal

Generalities- JERKING- external

Generalities- JERKING- lower parts

Generalities- JERKING- joints

Generalities- JERKING- muscles

Generalities- JERKING- convulsive, spasmodic

Generalities- KNEELING- agg.

Generalities- KNOCKING sensation

Generalities- KNOTTED sensation internally

Generalities- LAMENESS

Generalities- LAMENESS- left

Generalities- LAMENESS- right

Generalities- LAMENESS- evening

Generalities- LAMENESS- night

Generalities- LAMENESS- fever, during

Generalities- LAMENESS- motion agg.

Generalities- LAMENESS- sitting, while

Generalities- LAMENESS- walking- during

Generalities- LAMENESS- external

Generalities- LAMENESS- parts- single

Generalities- LAMENESS- lower part

Generalities- LASSITUDE

Generalities- LASSITUDE- eating, after

Generalities- LASSITUDE- stool- before

Generalities- LAUGHING agg.

Generalities- LAYING hand- on part- amel.

Generalities- LEAF, valve, skin, as of a

Generalities- LEANING- against anything- during

Generalities- LEANING- against anything- amel.

Generalities- LEANING- against anything- amel.- hard

Generalities- LEANING- against anything- amel.- head

Generalities- LIE down- inclination to

Generalities- LIE down- inclination to- noon

Generalities- LIE down- inclination to- headache, during

Generalities- LIFTING, overlifting, straining of muscles and tendons- agg.

Generalities- LIFTING, overlifting, straining of muscles and tendons- agg.- reaching high

Generalities- LIGHT- agg.

Generalities- LIGHT- agg.- daylight

Generalities- LIGHT- agg.- sunlight

Generalities- LIGHT- agg.- twilight

Generalities- LIGHT- amel.

Generalities- LIGHT- amel.- sunlight

Generalities- LIGHT- amel.- twilight

Generalities- LIGHTNESS

Generalities- LIGHTNESS- walking, while

Generalities- LOCHIA, after

Generalities- LOOKING- agg.- down

Generalities- LOOKING- agg.- fixedly, intently

Generalities- LOOKING- agg.- long at anything

Generalities- LOOKING- agg.- sideways

Generalities- LOOKING- amel.- sideways

Generalities- LOOSE, as if

Generalities- LOOSE, as if- flesh over bones

Generalities- LOSS of animal fluids; agg.

Generalities- LUMP sensation

Generalities- LUMP sensation- internal

Generalities- LUMP sensation- external

Generalities- LYING- during

Generalities- LYING- during- back, on

Generalities- LYING- during- bed, in

Generalities- LYING- during- bed, in- hard bed

Generalities- LYING- during- head low, with

Generalities- LYING- during- moist ground or floor, on a

Generalities- LYING- during- pain goes to- part not lain on

Generalities- LYING- during- side, on

Generalities- LYING- during- side, on- left

Generalities- LYING- during- side, on- painful, affected

Generalities- LYING- during- side, on- painless

Generalities- LYING- during- side, on- right

Generalities- LYING- during- stretching limb agg.

Generalities- LYING- after

Generalities- LYING- amel.

Generalities- LYING- amel.- during

Generalities- LYING- amel.- during- abdomen, on

Generalities- LYING- amel.- during- back, on

Generalities- LYING- amel.- during- bed, in

Generalities- LYING- amel.- during- bed, in- hard bed, hard surface

Generalities- LYING- amel.- during- bent double

Generalities- LYING- amel.- during- ground, on

Generalities- LYING- amel.- during- hard surface, on

Generalities- LYING- amel.- during- legs drawn up

Generalities- LYING- amel.- during- side, on

Generalities- LYING- amel.- during- side, on- left

Generalities- LYING- amel.- during- side, on- painful, affected

Generalities- LYING- amel.- during- side, on- painless

Generalities- LYING- amel.- during- side, on- right

Generalities- LYING- amel.- after

Generalities- LYING- down

Generalities- LYING- sensation of- uncomfortably

Generalities- MALARIA, ague, ailments from

Generalities- MALARIA, ague, ailments from- suppressed

Generalities- MEASLES- during

Generalities- MEASLES- after, suppressed, receding

Generalities- MENSES- before

Generalities- MENSES- beginning of

Generalities- MENSES- during

Generalities- MENSES- after

Generalities- MENSES- amel.- during

Generalities- MENSES- suppressed, from

Generalities- MENTAL exertion- agg.

Generalities- METASTASIS

Generalities- METASTASIS- gouty, rheumatic

Generalities- MOBILITY- increased

Generalities- MOON- agg.- new

Generalities- MOON- agg.- waxing, increasing

Generalities- MOON- agg.- full

Generalities- MOON- agg.- waning, decreasing

Generalities- MOTION, motions- beginning of, at

Generalities- MOTION, motions- during agg.

Generalities- MOTION, motions- during agg.- air- open, agg.

Generalities- MOTION, motions- during agg.- arms, of

Generalities- MOTION, motions- during agg.- continued

Generalities- MOTION, motions- during agg.- downward

Generalities- MOTION, motions- during agg.- eyes, of

Generalities- MOTION, motions- during agg.- eyes, of- eyelids, of

Generalities- MOTION, motions- during agg.- head, of

Generalities- MOTION, motions- during agg.- part- affected

Generalities- MOTION, motions- during agg.- slightest

Generalities- MOTION, motions- during agg.- violent

Generalities- MOTION, motions- after

Generalities- MOTION, motions- amel.

Generalities- MOTION, motions- amel.- air, in open

Generalities- MOTION, motions- amel.- continued

Generalities- MOTION, motions- amel.- feet, of

Generalities- MOTION, motions- amel.- part affected

Generalities- MOTION, motions- absent

Generalities- MOTION, motions- convulsive, spasmodic

Generalities- MOTION, motions- desires

Generalities- MOTION, motions- desires- constant

Generalities- MOTION, motions- difficult

Generalities- MOTION, motions- involuntary

Generalities- MOTION, motions- sensation of

Generalities- MOTION, motions- strong, too

Generalities- MOTION, motions- wanting, motionless

Generalities- MOTION, motions- wanting, motionless- walking in open air, after

Generalities- MUSIC- agg.

Generalities- MUSIC- agg.- piano playing, from

Generalities- NODOSITIES- gouty, bones

Generalities- NOISE; agg.

Generalities- NUMBNESS, insensibility

Generalities- NUMBNESS, insensibility- left

Generalities- NUMBNESS, insensibility- one-sided

Generalities- NUMBNESS, insensibility- right

Generalities- NUMBNESS, insensibility- night

Generalities- NUMBNESS, insensibility- chill, during

Generalities- NUMBNESS, insensibility- cold, becoming

Generalities- NUMBNESS, insensibility- coldness, with

Generalities- NUMBNESS, insensibility- convulsions- during

Generalities- NUMBNESS, insensibility- heart complaints, in

Generalities- NUMBNESS, insensibility- heat, during

Generalities- NUMBNESS, insensibility- lying down agg.

Generalities- NUMBNESS, insensibility- motion agg.

Generalities- NUMBNESS, insensibility- pains, from

Generalities- NUMBNESS, insensibility- palpitation, with

Generalities- NUMBNESS, insensibility- weather- cold, in

Generalities- NUMBNESS, insensibility- parts- affected

Generalities- NUMBNESS, insensibility- parts- lain on

Generalities- NUMBNESS, insensibility- parts- single

Generalities- NUMBNESS, insensibility- internal

Generalities- NUMBNESS, insensibility- external

Generalities- NUMBNESS, insensibility- external left

Generalities- NUMBNESS, insensibility- external- right

Generalities- NUMBNESS, insensibility- external- morning

Generalities- NUMBNESS, insensibility- external- night

Generalities- NUMBNESS, insensibility- external- cold, becoming

Generalities- NUMBNESS, insensibility- external- coldness, with

Generalities- NUMBNESS, insensibility- external- lying- agg.

Generalities- NUMBNESS, insensibility- glands, liver, spleen etc.

Generalities- NUMBNESS, insensibility- dead sensation

Generalities- NURSING child, while (

Generalities- NURSLINGS, ailments in

Generalities- OBESITY

Generalities- OLD people, in

Generalities- OLD people, in- women

Generalities- OPENING- eyes- agg.

Generalities- OPENING- mouth- agg.

Generalities- OPERATIONS- after

Generalities- OPERATIONS- after- deeper tissues

Generalities- ORGANS come out, as if, during cough

Generalities- PAIN

Generalities- PAIN- alternating sides

Generalities- PAIN- left

Generalities- PAIN- left- extending upward

Generalities- PAIN- left- right, to

Generalities- PAIN- one-sided

Generalities- PAIN- right

Generalities- PAIN- morning

Generalities- PAIN- morning- bed, in

Generalities- PAIN- morning- rising- on or after

Generalities- PAIN- morning- rising- amel.

Generalities- PAIN- morning- waking- on or after

Generalities- PAIN- forenoon

Generalities- PAIN- noon

Generalities- PAIN- afternoon

Generalities- PAIN- afternoon- one thirty pm.

Generalities- PAIN- afternoon- afternoon sleep- after

Generalities- PAIN- evening- agg.

Generalities- PAIN- evening- agg.- eight pm.

Generalities- PAIN- evening- agg.- bed, in

Generalities- PAIN- evening- agg.- lying down agg.

Generalities- PAIN- evening- agg.- sitting

Generalities- PAIN- night- agg.

Generalities- PAIN- night- agg.- ten pm.

Generalities- PAIN- night- agg.- bed, in

Generalities- PAIN- night- agg.- pressure amel.

Generalities- PAIN- night- amel.

Generalities- PAIN- midnight- before

Generalities- PAIN- midnight- about

Generalities- PAIN- midnight- after

Generalities- PAIN- spring

Generalities- PAIN- autumn

Generalities- PAIN- winter

Generalities- PAIN- appearing gradually

Generalities- PAIN- appearing gradually- disappearing suddenly

Generalities- PAIN- disappearing suddenly

Generalities- PAIN- periodical

Generalities- PAIN- agg.

Generalities- PAIN- air- cold- agg.

Generalities- PAIN- air- open- amel.

Generalities- PAIN- air- open- agg.

Generalities- PAIN- anger, vexation agg.

Generalities- PAIN- applications- cold- agg.

Generalities- PAIN- applications- cold- amel.

Generalities- PAIN- applications- warm- amel.

Generalities- PAIN- ascending stairs agg.

Generalities- PAIN- bathing, washing- agg.

Generalities- PAIN- bathing, washing- agg.- cold

Generalities- PAIN- bathing, washing- amel.

Generalities- PAIN- bathing, washing- amel.- warm

Generalities- PAIN- bed- agg.

Generalities- PAIN- breathing agg.

Generalities- PAIN- chill, during

Generalities- PAIN- chilliness, during

Generalities- PAIN- coffee amel.

Generalities- PAIN- coition, after

Generalities- PAIN- cold- agg.

Generalities- PAIN- cold- amel.

Generalities- PAIN- cold- taking

Generalities- PAIN- descending stairs agg.

Generalities- PAIN- dinner, after

Generalities- PAIN- draft of air agg.

Generalities- PAIN- drinking agg.

Generalities- PAIN- eating- while

Generalities- PAIN- eating- after

Generalities- PAIN- eating- amel.

Generalities- PAIN- excitement, emotional, agg.

Generalities- PAIN- exercise- agg.

Generalities- PAIN- exercise- agg.- arms, of

Generalities- PAIN- exercise- amel.

Generalities- PAIN- exhaustion, from

Generalities- PAIN- fever, during

Generalities- PAIN- fever, during- heat

Generalities- PAIN- fright, fear agg.

Generalities- PAIN- headache, during

Generalities- PAIN- herpes zoster, zona- after

Generalities- PAIN- influenza- in

Generalities- PAIN- influenza- after

Generalities- PAIN- injuries, after

Generalities- PAIN- inspiration, deep, agg.

Generalities- PAIN- jar, stepping agg.

Generalities- PAIN- knocking body against something

Generalities- PAIN- lying- agg.

Generalities- PAIN- lying- agg.- part, on

Generalities- PAIN- lying- agg.- side, on affected, painful

Generalities- PAIN- lying- agg.- side, on painless

Generalities- PAIN- lying- amel.

Generalities- PAIN- lying- amel.- abdomen, on

Generalities- PAIN- lying- amel.- back, on

Generalities- PAIN- lying- amel.- side, on affected, painful

Generalities- PAIN- lying- down agg.

Generalities- PAIN- lying- lie down, must

Generalities- PAIN- lying- pains go to side- lain on

Generalities- PAIN- lying- pains go to side- not lain on

Generalities- PAIN- menses- before

Generalities- PAIN- menses- beginning of

Generalities- PAIN- menses- during

Generalities- PAIN- menses- after

Generalities- PAIN- menses- suppressed, from

Generalities- PAIN- mental exertion agg.

Generalities- PAIN- motion- agg.

Generalities- PAIN- motion- agg.- beginning to

Generalities- PAIN- motion- agg.- least, slightest

Generalities- PAIN- motion- amel.

Generalities- PAIN- motion- amel.- continued

Generalities- PAIN- numbness, with

Generalities- PAIN- perspiration- during

Generalities- PAIN- perspiration- amel.

Generalities- PAIN- perspiration- amel., does not

Generalities- PAIN- position, change of; agg.

Generalities- PAIN- position, change of; amel.

Generalities- PAIN- pregnancy, during

Generalities- PAIN- pressure- agg.

Generalities- PAIN- pressure- amel.

Generalities- PAIN- pressure- amel.- hand, with

Generalities- PAIN- pressure- amel.- hard

Generalities- PAIN- rest- agg.

Generalities- PAIN- rest- amel.

Generalities- PAIN- riding- agg.

Generalities- PAIN- rising- agg.

Generalities- PAIN- rising- agg.- lying, from

Generalities- PAIN- rising- agg.- sitting, from

Generalities- PAIN- rising- agg.- stooping, from

Generalities- PAIN- rising- amel.

Generalities- PAIN- room, in- agg.

Generalities- PAIN- room, in- amel.

Generalities- PAIN- rub, rubbing, massage- agg.

Generalities- PAIN- rub, rubbing, massage- amel.

Generalities- PAIN- scratching- agg.

Generalities- PAIN- sit, sitting- agg.

Generalities- PAIN- sit, sitting- agg.- bent

Generalities- PAIN- sit, sitting- agg.- still

Generalities- PAIN- sit, sitting- amel.

Generalities- PAIN- sit, sitting- amel.- erect, upright

Generalities- PAIN- sit, sitting- amel.- up in bed

Generalities- PAIN- sleep- during

Generalities- PAIN- sleep- after

Generalities- PAIN- sneezing- agg.

Generalities- PAIN- standing- agg.

Generalities- PAIN- stiffness, with

Generalities- PAIN- stimulants amel.

Generalities- PAIN- stool- before

Generalities- PAIN- stool- during

Generalities- PAIN- stool- during; diarrhea

Generalities- PAIN- stool- after

Generalities- PAIN- stool- amel.

Generalities- PAIN- stool- straining at

Generalities- PAIN- stooping- agg.

Generalities- PAIN- stretching- agg.

Generalities- PAIN- swallowing- agg.

Generalities- PAIN- swallowing- agg.- food, solids

Generalities- PAIN- swallowing- amel.

Generalities- PAIN- talking agg.

Generalities- PAIN- touch- agg.

Generalities- PAIN- turning in bed agg.

Generalities- PAIN- uncovering agg.

Generalities- PAIN- uncovering agg.- fever heat, during

Generalities- PAIN- urination- agg.

Generalities- PAIN- vertigo, during

Generalities- PAIN- vesicles amel.

Generalities- PAIN- waking- agg.

Generalities- PAIN- walking- agg.

Generalities- PAIN- walking- agg.- after

Generalities- PAIN- walking- agg.- air, in open

Generalities- PAIN- walking- amel.

Generalities- PAIN- walking- amel.- air, in open

Generalities- PAIN- warmth- agg.

Generalities- PAIN- warmth- agg.- bed, of

Generalities- PAIN- warmth- agg.- stove, of

Generalities- PAIN- warmth- agg.- sun, of

Generalities- PAIN- warmth- amel.

Generalities- PAIN- warmth- amel.- bed, of

Generalities- PAIN- water agg., working in

Generalities- PAIN- weakness, with

Generalities- PAIN- weather- bad, agg.

Generalities- PAIN- weather- changes of, from

Generalities- PAIN- weather- cold, in

Generalities- PAIN- weather- damp, wet, in

Generalities- PAIN- weather- damp, wet, in- cold

Generalities- PAIN- weather- windy, stormy- during

Generalities- PAIN- weather- windy, stormy- before

Generalities- PAIN- wet, getting

Generalities- PAIN- wine agg.

Generalities- PAIN- wrapping up amel.

Generalities- PAIN- extending- back, to

Generalities- PAIN- extending- backward

Generalities- PAIN- extending- crosswise

Generalities- PAIN- extending- diagonal

Generalities- PAIN- extending- downward

Generalities- PAIN- extending- fingers, to

Generalities- PAIN- extending- fingers, to- tips

Generalities- PAIN- extending- forward

Generalities- PAIN- extending- inward

Generalities- PAIN- extending- outward

Generalities- PAIN- extending- part- not lain on

Generalities- PAIN- extending- upward

Generalities- PAIN- deep seated

Generalities- PAIN- parts- affected

Generalities- PAIN- parts- affected- sitting, while

Generalities- PAIN- parts- lain on

Generalities- PAIN- parts- not lain on

Generalities- PAIN- parts- paralyzed

Generalities- PAIN- internal

Generalities- PAIN- internal- night

Generalities- PAIN- internal- fever, during

Generalities- PAIN- internal- itching, with

Generalities- PAIN- internal- menses, before

Generalities- PAIN- internal- extending outward

Generalities- PAIN- external

Generalities- PAIN- external- left

Generalities- PAIN- external- right

Generalities- PAIN- external- morning, on or after rising

Generalities- PAIN- external- forenoon

Generalities- PAIN- external- anger, vexation agg.

Generalities- PAIN- external- bathing, washing- agg.

Generalities- PAIN- external- bathing, washing- agg.- cold

Generalities- PAIN- external- heat; during

Generalities- PAIN- external- perspiration, during

Generalities- PAIN- external- rest, during

Generalities- PAIN- external- rising from lying agg.

Generalities- PAIN- upper

Generalities- PAIN- upper- morning, rising amel

Generalities- PAIN- upper- external, left

Generalities- PAIN- lower

Generalities- PAIN- body, all over

Generalities- PAIN- bones

Generalities- PAIN- bones- left

Generalities- PAIN- bones- night

Generalities- PAIN- bones- night; bed, in

Generalities- PAIN- bones- bed, in

Generalities- PAIN- bones- chill- during

Generalities- PAIN- bones- fever- before

Generalities- PAIN- bones- fever- during

Generalities- PAIN- bones- fever- during- intermittent

Generalities- PAIN- bones- influenza, in

Generalities- PAIN- bones- malaria or influenza, in

Generalities- PAIN- bones- motion; amel.

Generalities- PAIN- bones- standing agg.

Generalities- PAIN- bones- condyles

Generalities- PAIN- bones- long bones

Generalities- PAIN- bones- long bones- motion- amel.

Generalities- PAIN- bones- periosteum

Generalities- PAIN- cartilages

Generalities- PAIN- fibroid tissue, ligaments

Generalities- PAIN- glands, liver, spleen etc.

Generalities- PAIN- glands, liver, spleen etc.- left

Generalities- PAIN- glands, liver, spleen etc.- right

Generalities- PAIN- glands, liver, spleen etc.- menses, before

Generalities- PAIN- glands, liver, spleen etc.- extending- outward

Generalities- PAIN- joints, articulations

Generalities- PAIN- joints, articulations- right

Generalities- PAIN- joints, articulations- morning, on waking

Generalities- PAIN- joints, articulations- night

Generalities- PAIN- joints, articulations- air, open, agg.

Generalities- PAIN- joints, articulations- chill, during

Generalities- PAIN- joints, articulations- fever, during

Generalities- PAIN- joints, articulations- motion- agg.

Generalities- PAIN- joints, articulations- motion- amel.

Generalities- PAIN- joints, articulations- perspiration, during

Generalities- PAIN- joints, articulations- touch agg.

Generalities- PAIN- joints, articulations- waking- agg.

Generalities- PAIN- joints, articulations- walking agg.

Generalities- PAIN- joints, articulations- walking agg.- air, in open

Generalities- PAIN- joints, articulations- weather- cold, agg.

Generalities- PAIN- joints, articulations- weather- damp, wet agg.

Generalities- PAIN- joints, articulations- large

Generalities- PAIN- lymphatic tissue

Generalities- PAIN- mucous membranes

Generalities- PAIN- muscles

Generalities- PAIN- muscles- morning

Generalities- PAIN- muscles- chill, during

Generalities- PAIN- muscles- exertion- agg.

Generalities- PAIN- muscles- exertion- amel.

Generalities- PAIN- muscles- headache, with

Generalities- PAIN- muscles- perspiration, during

Generalities- PAIN- muscles- flexor

Generalities- PAIN- orifices

Generalities- PAIN- tendons

Generalities- PAIN- beaten loose from bones, as if flesh were

Generalities- PAIN- benumbing

Generalities- PAIN- biting

Generalities- PAIN- blow, as after a

Generalities- PAIN- boring, grinding, grating

Generalities- PAIN- boring, grinding, grating- bones

Generalities- PAIN- boring, grinding, grating- glands, liver, spleen etc.

Generalities- PAIN- broken, as if

Generalities- PAIN- broken, as if- motion agg.

Generalities- PAIN- broken, as if- bones

Generalities- PAIN- burning, smarting

Generalities- PAIN- burning, smarting- morning

Generalities- PAIN- burning, smarting- evening

Generalities- PAIN- burning, smarting- night

Generalities- PAIN- burning, smarting- midnight- about

Generalities- PAIN- burning, smarting- midnight- after

Generalities- PAIN- burning, smarting- air, open- amel.

Generalities- PAIN- burning, smarting- chill, after

Generalities- PAIN- burning, smarting- fever, during

Generalities- PAIN- burning, smarting- restlessness, with

Generalities- PAIN- burning, smarting- rubbing, after

Generalities- PAIN- burning, smarting- scratching, on

Generalities- PAIN- burning, smarting- vesicles, outbreak of, amel.

Generalities- PAIN- burning, smarting- walking, while

Generalities- PAIN- burning, smarting- spots

Generalities- PAIN- burning, smarting- internal

Generalities- PAIN- burning, smarting- external

Generalities- PAIN- burning, smarting- external; left

Generalities- PAIN- burning, smarting- external; right

Generalities- PAIN- burning, smarting- external; bathing, washing- agg.

Generalities- PAIN- burning, smarting- external; heat- during

Generalities- PAIN- burning, smarting- external; upper, left

Generalities- PAIN- burning, smarting- upper

Generalities- PAIN- burning, smarting- lower

Generalities- PAIN- burning, smarting- bones (110)

Generalities- PAIN- burning, smarting- glands, liver, spleen etc.

Generalities- PAIN- burning, smarting- joints, articulations

Generalities- PAIN- burning, smarting- mucous membranes

Generalities- PAIN- burning, smarting- nerves

Generalities- PAIN- burning, smarting- orifices

Generalities- PAIN- burning, smarting- fire, like

Generalities- PAIN- burning, smarting- pressing

Generalities- PAIN- burnt, scalded

Generalities- PAIN- bursting, splitting, driven asunder

Generalities- PAIN- chronic

Generalities- PAIN- convulsive, spasmodic

Generalities- PAIN- corrosive, gnawing

Generalities- PAIN corrosive, gnawing- internal

Generalities- PAIN- corrosive, gnawing- external

Generalities- PAIN- cramping

Generalities- PAIN- cramping- forenoon, in bed

Generalities- PAIN- cramping- night- agg.

Generalities- PAIN- cramping- sitting, while

Generalities- PAIN- cramping- internal

Generalities- PAIN- cramping- external

Generalities- PAIN- cramping- joints, articulations

Generalities- PAIN- cramping- muscles

Generalities- PAIN- creeping, bones

Generalities- PAIN- crushed, as if

Generalities- PAIN crushed, as if- internal

Generalities- PAIN- cutting

Generalities- PAIN- cutting- right

Generalities- PAIN- cutting- forenoon

Generalities- PAIN- cutting- evening

Generalities- PAIN- cutting- menses, during

Generalities- PAIN- cutting- motion agg.

Generalities- PAIN- cutting- spots

Generalities- PAIN- cutting- internal

Generalities- PAIN- cutting- external

Generalities- PAIN- cutting- glands, liver, spleen etc.

Generalities- PAIN- cutting- burning, smarting

Generalities- PAIN- dislocated, as if

Generalities- PAIN- dislocated, as if- motion agg.

Generalities- PAIN- dislocated, as if- external

Generalities- PAIN- dislocated, as if- joints

Generalities- PAIN- dragging, bearing- down

Generalities- PAIN- drawing

Generalities- PAIN- drawing- left

Generalities- PAIN- drawing- right

Generalities- PAIN- drawing- morning

Generalities- PAIN- drawing- evening

Generalities- PAIN- drawing- evening- eight pm.

Generalities- PAIN- drawing- night
 Generalities- PAIN- drawing- chill, during
 Generalities- PAIN- drawing- lying; agg.
 Generalities- PAIN- drawing- motion agg.
 Generalities- PAIN- drawing- rest, during
 Generalities- PAIN- drawing- rising, on or after
 Generalities- PAIN- drawing- sitting, while
 Generalities- PAIN- drawing- standing agg.
 Generalities- PAIN- drawing- walking- amel.
 Generalities- PAIN- drawing- warmth amel.
 Generalities- PAIN- drawing- extending- downward
 Generalities- PAIN- drawing- extending- fingers, to
 Generalities- PAIN- drawing- extending- upward
 Generalities- PAIN- drawing- external
 Generalities- PAIN- drawing- internal
 Generalities- PAIN- drawing- bones
 Generalities- PAIN drawing- glands, liver, spleen etc.
 Generalities- PAIN- drawing- joints, articulations
 Generalities- PAIN- drawing- joints, articulations- perspiration, during
 Generalities- PAIN- drawing- muscles
 Generalities- PAIN- drawing- muscles- perspiration, during
 Generalities- PAIN- drawing- tendons
 Generalities- PAIN- drawing- cramping
 Generalities- PAIN- drawing- paralytic
 Generalities- PAIN- drawing- rheumatic
 Generalities- PAIN- drawing- together
 Generalities- PAIN- dull

Generalities- PAIN- excoriating

Generalities- PAIN- gouty

Generalities- PAIN- gripping, grasping, clawing

Generalities- PAIN- grumbling

Generalities- PAIN- hammering

Generalities- PAIN- intermittent

Generalities- PAIN- jerking

Generalities- PAIN- jerking- night

Generalities- PAIN- jerking- internal

Generalities- PAIN- jerking- external

Generalities- PAIN- jerking- bones

Generalities- PAIN- jerking- joints, articulations

Generalities- PAIN- jerking- glands, liver, spleen etc.

Generalities- PAIN- jerking- muscles

Generalities- PAIN- linear

Generalities- PAIN- linear- vertical

Generalities- PAIN- nail, as from a

Generalities- PAIN- neuralgic

Generalities- PAIN- neuralgic- left

Generalities- PAIN- neuralgic- right

Generalities- PAIN- neuralgic- cold- agg.

Generalities- PAIN- neuralgic- cold- agg.- wet, and

Generalities- PAIN- neuralgic- erysipelas, after

Generalities- PAIN- neuralgic- herpes zoster- after

Generalities- PAIN- neuralgic- nervous people, in

Generalities- PAIN- neuralgic- numbness, with

Generalities- PAIN- neuralgic- rest, during

Generalities- PAIN- neuralgic- scarlatina, after

Generalities- PAIN- neuralgic- warmth amel.

Generalities- PAIN- neuralgic- extending to; upward

Generalities- PAIN- paralytic

Generalities- PAIN- paralytic- bones

Generalities- PAIN- paralytic- joints, articulations

Generalities- PAIN- persistent

Generalities- PAIN- picking

Generalities- PAIN- piercing

Generalities- PAIN- pinching

Generalities- PAIN- pinching- right

Generalities- PAIN- pinching- internal

Generalities- PAIN- pinching- external

Generalities- PAIN- pinching- glands, liver, spleen etc.

Generalities- PAIN- pressing

Generalities- PAIN pressing- left

Generalities- PAIN- pressing- right

Generalities- PAIN- pressing- night

Generalities- PAIN- pressing- stool; during

Generalities- PAIN- pressing- walking, while

Generalities- PAIN- pressing- extending- inward

Generalities- PAIN- pressing- extending- outward

Generalities- PAIN- pressing- extending- upward

Generalities- PAIN- pressing- spots

Generalities- PAIN- pressing- internal

Generalities- PAIN- pressing- external

Generalities- PAIN- pressing- bones

Generalities- PAIN- pressing- glands, liver, spleen etc.

Generalities- PAIN- pressing- glands, liver, spleen etc.- extending; outward

Generalities- PAIN- pressing- joints, articulations

Generalities- PAIN- pressing- muscles

Generalities- PAIN- pressing- cramping

Generalities- PAIN- pressing- drawing

Generalities- PAIN- pressing- dull

Generalities- PAIN- pressing- load, weight, as from

Generalities- PAIN- pressing- plug, as from a

Generalities- PAIN- pressing- stitching

Generalities- PAIN- pressing- stitching- muscles

Generalities- PAIN- pressing- together, compressing

Generalities- PAIN- pressing- vise, as in a

Generalities- PAIN- pricking

Generalities- PAIN- pricking- left

Generalities- PAIN- pulling

Generalities- PAIN- pulsating, throbbing

Generalities- PAIN- radiating

Generalities- PAIN- rheumatic

Generalities- PAIN- rheumatic- left, extending to right

Generalities- PAIN- rheumatic- motion agg.

Generalities- PAIN- rheumatic- muscles

Generalities- PAIN- rheumatic- periosteum

Generalities- PAIN- rheumatic- acute

Generalities- PAIN- rheumatic- stitching

Generalities- PAIN- shocks, blows, thrusts

Generalities- PAIN- shooting, darting, lightning, quick

Generalities- PAIN- shooting, darting, lightning, quick- rest agg.

Generalities- PAIN- short, as if

Generalities- PAIN- sore, bruised

Generalities- PAIN- sore, bruised- morning

Generalities- PAIN- sore, bruised- morning- bed, in

Generalities- PAIN- sore, bruised- morning- waking, on or after

Generalities- PAIN- sore, bruised- evening

Generalities- PAIN- sore, bruised- night

Generalities- PAIN- sore, bruised- air- cold agg.

Generalities- PAIN- sore, bruised- chill, during

Generalities- PAIN- sore, bruised- coition agg.

Generalities- PAIN- sore, bruised- cold- agg.

Generalities- PAIN- sore, bruised- fever- during

Generalities- PAIN- sore, bruised- headache, during

Generalities- PAIN- sore, bruised- heated walk and rapid cooling, after

Generalities- PAIN- sore, bruised- lying- agg.

Generalities- PAIN- sore, bruised- lying- agg.- back, on

Generalities- PAIN- sore, bruised- lying- agg.- part, on

Generalities- PAIN- sore, bruised- lying- amel.

Generalities- PAIN- sore, bruised- motion- agg.

Generalities- PAIN- sore, bruised- motion- amel.

Generalities- PAIN- sore, bruised- motion- amel.- continued

Generalities- PAIN- sore, bruised- operations, after

Generalities- PAIN- sore, bruised- perspiration agg., does not amel.

Generalities- PAIN- sore, bruised- pressure- agg.

Generalities- PAIN- sore, bruised- pressure- amel.

Generalities- PAIN- sore, bruised- scratching, after

Generalities- PAIN- sore, bruised- sitting- agg.

Generalities- PAIN- sore, bruised- sitting- agg.- still

Generalities- PAIN- sore, bruised- stool, after

Generalities- PAIN- sore, bruised- touch, on

Generalities- PAIN- sore, bruised- touch, on- clothes, of

Generalities- PAIN- sore, bruised- waking, on or after

Generalities- PAIN- sore, bruised- walking- agg.

Generalities- PAIN- sore, bruised- weather- damp, wet, in

Generalities- PAIN- sore, bruised- deep seated

Generalities- PAIN- sore, bruised- spots

Generalities- PAIN- sore, bruised- parts; affected

Generalities- PAIN- sore, bruised- parts; lain on

Generalities- PAIN- sore, bruised- internal

Generalities- PAIN- sore, bruised- external

Generalities- PAIN- sore, bruised- external- left

Generalities- PAIN- sore, bruised- external- right

Generalities- PAIN- sore, bruised- upper

Generalities- PAIN- sore, bruised- bones

Generalities- PAIN- sore, bruised- bones- long

Generalities- PAIN- sore, bruised- cartilages

Generalities- PAIN- sore, bruised- glands, liver, spleen etc.

Generalities- PAIN- sore, bruised- joints, articulations

Generalities- PAIN- sore, bruised- joints, articulations- right

Generalities- PAIN- sore, bruised- joints, articulations- motion- agg.

Generalities- PAIN- sore, bruised- joints, articulations- motion- amel.

Generalities- PAIN- sore, bruised- mucous membranes

Generalities- PAIN- sore, bruised- muscles

Generalities- PAIN- sore, bruised- muscles- exertion, exercise- amel.

Generalities- PAIN- sore, bruised- muscles- headache, with

Generalities- PAIN- splinters, as of

Generalities- PAIN- spots

Generalities- PAIN- spots- one

Generalities- PAIN- squeezing

Generalities- PAIN- squeezing- internal

Generalities- PAIN- squeezing- external

Generalities- PAIN- stitching

Generalities- PAIN- stitching- left

Generalities- PAIN- stitching- right

Generalities- PAIN- stitching- noon

Generalities- PAIN- stitching- evening

Generalities- PAIN- stitching- night

Generalities- PAIN- stitching- midnight

Generalities- PAIN- stitching- fever, during

Generalities- PAIN- stitching- herpes zoster, zona, after

Generalities- PAIN- stitching- lying- agg.

Generalities- PAIN- stitching- lying- down, agg.

Generalities- PAIN- stitching- motion- agg.

Generalities- PAIN- stitching- motion- amel.

Generalities- PAIN- stitching- rest agg.

Generalities- PAIN- stitching- sitting, while

Generalities- PAIN- stitching- touch- agg.

Generalities- PAIN- stitching- extending- crosswise

Generalities- PAIN- stitching- extending- downward

Generalities PAIN- stitching- extending- inward

Generalities- PAIN- stitching- extending- outward

Generalities- PAIN- stitching- extending- upward

Generalities- PAIN- stitching- parts- affected

Generalities- PAIN- stitching- internal

Generalities- PAIN- stitching- external

Generalities- PAIN- stitching- external- anger, vexation agg.

Generalities- PAIN- stitching- external- perspiration, during

Generalities- PAIN- stitching- bones

Generalities- PAIN- stitching- glands, liver, spleen etc.

Generalities- PAIN- stitching- joints, articulations

Generalities- PAIN- stitching- joints, articulations- chill, during

Generalities- PAIN- stitching- joints, articulations- fever heat, during

Generalities- PAIN- stitching- joints, articulations- motion agg.

Generalities- PAIN- stitching- joints, articulations- perspiration, during

Generalities- PAIN- stitching- joints, articulations- touch agg.

Generalities- PAIN- stitching- mucous membranes

Generalities- PAIN- stitching- muscles

Generalities- PAIN- stitching- muscles- perspiration, during

Generalities- PAIN- stitching- nerves

Generalities- PAIN- stitching- boring

Generalities- PAIN- stitching- burning

Generalities- PAIN- stitching- burning; external

Generalities- PAIN- stitching- burning; muscles

Generalities- PAIN- stitching- cramping

Generalities- PAIN- stitching- drawing

Generalities- PAIN- stitching- insects, bees, as from

Generalities- PAIN- stitching- itching

Generalities- PAIN- stitching- jerking

Generalities- PAIN- stitching- knives, as from

Generalities- PAIN- stitching- needles, as from

Generalities- PAIN- stitching- needles, as from- external

Generalities- PAIN- stitching- needles, as from- hot

Generalities- PAIN- stitching- prickling, muscles

Generalities- PAIN- stitching- pulsating, throbbing

Generalities- PAIN- stitching- single

Generalities- PAIN- stitching- sudden, paroxysmal

Generalities- PAIN- stitching- tensive

Generalities- PAIN- straining

Generalities- PAIN- sudden, paroxysmal

Generalities- PAIN- sudden, paroxysmal- tension acutely increases, leaves with a snap on first motion

Generalities- PAIN- tearing

Generalities- PAIN- tearing; left

Generalities- PAIN- tearing- right

Generalities- PAIN- tearing- cold- agg.

Generalities- PAIN- tearing- menses- during

Generalities- PAIN- tearing- motion- amel.

Generalities- PAIN- tearing- motion- agg.

Generalities- PAIN- tearing- pressure- amel.

Generalities- PAIN- tearing- rest, during

Generalities- PAIN- tearing- rubbing, massage amel.

Generalities- PAIN- tearing- sitting, while

Generalities- PAIN- tearing- standing agg.

Generalities- PAIN- tearing- warmth amel.

Generalities- PAIN- tearing- weather, damp, wet, agg.

Generalities- PAIN- tearing- wet, getting

Generalities- PAIN- tearing- extending- downward

Generalities- PAIN- tearing- extending- outward

Generalities- PAIN- tearing- extending- upward

Generalities- PAIN- tearing- parts affected

Generalities- PAIN- tearing- internal

Generalities- PAIN- tearing- external

Generalities- PAIN- tearing- bones

Generalities- PAIN- tearing- bones- long

Generalities- PAIN- tearing; glands, liver, spleen etc.

Generalities- PAIN- tearing; joints, articulations

Generalities- PAIN- tearing; joints, articulations; chill, during

Generalities- PAIN- tearing; joints, articulations; fever heat, during

Generalities- PAIN- tearing- joints, articulations; perspiration, during

Generalities- PAIN- tearing- muscles

Generalities- PAIN- tearing- muscles- chill, during

Generalities- PAIN- tearing- muscles- fever heat, during

Generalities- PAIN- tearing- muscles- perspiration, during

Generalities- PAIN- tearing- drawing

Generalities- PAIN- tearing- jerking

Generalities- PAIN- tearing- jerking- joints, articulations

Generalities- PAIN- tearing- jerking- muscles

Generalities- PAIN- tearing- paralytic

Generalities- PAIN- tearing- pulsating, throbbing

Generalities- PAIN- tearing- stitching, pricking

Generalities- PAIN- tearing- stitching, pricking- bones

Generalities- PAIN- tearing- stitching, pricking- joints, articulations

Generalities- PAIN- tearing- stitching, pricking- muscles

Generalities- PAIN- tearing- twitching

Generalities- PAIN- tearing- wandering

Generalities- PAIN- tingling, prickling

Generalities- PAIN- torn

Generalities- PAIN- torn- out or off, as if

Generalities- PAIN- torn- out or off, as if- internal

Generalities- PAIN- torn- out or off, as if- flesh

Generalities- PAIN- torn- pieces, to, as if, asunder

Generalities- PAIN- twinging

Generalities- PAIN- twisting

Generalities- PAIN- twisting- muscles, from wounds, injuries, strains

Generalities- PAIN- twitching

Generalities- PAIN- ulcerative

Generalities- PAIN- ulcerative- internal

Generalities- PAIN- ulcerative- external

Generalities- PAIN- ulcerative- bones

Generalities- PAIN- ulcerative- glands, liver, spleen etc.

Generalities- PAIN- violent

Generalities- PAIN- wandering

Generalities- PAIN- weary

Generalities- PAINLESSNESS of complaints usually painful

Generalities- PARALYSIS

Generalities- PARALYSIS- left

Generalities- PARALYSIS- one-sided, hemiplegia

Generalities- PARALYSIS- one-sided, hemiplegia- apoplexy, after

Generalities- PARALYSIS- one-sided, hemiplegia- coldness of paralyzed part, with

Generalities- PARALYSIS- one-sided, hemiplegia- numbness of- paralyzed side, with

Generalities- PARALYSIS- right

Generalities- PARALYSIS- afternoon

Generalities- PARALYSIS- evening

Generalities- PARALYSIS- apoplexy, after

Generalities- PARALYSIS- children, in

Generalities- PARALYSIS- chill, during

Generalities- PARALYSIS- cold, after taking a

Generalities- PARALYSIS- delivery, parturition, after, puerperal

Generalities- PARALYSIS- diphtheria, after

Generalities- PARALYSIS- eruptions, after suppressed

Generalities- PARALYSIS- exertion, exercise agg.

Generalities- PARALYSIS- fever- during- intermittent

Generalities- PARALYSIS- fever- during- typhoid

Generalities- PARALYSIS- fever- after

Generalities- PARALYSIS- fever- after- intermittent

Generalities- PARALYSIS- formication, crawling, with

Generalities- PARALYSIS- loss of animal fluids, from

Generalities- PARALYSIS- lying on moist ground

Generalities- PARALYSIS- motion- beginning

Generalities- PARALYSIS- numbness, with

Generalities- PARALYSIS- old people, in

Generalities- PARALYSIS- perspiration- with

Generalities- PARALYSIS- perspiration- suppressed, from

Generalities- PARALYSIS- rheumatism, after

Generalities- PARALYSIS- rising after sitting agg.

Generalities- PARALYSIS- sexual excesses, after

Generalities- PARALYSIS- twitching, with

Generalities- PARALYSIS- weather, in change of, from warm to cold and wet

Generalities- PARALYSIS- wet, after getting

Generalities- PARALYSIS- extending- upward

Generalities- PARALYSIS- parts- affected

Generalities- PARALYSIS- parts- single

Generalities- PARALYSIS- internal

Generalities- PARALYSIS- internal; organs

Generalities- PARALYSIS- lower part, paraplegia

Generalities- PARALYSIS- lower part, paraplegia- delivery, parturition, after, puerperal

Generalities- PARALYSIS- lower part, paraplegia- exercise, after

Generalities- PARALYSIS- lower part, paraplegia- fever, after

Generalities- PARALYSIS- lower part, paraplegia- sexual excesses, after

Generalities- PARALYSIS- joints

Generalities- PARALYSIS- mucous membranes

Generalities- PARALYSIS- muscles

Generalities- PARALYSIS- muscles- extensor

Generalities- PARALYSIS- nerves

Generalities- PARALYSIS- nerves- sensory

Generalities- PARALYSIS- orifices, sphincters

Generalities- PARALYSIS- chronic

Generalities- PARALYSIS- infantile, poliomyelitis

Generalities- PARALYSIS- painful

Generalities- PARALYSIS- painless

Generalities- PARALYSIS- toxic

Generalities- PARASITES, ailments from

Generalities- PERSPIRATION- during

Generalities- PERSPIRATION- after

Generalities- PERSPIRATION- amel.

Generalities- PERSPIRATION- amel., does not

Generalities- PERSPIRATION- suppressed

Generalities- PERSPIRATION- suppressed- foot sweat

Generalities- PHAGEDENIC, eating processes

Generalities- PLUCKING sensation

Generalities- PLUG, wedge sensation

Generalities- PLUG, wedge sensation- internal (

Generalities- PLUG, wedge sensation- external

Generalities- PNEUMONIA, after

Generalities- POLYPI

Generalities- POSITION- unnatural, from

Generalities- POULTICE, rebels against, aversion to

Generalities- PREGNANCY- agg.

Generalities- PRESSURE- agg.

Generalities- PRESSURE- agg.- painless side, on

Generalities- PRESSURE- amel.

Generalities- PRESSURE- amel.- hand, with

Generalities- PRESSURE- amel.- hard

Generalities- PROGRESSIVE diseases

Generalities- PSORA

Generalities- PUBERTY; during

Generalities- PULLED, as if

Generalities- PULSATION

Generalities- PULSATION- internal

Generalities- PULSATION- external

Generalities- PULSATION- joints

Generalities- PULSATION- fine, external

Generalities- QUIVERING

Generalities- QUIVERING- external

Generalities- RAISING- agg.

Generalities- RAISING- agg.- arms

Generalities- RAISING- agg.- head

Generalities- RAISING- agg.- limbs

Generalities- RAISING- amel.- head

Generalities- RAISING- amel.- limbs

Generalities- REACTION- lack of

Generalities- REACTION- lack of- eruptions, during

Generalities- READING- agg.

Generalities- RECOVERY, slow, after delivery, parturition

Generalities- REDNESS

Generalities- REDNESS- parts affected

Generalities- REDNESS- glands

Generalities- REDNESS- lymphatic tissue

Generalities- REDNESS- orifices and about

Generalities- REDNESS- bright red, mucous membranes

Generalities- REDNESS- dark red, varicose, mucous membranes

Generalities- REDNESS- purple

Generalities- REDNESS- purple- dark

Generalities- REDNESS- spots

Generalities- REDNESS- streaks

Generalities- RELAPSE of complaints

Generalities- RELAXATION, physical

Generalities- RELAXATION, physical- morning

Generalities- RELAXATION, physical- morning- rising, on or after

Generalities- RELAXATION, physical- morning- waking, on

Generalities- RELAXATION, physical- walking agg.

Generalities- REST- agg.

Generalities- REST- amel.

Generalities- RESTLESSNESS, physical

Generalities- RESTLESSNESS, physical- night- agg.

Generalities- RESTLESSNESS, physical- chill, during

Generalities- RESTLESSNESS, physical- fever heat, during

Generalities- RESTLESSNESS, physical- menses, during

Generalities- RESTLESSNESS, physical- motion amel.

Generalities- RESTLESSNESS, physical- move, must

Generalities- RESTLESSNESS, physical- pain, during

Generalities- RESTLESSNESS, physical- perspiration, during

Generalities- RESTLESSNESS, physical- sitting agg.

Generalities- RESTLESSNESS, physical- sleep, with restless

Generalities- RESTLESSNESS, physical- sleep, with restless- restless limbs

Generalities- RESTLESSNESS, physical- parts affected

Generalities- RETCHING- agg.

Generalities- RETRACTION of soft parts

Generalities- RIDING horseback- agg.

Generalities- RIDING on cars or wagons- during

Generalities- RIDING on cars or wagons- amel.

Generalities- RISING- agg.

Generalities- RISING- agg.- lying, from

Generalities- RISING- agg.- sitting, from

Generalities- RISING- agg.- stooping, from

Generalities- RISING- amel.

Generalities- RISING- amel.- lying, from

Generalities- RISING- amel.- sitting, from

Generalities ROLLED up, twisted up, as if

Generalities- ROLLING- sensation

Generalities- ROOM- agg.

Generalities- ROOM- agg.- cold, entering a

Generalities- ROOM- agg.- entering, on

Generalities- ROOM- agg.- warm

Generalities- ROOM- amel.

Generalities- ROOM- amel.- cold

Generalities- ROOM- amel.- cold- entering a

Generalities- ROOM- amel.- warm

Generalities- ROUGHNESS, scratching in internal parts

Generalities- RUBBING, massage, friction- agg.

Generalities- RUBBING, massage, friction- agg.- gently, stroking

Generalities- RUBBING, massage, friction- agg.- gently, stroking- hard rubbing amel., but

Generalities- RUBBING, massage, friction- amel.

Generalities- RUBBING, massage, friction- amel.- hard

Generalities- RUNNING- agg.

Generalities- SAND sensation

Generalities- SCARLATINA, after

Generalities- SCARLATINA, after- suppressed

Generalities- SCIATICA, ailments from

Generalities- SCRAPING sensation

Generalities- SCRAPING sensation- bones

Generalities- SCRAPING sensation- bones- periosteum

Generalities- SCRATCHING- agg.

Generalities- SCRATCHING- amel.

Generalities- SECRETIONS of mucous membranes

Generalities- SECRETIONS of mucous membranes- amel.

Generalities- SECRETIONS of mucous membranes- acrid, corrosive, excoriating

Generalities- SECRETIONS of mucous membranes- bloody

Generalities- SECRETIONS of mucous membranes- brownish

Generalities- SECRETIONS of mucous membranes- burning

Generalities- SECRETIONS of mucous membranes- gelatinous

Generalities- SECRETIONS of mucous membranes- gray

Generalities- SECRETIONS of mucous membranes- greenish

Generalities- SECRETIONS of mucous membranes- hot

Generalities- SECRETIONS of mucous membranes- musty smell

Generalities- SECRETIONS of mucous membranes- profuse

Generalities- SECRETIONS of mucous membranes- ropy, tenacious, stringy

Generalities- SECRETIONS of mucous membranes- suppressed, scanty

Generalities- SECRETIONS of mucous membranes- thick, slimy

Generalities- SECRETIONS of mucous membranes- transparent

Generalities- SECRETIONS of mucous membranes- yellow

Generalities- SEDENTARY habits agg.

Generalities- SENSITIVENESS

Generalities- SENSITIVENESS- internal

Generalities- SENSITIVENESS- external

Generalities- SENSITIVENESS- bones

Generalities- SENSITIVENESS- bones- periosteum

Generalities- SENSITIVENESS- glands, liver, spleen etc.

Generalities- SENSITIVENESS- joints

Generalities- SENSITIVENESS- pain, to

Generalities- SENSITIVENESS- touch, to

Generalities- SEXUAL- excesses, after

Generalities- SEXUAL- excitement agg.

Generalities- SHAKING head- agg.

Generalities- SHOCKS

Generalities- SHOCKS- agg.

Generalities- SHOCKS- sleep, during

Generalities- SHOCKS- electric, like

Generalities- SHOCKS- explosion, like an, flying into pieces

Generalities- SHORT sensation

Generalities- SHORTENED muscles and tendons

Generalities- SHRIVELLING

Generalities- SHRUGGING, raising shoulders- agg.

Generalities- SHUDDERING, shivering

Generalities- SHUDDERING, shivering; morning, from rising from bed

Generalities- SHUDDERING, shivering; asleep, on falling

Generalities- SHUDDERING, shivering; eating- after

Generalities- SINGING- agg.

Generalities- SINGING- amel.

Generalities- SINKING sensation

Generalities- SIT, sitting; agg.

Generalities- SIT, sitting; agg.- bent

Generalities- SIT, sitting; agg.- down

Generalities- SIT, sitting; agg.- long in one position

Generalities- SIT, sitting; agg.- quiet, still

Generalities- SIT, sitting; agg.- upright, erect

Generalities- SIT, sitting; agg.- wet ground, on

Generalities- SIT, sitting- amel.

Generalities- SIT, sitting- amel.- bed, up in

Generalities- SIT, sitting- amel.- bent

Generalities- SIT, sitting- amel.- down

Generalities- SIT, sitting- amel.- upright, erect

Generalities- SIT, sitting- mus

Generalities- SIT, sitting- must- up in bed

Generalities- SLEEP- before

Generalities- SLEEP- falling asleep

Generalities- SLEEP- during

Generalities- SLEEP- after

Generalities- SLEEP- after- afternoon sleep

Generalities- SLEEP- after- long

Generalities- SLEEP- after- short

Generalities- SLEEP- amel.

Generalities- SLEEP- amel.- after

Generalities- SLEEP- loss of, from

Generalities- SLUGGISHNESS of body

Generalities- SMOKING- agg.

Generalities- SNEEZING- agg.

Generalities- SNOW agg.

Generalities- SNOW agg.- air

Generalities- SOFTENING- internal

Generalities- SOFTENING- bones

Generalities- STAND, standing- agg.

Generalities- STAND, standing; agg- moist ground, on

Generalities- STAND, standing- amel.

Generalities- STAND, standing; impossible

Generalities- STIFFNESS, rigidity

Generalities- STIFFNESS, rigidity- left

Generalities- STIFFNESS, rigidity- morning

Generalities- STIFFNESS, rigidity- morning- waking, on

Generalities- STIFFNESS, rigidity- night

Generalities- STIFFNESS, rigidity- chill, during

Generalities- STIFFNESS, rigidity- descending agg.

Generalities- STIFFNESS, rigidity- exertion, after

Generalities- STIFFNESS, rigidity- menses- during

Generalities- STIFFNESS, rigidity- motion- agg.

Generalities- STIFFNESS, rigidity- motion- agg.- beginning

Generalities- STIFFNESS, rigidity- rest, after

Generalities- STIFFNESS, rigidity- rising agg.

Generalities- STIFFNESS, rigidity- sitting agg.

Generalities- STIFFNESS, rigidity- waking, on

Generalities- STIFFNESS, rigidity- upper

Generalities- STIFFNESS, rigidity- lower

Generalities- STIFFNESS, rigidity- muscles

Generalities- STIFFNESS, rigidity- muscles; voluntary

Generalities- STIFFNESS, rigidity- paralytic

Generalities- STOMACH complaints, in

Generalities- STONE sensation

Generalities- STOOL- before

Generalities- STOOL- during

Generalities- STOOL- during- diarrhea

Generalities- STOOL- after

Generalities- STOOL- after- diarrhea

Generalities- STOOL- amel. after

Generalities- STOOL- straining at

Generalities- STOOPING- agg.

Generalities- STOOPING- agg.- prolonged

Generalities- STOOPING- amel.

Generalities- STOPPED- feeling internally

Generalities- STRENGTH- decreased, diminished

Generalities- STRENGTH- increased

Generalities- STRENGTH- increased- muscular

Generalities- STRENGTH- sensation of

Generalities- STRETCHING- agg.

Generalities- STRETCHING- agg.- parts affected

Generalities- STRETCHING- amel.

Generalities- STRETCHING- amel.- parts affected

Generalities- STRETCHING- stretch, mus

Generalities- STRETCHING- stretch, must- morning

Generalities- STRETCHING- stretch, must- morning- agg.

Generalities- STRETCHING- stretch, must- morning- agg.- bed, in

Generalities- STRETCHING- stretch, must- afternoon

Generalities- STRETCHING- stretch, must- evening

Generalities- STRETCHING- stretch, must- chill- before

Generalities- STRETCHING- stretch, must- chill- during

Generalities- STRETCHING- stretch, must- fever- before

Generalities- STRETCHING- stretch, must- fever- during

Generalities- STRETCHING- stretch, must- fever- during; heat

Generalities- STRETCHING- stretch, must- perspiration, during

Generalities- STRETCHING- stretch, must- sleep, during

Generalities- STRETCHING- stretch, must- constant

Generalities- STRIKING against anything agg.

Generalities- SUDDEN manifestations

Generalities- SUN- agg.

Generalities- SUN- agg.- sunstrok

Generalities- SUN- amel

Generalities- SUPPER- agg

Generalities- SUPPORTING a part- agg.

Generalities- SUPPORTING a part- amel.

Generalities- SWALLOWING- during

Generalities- SWALLOWING- during- empty

Generalities- SWALLOWING- during- food

Generalities- SWALLOWING- during- liquids

Generalities- SWALLOWING- after

Generalities- SWALLOWING- after- food

Generalities- SWALLOWING- amel.

Generalities- SWALLOWING- amel.- food

Generalities- SWALLOWING- except when

Generalities- SWASHING, splashing sensation internally

Generalities- SWELLING

Generalities- SWELLING- left

Generalities- SWELLING- right

Generalities- SWELLING- morning

Generalities- SWELLING- afternoon

Generalities- SWELLING- evening
 Generalities- SWELLING- chill, during
 Generalities- SWELLING- heat, during
 Generalities- SWELLING- menses- before
 Generalities- SWELLING- menses- suppressed, wit
 Generalities- SWELLING- parts- singl
 Generalities- SWELLING- parts- affected
 Generalities- SWELLING- parts- uncovered
 Generalities- SWELLING- bones
 Generalities- SWELLING- bones- periosteum
 Generalities- SWELLING- glands, liver, spleen etc.
 Generalities- SWELLING- glands, liver, spleen etc.- fever, during
 Generalities- SWELLING- glands, liver, spleen etc.- fever, during- heat
 Generalities- SWELLING- glands, liver, spleen etc.- perspiration, during
 Generalities- SWELLING- glands, liver, spleen etc.- scarlatina, in, after
 Generalities- SWELLING- joints, articulations
 Generalities- SWELLING- lymphatic tissue
 Generalities- SWELLING- mucous membranes
 Generalities- SWELLING- orifices
 Generalities- SWELLING- black
 Generalities- SWELLING- edematous
 Generalities- SWELLING- edemaous- eruptions, after suppressed
 Generalities- SWELLING- edematous- fever- after
 Generalities- SWELLING- edematous- heart complaints, in
 Generalities- SWELLING- edematous- injuries, after
 Generalities- SWELLING- edematous- kidney complaints, in
 Generalities- SWELLING- edematous- pregnancy, in

Generalities- SWELLING- edematous- scarlatina, in, after

Generalities- SWELLING- edematous- internal, dropsy

Generalities- SWELLING- edematous- external

Generalities- SWELLING- edematous- external- scarlatina, in, after

Generalities- SWELLING- edematous- external- serum oozing, with

Generalities- SWELLING- edematous- upper

Generalities- SWELLING- edematous- lower

Generalities- SWELLING- edematous- mucous membranes

Generalities- SWELLING- edematous- joints, articulations

Generalities- SWELLING- edematous- angio-neurotic, angioedema

Generalities- SWELLING- edematous- oozing

Generalities- SWELLING- edematous- sudden

Generalities- SWELLING- enormous

Generalities- SWELLING- hard

Generalities- SWELLING- hard- glands, liver, spleen etc.

Generalities- SWELLING- hot

Generalities- SWELLING- hot- glands, liver, spleen etc.

Generalities- SWELLING- inflammatory

Generalities- SWELLING- inflammatory- glands, liver, spleen etc.

Generalities- SWELLING- nodular

Generalities- SWELLING- nodular- nodes under the skin, as from, glands

Generalities- SWELLING- nodular- nodes under the skin, as from, glands; knotted cords, like

Generalities- SWELLING- painful

Generalities- SWELLING- painful- glands, liver, spleen etc.

Generalities- SWELLING- painful- burning

Generalities- SWELLING- painful- stitching

Generalities- SWELLING- painless

Generalities- SWELLING- pale

Generalities- SWELLING- red

Generalities- SWELLING- red- dark

Generalities- SWELLING sensation of

Generalities- SWELLING- sensation of- bones

Generalities- SWELLING- sensation of- glands, liver, spleen etc.

Generalities- SWELLING- sudden

Generalities- SWELLING- suppurating, glands

Generalities- SWELLING- white

Generalities- SWELLING- white- joints, hydrops articuli

Generalities- SWINGING- sensation

Generalities- SYPHILIS

Generalities- SYPHILIS- men

Generalities- SYPHILIS- second stage

Generalities- TALKING- agg.

Generalities- TALKING- agg.- others, of

Generalities- TALKING- amel.

Generalities- TENSION, tightness

Generalities- TENSION, tightness- left

Generalities- TENSION, tightness- right

Generalities- TENSION, tightness- morning

Generalities- TENSION, tightness- morning- waking, on

Generalities- TENSION, tightness- evening

Generalities- TENSION, tightness- disappearing suddenly

Generalities- TENSION, tightness- motion- agg.

Generalities- TENSION, tightness- motion- amel.

Generalities- TENSION, tightness- rest, during

Generalities- TENSION, tightness- walking- agg.

Generalities- TENSION, tightness- walking- amel.

Generalities- TENSION, tightness- internal

Generalities- TENSION, tightness- internal- left

Generalities- TENSION, tightness- external

Generalities- TENSION, tightness- glands, liver, spleen etc.

Generalities- TENSION, tightness- joints, articulations

Generalities- TENSION, tightness- joints, articulations- walking in open air

Generalities- TENSION, tightness- muscles

Generalities- TENSION, tightness- tendons

Generalities- TINGLING, prickling

Generalities- TINGLING, prickling- right

Generalities- TINGLING, prickling- evening

Generalities- TINGLING, prickling- internal

Generalities- TINGLING, prickling- external

Generalities- TINGLING, prickling- external- evening

Generalities- TINGLING, prickling- needles, as of, external

Generalities- TOBACCO- agg.

Generalities- TOBACCO- agg.- chewing

Generalities- TOBACCO- aversion

Generalities- TOBACCO- aversion; smoking

Generalities- TOBACCO- desires

Generalities- TOUCH- agg.

Generalities- TOUCH- agg.- anything

Generalities- TOUCH- agg.- clothing, of

Generalities- TOUCH- agg.- cold, of anything

Generalities- TOUCH- agg.- hair

Generalities- TOUCH- agg.- slight

Generalities- TRAVELLING- agg.

Generalities- TRAVELLING- agg.- foot, on

Generalities- TREMBLING

Generalities- TREMBLING- morning

Generalities- TREMBLING- night

Generalities- TREMBLING- night- three am.

Generalities- TREMBLING- coughing agg.

Generalities- TREMBLING- diphtheria, in

Generalities- TREMBLING- excitement, emotional; during

Generalities- TREMBLING- exertion, from

Generalities- TREMBLING- exertion, from- slight

Generalities- TREMBLING- fever; before

Generalities- TREMBLING- heart complaints, in

Generalities- TREMBLING- heat, during

Generalities- TUMORS- keloid tissues

Generalities- TUMORS- lipoma

Generalities- TUMORS- traumatic, nerves

Generalities- TURNING- amel.

Generalities- TURNING- bed, in

Generalities- TURNING- eyes

Generalities- TURNING- head

Generalities- TURNING- winding, twisting sensation

Generalities- TWITCHING

Generalities- TWITCHING- left

Generalities- TWITCHING- one-sided

Generalities- TWITCHING- one-sided- other side paralyzed

Generalities- TWITCHING- right

Generalities- TWITCHING- afternoon

Generalities- TWITCHING- evening

Generalities- TWITCHING- night

Generalities- TWITCHING- convulsions- during

Generalities- TWITCHING- fever, during

Generalities- TWITCHING- fever, during; heat

Generalities- TWITCHING- motion- agg.

Generalities- TWITCHING- motion- amel.

Generalities- TWITCHING- perspiration, with

Generalities- TWITCHING- internal

Generalities- TWITCHING- external

Generalities- TWITCHING- upper

Generalities- TWITCHING- lower

Generalities- TWITCHING- muscles

Generalities- TWITCHING- tendons, subsultus tendinum

Generalities- TWITCHING- convulsive, spasmodic

Generalities- TWITCHING- nervous

Generalities- ULCERS

Generalities- ULCERS- glands

Generalities- ULCERS- mucous membranes

Generalities- ULCERS- cancerous

Generalities- ULCERS- cancerous; glands

Generalities- ULCERS- spongy, glands

Generalities- ULCERS- suppurating

Generalities- UNCOVERING- agg.

Generalities- UNCOVERING- agg.- delivery, parturition- after, puerperal

Generalities- UNCOVERING- agg.- fever, during

Generalities- UNCOVERING- agg.- hands, of

Generalities- UNCOVERING- agg.- head, of

Generalities- UNCOVERING- agg.- least

Generalities- UNCOVERING- agg.- parts, single

Generalities- UNCOVERING- aversion

Generalities- UNCOVERING- desires

Generalities- UNDRESSING- agg.

Generalities- URINATION- before

Generalities- URINATION- beginning of

Generalities- URINATION- during

Generalities- URINATION- after

Generalities- URINATION- holding, retaining, on

Generalities- VACCINATION- after, ailments from

Generalities- VAULTS, cellars etc., agg.

Generalities- VERTIGO, during

Generalities- VIBRATING sensation

Generalities- VIOLENT complaints

Generalities- VOMITING- during

Generalities- WAKING- agg.

Generalities- WAKING- amel.

Generalities- WALK, walking- beginning of

Generalities- WALK, walking- during

Generalities- WALK, walking- during- air, in open

Generalities- WALK, walking- during- bent

Generalities- WALK, walking- during- fast, rapid, quick

Generalities- WALK, walking- during- wind, in

Generalities- WALK, walking- after

Generalities- WALK, walking- after- air, in open

Generalities- WALK, walking- amel.

Generalities- WALK, walking- amel.- air, in open

Generalities- WALK, walking- amel.- bent

Generalities- WALK, walking- amel.- continued

Generalities- WALK, walking- amel.- fast, rapid, quick

Generalities- WALK, walking- must

Generalities- WANDERING complaints

Generalities- WARMTH- agg.

Generalities- WARMTH- agg.- bed, of

Generalities- WARMTH- agg.- radiated

Generalities- WARMTH- agg.- stove, of

Generalities- WARMTH- agg.- sun, of

Generalities- WARMTH- amel.

Generalities- WARMTH- amel.- bed, of

Generalities- WARMTH- amel.- fire, of

Generalities- WARMTH- amel.- stove, of

Generalities- WARMTH- amel.- wet

Generalities- WARMTH- aversion to

Generalities- WARMTH- desires

Generalities- WARMTH- desires- stove, of

Generalities- WATER- wading in

Generalities- WATER- working in- agg.

Generalities- WATER- working in- agg.- hands, with

Generalities- WATER- cold running through

Generalities- WATER- dashing against inner parts, sensation of

Generalities- WATER- hot- poured on part, as if

Generalities- WAVELIKE sensation

Generalities- WEAKNESS

Generalities- WEAKNESS- morning

Generalities- WEAKNESS- morning- rising- on

Generalities- WEAKNESS- morning- waking, on and after

Generalities- WEAKNESS- forenoon

Generalities- WEAKNESS- night

Generalities- WEAKNESS- midnight- after

Generalities- WEAKNESS- noon- agg.

Generalities- WEAKNESS- afternoon

Generalities- WEAKNESS- afternoon- four pm.

Generalities- WEAKNESS- afternoon- five pm.

Generalities- WEAKNESS- afternoon- walking- while

Generalities- WEAKNESS- evening- agg.

Generalities- WEAKNESS- midnight- about

Generalities- WEAKNESS- midnight- after- three am.

Generalities- WEAKNESS- air- open- agg.

Generalities- WEAKNESS- chill- before

Generalities- WEAKNESS- chill- during

Generalities- WEAKNESS- cold- exposure to

Generalities- WEAKNESS- cough, from

Generalities- WEAKNESS- delivery, parturition- during

Generalities- WEAKNESS- delivery, parturition- after, puerperal

Generalities- WEAKNESS- dinner- after

Generalities- WEAKNESS- eating- after

Generalities- WEAKNESS- emissions, pollutions, after seminal

Generalities- WEAKNESS- exertion- agg.

Generalities- WEAKNESS- exertion- agg.- slight

Generalities- WEAKNESS- fever- before

Generalities- WEAKNESS- fever- during

Generalities- WEAKNESS- fever- during; heat

Generalities- WEAKNESS- fever- during; typhoid

Generalities- WEAKNESS- fluids, from loss of animal

Generalities- WEAKNESS- growing fast, after

Generalities- WEAKNESS- headache- during

Generalities- WEAKNESS- heart complaints, in

Generalities- WEAKNESS- heated from walking, becoming, and rapid cooling, after

Generalities- WEAKNESS- heaviness, with

Generalities- WEAKNESS- influenza- during

Generalities- WEAKNESS- motion- agg.

Generalities- WEAKNESS- motion- amel.

Generalities- WEAKNESS- narcotics, abuse of

Generalities- WEAKNESS- nausea, with

Generalities- WEAKNESS- overwork, from

Generalities- WEAKNESS- pain, from

Generalities- WEAKNESS- rest- agg.

Generalities- WEAKNESS- restlessness, with

Generalities- WEAKNESS- rising; on

Generalities- WEAKNESS- rising- on- lying, from

Generalities- WEAKNESS- sit down, must

Generalities- WEAKNESS- sitting- agg.

Generalities- WEAKNESS- sliding down in bed

Generalities- WEAKNESS- sporting

Generalities- WEAKNESS- standing agg.

Generalities- WEAKNESS- stiffness, rigidity, with

Generalities- WEAKNESS- stool- before

Generalities- WEAKNESS- stool- during

Generalities- WEAKNESS- stool- during- diarrhea

Generalities- WEAKNESS- stool- after

Generalities- WEAKNESS- stool- after- diarrhea

Generalities- WEAKNESS- talking, from

Generalities- WEAKNESS- waking- on or after

Generalities- WEAKNESS- walking- while

Generalities- WEAKNESS- walking- while- air, in open

Generalities- WEAKNESS- walking- after

Generalities- WEAKNESS- walking- after-air, in open

Generalities- WEAKNESS- walking- amel.

Generalities- WEAKNESS- women, in

Generalities- WEAKNESS- parts; single

Generalities- WEAKNESS- uppe

Generalities- WEAKNESS- lower

Generalities- WEAKNESS- organs

Generalities- WEAKNESS- joints

Generalities- WEAKNESS- muscles

Generalities- WEAKNESS- extreme

Generalities- WEAKNESS- paralytic

Generalities- WEAKNESS- paralytic- sliding down in bed

Generalities- WEAKNESS- paralytic- stiffness, with

Generalities- WEAKNESS- paralytic- parts- single

Generalities- WEAKNESS- sleepiness, as from

Generalities- WEAKNESS- sudden, paroxysmal

Generalities- WEAKNESS- tremulous

Generalities- WEARINESS

Generalities- WEARINESS- morning

Generalities- WEARINESS- morning- waking, on

Generalities- WEARINESS- agg.

Generalities- WEARINESS- eating; after

Generalities- WEARINESS- exertion= slight, agg.

Generalities- WEARINESS- heaviness of limbs, with

Generalities- WEARINESS- rest, during

Generalities- WEARINESS- sit down, must

Generalities- WEARINESS- sitting- while

Generalities- WEARINESS- stool- before

Generalities- WEARINESS- waking- on or after

Generalities- WEARINESS- walking- amel.

Generalities- WEATHER- change of- agg.

Generalities- WEATHER- change of- agg.- barometer changes

Generalities- WEATHER- change of- agg.- warm to- cold

Generalities- WEATHER- cloudy- agg.

Generalities- WEATHER- cold, dry- agg.

Generalities- WEATHER- cold, wet-, damp- agg.

Generalities- WEATHER- cold, wet, damp- agg.- nights and warm days in autumn

Generalities- WEATHER- damp, rainy, wet- agg.

Generalities- WEATHER- damp, rainy, wet- amel.

Generalities- WEATHER- dry- agg.

Generalities- WEATHER- dry- amel.

Generalities- WEATHER- dry- amel.- warm

Generalities- WEATHER- foggy- agg.

Generalities- WEATHER- frosty, hoarfrost agg.

Generalities- WEATHER- thunderstorm- before

Generalities- WEATHER- thunderstorm- during

Generalities- WEATHER- warm, sultry- agg

Generalities- WEATHER- warm, sultry- agg.- nights, and cold

Generalities- WEATHER- warm, sultry- amel.

Generalities- WEATHER- windy, stormy- before

Generalities- WEATHER- windy, stormy- during

Generalities- WEATHER- windy, stormy- during; cold

Generalities- WEATHER- windy, stormy- during; landwind, dry

Generalities- WEATHER- windy, stormy- during; north, on northern hemisphere

Generalities- WEATHER- windy, stormy- during; west

Generalities- WEATHER- windy, stormy- after

Generalities- WEATHER- windy, stormy- amel.

Generalities- WEEPING- agg.

Generalities- WEEPING- amel.

Generalities- WET, getting- agg.

Generalities- WET, getting- agg.- feet

Generalities- WET, getting- agg.- hands

Generalities- WET, getting- agg.- head

Generalities- WET, getting- agg.- menses, during

Generalities- WET, getting- agg.- perspiration, durin

Generalities- WET, getting- agg.- rooms, in damp, wet

Generalities- WET, getting- agg.- sheets, from damp

Generalities- WET, getting- agg.- storm, in

Generalities- WHITENESS, paleness of parts usually red

Generalities- WHITENESS, paleness of parts usually red- mucous membranes

Generalities- WHOOPING cough, ailments after

Generalities- WIND- draft of air, sensation of

Generalities- WIND- draft of air, sensation of- cold

Generalities- WOMEN, complaints i

Generalities- WORK, manual- agg.

Generalities- WORM complaints

Generalities- WORM complaints- ascarides, oxyuris vermicularis, pinworms

Generalities- WORM complaints- lumbricoides, roundworm

Generalities- WORM complaints- taeniae, tapeworms

Generalities- WOUNDS

Generalities- WOUNDS- extravasations, with

Generalities- WOUNDS- injuries of bones, with

Generalities- WOUNDS- injuries of glands, with

Generalities- WOUNDS- sprained muscles, with

Generalities- WOUNDS- glands, liver, spleen etc

Generalities- WOUNDS- bleeding

Generalities- WOUNDS- bleeding- freely

Generalities- WOUNDS- bleeding- freely- small wounds

Generalities- WOUNDS- burning, smarting

Generalities- WOUNDS- constitutional effects of

Generalities- WOUNDS- expulsions of fishbones, splinters, needles, foreign bodies, to promote

Generalities- WOUNDS- granulations, proud flesh

Generalities- WOUNDS- heal; slow

Generalities- WOUNDS- inflamed

Generalities- WOUNDS- painful

Generalities- WOUNDS- penetrating, punctured

Generalities- WOUNDS- stab wounds

Generalities- WOUNDS- swollen

Generalities- WRAPPING up- agg.

Generalities- WRAPPING up- agg.- head, of

Generalities- WRAPPING up- amel.

Generalities- WRAPPING up- amel.- head

Generalities- WRITING- agg.

Generalities- YAWNING- agg.

Mind- ALTERNATING states

Mind- ALTERNATING states- mental complaints, with other

Mind- ALTERNATING states- mental with emotional

Mind- DAYTIME

Mind- MORNING- agg.

Mind- MORNING- agg.- rising, of

Mind- MORNING- agg.- waking,

Mind- FORENOON

Mind- AFTERNOON- agg.

Mind- EVENING- agg.

Mind- EVENING- agg.- twilight

Mind- EVENING- agg.- bed, in

Mind- NIGHT; agg.

Mind- MIDNIGHT- before

Mind- MIDNIGHT- after

Mind- MIDNIGHT- afer- three am.

Mind- SPRING

Mind- AUTUMN

Mind- WINTER

Mind- CONCOMITANT

Mind- GENERAL

Mind- PSYCHOLOGICAL themes- activity, passivity- activity

Mind- PSYCHOLOGICAL themes- activity, passivity- passivity

Mind- PSYCHOLOGICAL themes- aggression

Mind- PSYCHOLOGICAL themes- altruism

Mind- PSYCHOLOGICAL themes- anxiety, fear

Mind- PSYCHOLOGICAL themes- blame, punishment

Mind- PSYCHOLOGICAL themes- bodily sensations

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- decreased, avoiding

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- increased

Mind- PSYCHOLOGICAL themes- despair

Mind- PSYCHOLOGICAL themes- distance, reservation

Mind- PSYCHOLOGICAL themes- erotic

Mind- PSYCHOLOGICAL themes- feelings, strong

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- expression, facial

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression;-gesticulation, appearance

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- speaking, verbal expression

Mind- PSYCHOLOGICAL themes- harmony with self, coherence

Mind- PSYCHOLOGICAL themes- intimacy- open

Mind- PSYCHOLOGICAL themes- loneliness

Mind- PSYCHOLOGICAL themes- perception, reasoning, cognition- cognition

Mind- PSYCHOLOGICAL themes- perception, reasoning, cognition; confusion, weak concentration

Mind- PSYCHOLOGICAL themes- rationalizing, lack of feelings, depression

Mind- PSYCHOLOGICAL themes- religious affections- overly religious

Mind- PSYCHOLOGICAL themes- religious affections- religious, spiritual

Mind- PSYCHOLOGICAL themes- self-appreciation- diminished

Mind- PSYCHOLOGICAL themes- self-appreciation- increased

Mind- PSYCHOLOGICAL themes- sensitivity

Mind- PSYCHOLOGICAL themes- sexuality

Mind- PSYCHOLOGICAL themes- shame, offense

Mind- PSYCHOLOGICAL themes- work, productivity, money, social status

Mind- ABDOMINAL complaints, with

Mind- ABRUPT

Mind- ABSENT-MINDEDNESS

Mind- ABSORBED, buried in thought

Mind- ABSORBED, buried in thought- sadness, indulges in

Mind- ACTIVITY

Mind- ACTIVITY- evening

Mind- ACTIVITY- evening; sleeplessness, with

Mind- ACTIVITY- sleeplessness, with

Mind- ACTIVITY- desire for

Mind- ACTIVITY- desire for- sleeplessness, with

Mind- AIR- open- agg.

Mind- AIR- open- amel.

Mind- ALCOHOL, alcoholic drinks- agg.

Mind- ALCOHOLISM, dipsomania

Mind- ALCOHOLISM, dipsomania- agg., ailments from

Mind- AMOROUS disposition

Mind- ANGER

Mind- ANGER- night

Mind- ANGER- ailments from, agg.

Mind- ANGER- ailments from, agg.- mental and emotional consequences of

Mind- ANGER- ailments from, agg.- anxiety, with

Mind- ANGER- answer, when obliged to

Mind- ANGER- chill, during

Mind- ANGER- fever, during

Mind- ANGER- impatience, with

Mind- ANGER- perspiration, during

Mind- ANGER- talking of others, from

Mind- ANGER- trifles, about

Mind- ANGER- waking, on

Mind- ANGUISH

Mind- ANGUISH- afternoon

Mind- ANGUISH- evening

Mind- ANGUISH- evening- twilight, at

Mind- ANGUISH- night

Mind- ANGUISH- ailments from, agg.

Mind- ANGUISH- driving him from place to place

Mind- ANGUISH- restlessness, with

Mind- ANOREXIA nervosa

Mind- ANSWER, answering, answers- abruptly, shortly, curtly

Mind- ANSWER, answering, answers- aversion to

Mind- ANSWER, answering, answers- hastily

Mind- ANSWER, answering, answers- reluctantly

Mind- ANSWER, answering, answers- slowly

Mind- ANSWER, answering, answers- slowly- stupor, i

Mind- ANSWER, answering, answers- slowly- correctly, but

Mind- ANSWER, answering, answers- violently, as if angry

Mind- ANTICIPATION

Mind- ANTICIPATION- ailments from, agg.

Mind- ANTICIPATION- ailments from, agg.- mental and emotional consequences of

Mind- ANTICIPATION- ailments from, agg.- stage-fright

Mind- ANXIETY

Mind- ANXIETY- morning

Mind- ANXIETY- morning- air, amel. in open

Mind- ANXIETY- morning- bed, in

Mind ANXIETY- morning- rising; amel.

Mind- ANXIETY- morning- rising- on and after

Mind- ANXIETY- morning- waking, on or after

Mind- ANXIETY- afternoon- agg.

Mind- ANXIETY- evening- agg.

Mind- ANXIETY- evening- agg.- twilight, at

Mind- ANXIETY- night- agg.

Mind- ANXIETY- night- agg.- bed- in

Mind- ANXIETY- night- agg.- bed- driving out of

Mind- ANXIETY- midnight- after

Mind- ANXIETY- midnight- after- three am.

Mind- ANXIETY- midnight- after- three am.- after

Mind- ANXIETY- agg., ailments from

Mind- ANXIETY- abdominal complaints, in

Mind- ANXIETY- air- open- amel.

Mind- ANXIETY- alone, while

Mind- ANXIETY- anger, vexation- during

Mind- ANXIETY- bed- in

Mind- ANXIETY- bed- driving out of

Mind- ANXIETY- breathing- preventing

Mind- ANXIETY- breathing- short time, that he would only be able, in influenza

Mind- ANXIETY- chill- during

Mind- ANXIETY- company- agg.

Mind- ANXIETY- cough- during

Mind- ANXIETY- cough; after

Mind- ANXIETY- cough- after- short, from irritation and tickling behind upper half of sternum

Mind- ANXIETY- dark, in

Mind- ANXIETY- driving him from place to place

Mind- ANXIETY- driving him from place to place- dryness of throat, with

Mind- ANXIETY- dryness of throat, with

Mind- ANXIETY- eating; after

Mind- ANXIETY- fear, with

Mind- ANXIETY- fever- before

Mind- ANXIETY- fever- during

Mind- ANXIETY- headache, with

Mind- ANXIETY- heart complaints, in

Mind- ANXIETY- heat- before

Mind- ANXIETY- heat- during

Mind- ANXIETY- house or room- agg.

Mind- ANXIETY- inspiration, deep- agg.

Mind- ANXIETY- inspiration, deep- amel.

Mind- ANXIETY- inspiration, deep- must

Mind- ANXIETY- meditating, while

Mind- ANXIETY-- mental exertion agg.

Mind- ANXIETY- moaning, groaning, with

Mind- ANXIETY- motion- amel.

Mind- ANXIETY- nausea- with

Mind- ANXIETY- pain, with

Mind- ANXIETY- pain, with- abdomen, in

Mind- ANXIETY- pain, with- back, in

Mind- ANXIETY- pain, with- chest, in

Mind- ANXIETY- pain, with- heart, in and about

Mind- ANXIETY- palpitations- with

Mind- ANXIETY- perspiration- with

Mind- ANXIETY- pressing- chest, in

Mind- ANXIETY- respiration- deep- agg.

Mind- ANXIETY- respiration- deep- amel.

Mind- ANXIETY- respiration- difficult, anxious, with

Mind- ANXIETY- rising- after

Mind- ANXIETY- rising- lying, from

Mind- ANXIETY- sighing, with

Mind- ANXIETY- sitting- while

Mind- ANXIETY- sitting- while- take hold of something, must, from beating and drawing in limbs

Mind- ANXIETY- sitting- bent over, forward

Mind- ANXIETY- sitting- bent over, forward- fear of death, with

Mind- ANXIETY- sleep- before

Mind- ANXIETY- sleep- falling asleep, on

Mind- ANXIETY- sleep- during

Mind- ANXIETY- sleep; preventing

Mind- ANXIETY- sleeplessness, with

Mind- ANXIETY- stomach complaints, in

Mind- ANXIETY- stool- before

Mind- ANXIETY- stool- after

Mind- ANXIETY- suicidal disposition, with

Mind- ANXIETY- thoughts- from

Mind- ANXIETY- thoughts- from- sad

Mind- ANXIETY- vertigo- during

Mind- ANXIETY- waking, on or after

Mind- ANXIETY- walking; amel.

Mind- ANXIETY- walking; amel.- air, in open

Mind- ANXIETY- weakness, with

Mind- ANXIETY- weariness of life, with

Mind- ANXIETY- abdomen; in

Mind- ANXIETY- abdomen; in- stool- after

Mind- ANXIETY- chest, in

Mind- ANXIETY- heart region

Mind- ANXIETY- heart region- afternoon

Mind- ANXIETY- heart region- night

Mind- ANXIETY- heart region- excitement, emotional, agg.

Mind- ANXIETY- heart region- fear, with

Mind- ANXIETY- stomach, in

Mind- ANXIETY- stomach, in- pit of

Mind- ANXIETY- alone, as if, and all about were dead and still

Mind- ANXIETY- business, about

Mind- ANXIETY- children, about his

Mind- ANXIETY- conscience, of

Mind- ANXIETY- constant

Mind- ANXIETY- family, about his

Mind- ANXIETY- forsakenher, as if a friend had

Mind- ANXIETY- future, about

Mind- ANXIETY- household matters, about

Mind- ANXIETY- hypochondriacal

Mind- ANXIETY- inexpressible

Mind- ANXIETY- oppressive

Mind- ANXIETY- others, for

Mind- ANXIETY- others, for- loved ones, for

Mind- ANXIETY- sudden, paroxysmal

Mind- ANXIETY- tremulous

Mind- ANXIETY- tremulous- knees

Mind- ANXIETY- tremulous- limbs, of lower

Mind- APHASIA

Mind- AWKWARDNESS

Mind- AWKWARDNESS- hurried, from being

Mind- BED- agg.

Mind- BED- get out of, wants to

Mind- BEER, after

Mind- BROODING

Mind- BUOYANCY

Mind- BUSINESS- ailments from, agg.

Mind- BUSINESS- ailments from, agg.- failure

Mind- BUSINESS- ailments from, agg.- mental and emotional consequences of

Mind- BUSINESS- aversion to

Mind- BUSINESS- talks of

Mind- BUSINESS- talks of- sleep, during

Mind- BUSINESS- talks of- sleep, in

Mind- BUSY

Mind- BUSY- ailments from being, agg.

Mind- BUSY- illness, after

Mind- CAREFULNESS

Mind- CARES, worries, full of

Mind- CARES, worries, full of- agg., ailments from

Mind- CARES, worries, full of- business, about

Mind- CARES, worries, full of- others, about

Mind- CARES, worries, full of- relatives, about

Mind- CARRIED- desires to be

Mind- CARRIED- desires to be- constantly

Mind- CARRIED- desires to be- fast

Mind- CENSORIOUS, critical

Mind- CENSORIOUS, critical- evening

Mind- CHANGE- desire for

Mind- CHANGE- desire for- position, of

Mind- CHAOTIC

Mind- CHAOTIC- fever, during

Mind- CHEERFULNESS

Mind- CHEERFULNESS- evening

Mind- CHEERFULNESS- evening- bed, in

Mind- CHEERFULNESS- chill, during

Mind- CHEERFULNESS- driving, while

Mind- CHILDISH behavior

Mind- CHILDREN- complaints in

Mind- CHILDREN- aversion to

Mind- CHILL, during

Mind- COMPANY- agg.

Mind- COMPANY- aversion to

Mind- COMPANY- aversion to- alternating with- bursts of pleasantry and sarcasm

Mind- COMPANY- aversion to- weeping- with

Mind- COMPANY- aversion to- avoids the sight of people

Mind- COMPANY- aversion to- solitude, desire for

Mind- COMPANY- desire for

Mind- COMPANY- desire for- family, of

Mind- COMPLAINING

Mind- COMPREHENSION- easy

Mind- COMPULSIVE disorders

Mind- COMPULSIVE disorders- ritualistic

Mind- CONCENTRATION- active

Mind- CONCENTRATION- difficult

Mind- CONCUSSION, after

Mind- CONFIDENCE- want of self

Mind- CONFUSION of mind

Mind- CONFUSION of mind- morning

Mind- CONFUSION of mind- morning- rising- on and after

Mind- CONFUSION of mind- morning- rising- after, amel.

Mind- CONFUSION of mind- evening- agg.

Mind- CONFUSION of mind- night

Mind- CONFUSION of mind- night- lying down agg.

Mind- CONFUSION of mind- beer, after

Mind- CONFUSION of mind- chill, during

Mind- CONFUSION of mind- fever, during

Mind- CONFUSION of mind- fever, during- heat

Mind- CONFUSION of mind- headache- during

Mind- CONFUSION of mind- lying- agg.

Mind- CONFUSION of mind- motion- agg.

Mind- CONFUSION of mind- sitting, while

Mind- CONFUSION of mind- waking, on

Mind- CONFUSION of mind- walking- agg.

Mind- CONFUSION of mind- collect ones' senses, cannot, with headache

Mind- CONFUSION of mind- dream, as if in a

Mind- CONFUSION of mind- intoxicated feeling

Mind- CONGESTION of head, with

Mind- CONSCIENTIOUS about trifles

Mind- CONSOLATION, sympathy- ailments from, agg.

Mind- CONSOLATION, sympathy- aversion to

Mind- CONSTIPATION- with

Mind- CONTRADICTION- ailments from, agg.

Mind- CONTRADICTIONARY

Mind- CONTRADICTIONARY- actions are contradictory to intentions

Mind- CONTRADICTIONARY- intentions are contradictory to speech

Mind- CONVULSIONS- before

Mind- COUGHING- while

Mind- COUGHING- after

Mind- COUNTRY, desire for, to go into the

Mind- COWARDICE

Mind- CRAWLING, rolling

Mind- CRAWLING, rolling; animal, like a

Mind- CROWD, in

Mind- DARKNESS- ailments from, agg.

Mind- DARKNESS- aversion to

Mind- DEATH- desires

Mind- DEATH- desires- sadness, without, with disgust of life

Mind- DEATH- presentiment of

Mind- DEATH- presentiment of- weeping, with

Mind- DEATH- thoughts of

Mind- DELIRIUM

Mind- DELIRIUM- evening

Mind- DELIRIUM- evening; bed, in

Mind- DELIRIUM- night

Mind- DELIRIUM- bed- jumps suddenly from, and escapes

Mind- DELIRIUM- diphtheria, in

Mind- DELIRIUM- fever- during

Mind- DELIRIUM- fever- during- heat

Mind- DELIRIUM- fever- during- typhoid, in

Mind- DELIRIUM- septicaemia, in

Mind- DELIRIUM- sleep- falling asleep

Mind- DELIRIUM- sleep- during

Mind- DELIRIUM- sleepiness, with

Mind- DELIRIUM- sleeplessness, with

Mind- DELIRIUM- sopor, in

Mind- DELIRIUM- trembling, with

Mind- DELIRIUM- busy

Mind- DELIRIUM- loquacious

Mind- DELIRIUM- loquacious- business, of

Mind- DELIRIUM- mild

Mind- DELIRIUM- mild; roaming over fields or hard at work, he thinks he is

Mind- DELIRIUM- murmuring

Mind- DELIRIUM- muttering, typhomania

Mind- DELIRIUM- muttering, typhomania- diphtheria, in

Mind- DELIRIUM- muttering, typhomania- himself, to

Mind- DELIRIUM- nonsense, with eyes open

Mind- DELIRIUM- quiet

Mind- DELIRIUM- restless

Mind- DELIRIUM- work, of his

Mind- DELIRIUM tremens, mania-a-potu

Mind- DELIVERY, parturition- during

Mind- DELIVERY, parturition- after, puerperal

Mind- DELUSIONS, imaginations

Mind- DELUSIONS, imaginations- evening

Mind- DELUSIONS, imaginations- evening- bed, in

Mind- DELUSIONS, imaginations- chill, during

Mind- DELUSIONS, imaginations- fever, during

Mind- DELUSIONS, imaginations- fever, during- heat

Mind-DELUSIONS, imaginations- loquacity, with

Mind- DELUSIONS, imaginations- sleep- falling asleep, on

Mind- DELUSIONS, imaginations- alone, is

Mind- DELUSIONS, imaginations- attacked, is going to be

Mind- DELUSIONS, imaginations- attacked, is going to be- family member, by

Mind- DELUSIONS, imaginations- bed- sinking, is

Mind- DELUSIONS, imaginations- bed- someone- at bedside

Mind- DELUSIONS, imaginations- bed- someone- in, with him, her

Mind- DELUSIONS, imaginations- bed- something drives him out

Mind- DELUSIONS, imaginations- business, work- doing

Mind- DELUSIONS, imaginations- calls- someone

Mind- DELUSIONS, imaginations- calls- someone- waking, on

Mind- DELUSIONS, imaginations- cloud, clouds- sees

Mind- DELUSIONS, imaginations- crime- committed, he had

Mind- DELUSIONS, imaginations- criticized, that she is

Mind- DELUSIONS, imaginations- criticized, that she is- fright agg.

Mind- DELUSIONS, imaginations- dead- he is

Mind- DELUSIONS, imaginations- delirious

Mind- DELUSIONS, imaginations- deserted, forsaken

Mind- DELUSIONS, imaginations- die- about to

Mind- DELUSIONS, imaginations- dirt, dirty- he is, she is

Mind- DELUSIONS, imaginations- double- he is

Mind- DELUSIONS, imaginations- elevated- air, in

Mind- DELUSIONS, imaginations- falling- he is

Mind- DELUSIONS, imaginations- fancy, of

Mind- DELUSIONS, imaginations- fancy, of- heat, during

Mind- DELUSIONS, imaginations- figures, sees

Mind- DELUSIONS, imaginations- fire

Mind- DELUSIONS, imaginations- glass- made of

Mind- DELUSIONS, imaginations- hearing, of

Mind- DELUSIONS, imaginations- home- away from, is

Mind- DELUSIONS, imaginations- images, phantoms, sees

Mind- DELUSIONS, imaginations- images, phantoms, sees- frightful

Mind- DELUSIONS, imaginations- injury- injured, of being

Mind- DELUSIONS, imaginations- legs- long, too

Mind- DELUSIONS, imaginations- murdered- will be

Mind- DELUSIONS, imaginations- occupation, engaged in- some

Mind- DELUSIONS, imaginations- people, some one

Mind- DELUSIONS, imaginations- people, some one- beside him, are

Mind- DELUSIONS, imaginations- persecuted, that he is

Mind- DELUSIONS, imaginations- persecuted, that he is- delirium, in

Mind- DELUSIONS, imaginations- poisoned- about to be, that he is

Mind- DELUSIONS, imaginations- poisoned- has been, he

Mind- DELUSIONS, imaginations- poisoned- medicine is

Mind- DELUSIONS, imaginations- pursued, of being

Mind- DELUSIONS, imaginations- pursued, of being- enemies, by

Mind- DELUSIONS, imaginations- roaming over fields

Mind- DELUSIONS, imaginations- senses, of

Mind- DELUSIONS, imaginations- sleep- sleeping, while awake, insists that he is

Mind- DELUSIONS, imaginations- spectres, ghosts, spirits, sees

Mind- DELUSIONS, imaginations- strange- familiar places are

Mind- DELUSIONS, imaginations- strange- familiar things are

Mind- DELUSIONS, imaginations- succeed, that he cannot, does everything wrong

Mind- DELUSIONS, imaginations- swimming, is

Mind- DELUSIONS, imaginations- touch, sensory

Mind- DELUSIONS, imaginations- trapped, he is

Mind- DELUSIONS, imaginations- visions, has

Mind- DELUSIONS, imaginations- vivid

Mind- DELUSIONS, imaginations- voices

Mind- DELUSIONS, imaginations- voices- hears

Mind- DELUSIONS, imaginations- watched, that she is being

Mind- DELUSIONS, imaginations- wood- made of

Mind- DELUSIONS, imaginations- wrong- he has done

Mind- DEMENTIA

Mind- DENTITION agg.

Mind- DESIRES- full of

Mind- DESIRES- full of- dreaming, after

Mind- DESIRES- full of- insane

Mind- DESPAIR

Mind- DESPAIR- anxiety, with

Mind- DESPAIR- chill, during

Mind- DESPAIR- heat agg.

Mind- DESPAIR- perspiration, during

Mind- DESPAIR- sadness, from

Mind- DESPAIR- social position, of

Mind- DINNER- after

Mind- DIRTINESS

Mind- DISCONTENTED

Mind- DISCONTENTED- evening- agg.

Mind- DISCONTENTED- world, with

Mind- DISCOURAGED

Mind- DISCOURAGED- evening

Mind- DISCOURAGED- anxiety, with

Mind- DISCOURAGED- morose, and

Mind- DOMINATION by others agg.

Mind- DREAMS

Mind- DREAMS- morning

Mind- DREAMS- midnight- after

Mind- DREAMS- midnight- after- three am.

Mind- DREAMS- heat, during

Mind- DREAMS- indifference, with

Mind- DREAMS- meditating, while

Mind- DREAMS- menses- during

Mind- DREAMS- palpitation, with

Mind- DREAMS- perspiration, with

Mind- DREAMS- sleep, on falling asleep

Mind- DREAMS- accidents, of

Mind- DREAMS- accidents, of- crash of airplane

Mind- DREAMS- airplanes, of

Mind- DREAMS- angry

Mind- DREAMS- anxious

Mind- DREAMS- ascending a height

Mind- DREAMS- blood

Mind- DREAMS- blood- pools of

Mind- DREAMS- business, occupation, of

Mind- DREAMS- business, occupation, of- fever, during typhoid

Mind- DREAMS- business, occupation, of- sleep, on falling asleep

Mind- DREAMS- business, occupation, of- anxious

Mind- DREAMS- business, occupation, of- day, of

Mind- DREAMS- business, occupation, of- day, of- vivid

Mind- DREAMS- business, occupation, of- difficulties in

Mind- DREAMS- busy, being

Mind- DREAMS- cares, worries, full of

Mind- DREAMS- climbing

Mind- DREAMS- climbing- exerting

Mind- DREAMS- confused

Mind- DREAMS- continuation of former ideas

Mind- DREAMS- difficulties

Mind- DREAMS- efforts, unsuccessful

Mind- DREAMS- efforts, unsuccessful- reach a place, to

Mind- DREAMS- embarrassment

Mind- DREAMS- events

Mind- DREAMS- events- day, of

Mind- DREAMS- events- previous

Mind- DREAMS- events- previous- evening, of

Mind- DREAMS- excelling in mental work

Mind- DREAMS- exertion, of

Mind- DREAMS- exhausting

Mind- DREAMS- fire

Mind- DREAMS- fire- world on fire

Mind- DREAMS- frightful, nightmare

Mind- DREAMS- frightful, nightmare- falling downstairs, after

Mind- DREAMS- frightful, nightmare- palpitation, with

Mind- DREAMS- heard, read, talked or thought about

Mind- DREAMS- journey, travelling

Mind- DREAMS- journey, travelling- roaming over fields, of

Mind- DREAMS- laborious

Mind- DREAMS- luck, of bad

Mind- DREAMS- many

Mind- DREAMS- mental effort, of

Mind- DREAMS- misfortune, of

Mind- DREAMS- morose

Mind- DREAMS- murder

Mind- DREAMS- perplexing

Mind- DREAMS- perplexing- sleep, on falling asleep

Mind- DREAMS- plans

Mind- DREAMS- plans- made

Mind- DREAMS- projects

Mind- DREAMS- projects- coming true in the dreams

Mind- DREAMS- quarrels, strife

Mind- DREAMS- restless

Mind- DREAMS- roaming over fields

Mind- DREAMS- rowing

Mind- DREAMS- sad

Mind- DREAMS- striving and urging, anxious

Mind- DREAMS- thinks, in which he

Mind- DREAMS- throws away everything

Mind- DREAMS- tiresome

Mind- DREAMS- unimportant

Mind- DREAMS- unpleasant

Mind- DREAMS- unremembered

Mind- DREAMS- vexatious

Mind- DREAMS- vivid

Mind- DREAMS- vivid- meningitis, in cerebrospinal

Mind- DREAMS- voice, voices, calling- gentle, six am.

Mind- DREAMS- walking, of

Mind- DREAMS- water

Mind- DREAMS- water- rowing on

Mind- DREAMS- water- swimming in

Mind- DREAMS- work

Mind- DREAMS- world- end of

Mind- DRIVING- agg.

Mind- DRIVING a car, desires

Mind- DULLNESS

Mind- DULLNESS- morning

Mind- DULLNESS- afternoon- agg.

Mind- DULLNESS- evening- agg.

Mind- DULLNESS- alcohol, alcoholic drinks, from

Mind- DULLNESS- chill, during

Mind- DULLNESS- damp, wet, from

Mind- DULLNESS- eating- after

Mind- DULLNESS- fever- during

Mind- DULLNESS- fever- during- typhoid

Mind- DULLNESS- headache- with

Mind- DULLNESS- heat- during

Mind- DULLNESS- injuries of head, after

Mind- DULLNESS- motion- agg.

Mind- DULLNESS- motion- agg.- eyes, of

Mind- DULLNESS- motion- amel.

Mind- DULLNESS- perspiration, during

Mind- DULLNESS- sitting, while

Mind- DULLNESS- vertigo- during

Mind- DULLNESS- walking- agg.

Mind- DULLNESS- writing, while

Mind- DWELLS- events, on past disagreeable

Mind- DWELLS- events, on past disagreeable- night

Mind- DWELLS- events, on past disagreeable- midnight, after

Mind- EAT, eating; while

Mind- EAT, eating; after

Mind- EAT, eating; amel.

Mind- EAT, eating; refuses

Mind- EMBARRASSMENT- agg., ailments from

Mind- EMOTIONS- controlled by the intellect, need to be

Mind- EMPTINESS of mind, sensation of

Mind- ENNUI, boredom

Mind- ENVY

Mind- ENVY- avidity, and

Mind- ESCAPE, desire to

Mind- ESCAPE, desire to- delirium, in

Mind- ESCAPE, desire to- jumps suddenly up from bed

Mind- ESCAPE, desire to- run away, to

Mind- EUPHORIA, elation

Mind- EUPHORIA, elation- driving, while

Mind- EUPHORIA, elation- driving, while- fast

Mind- EXCITEMENT, excitable

Mind- EXCITEMENT, excitable- evening

Mind- EXCITEMENT, excitable- evening; bed, in

Mind- EXCITEMENT, excitable- ailments from, agg.

Mind- EXCITEMENT, excitable- ailments from, agg.- mental and emotional consequences of

Mind- EXCITEMENT, excitable- ailments from, agg.- suppressed

Mind- EXCITEMENT, excitable- amel.

Mind- EXCITEMENT, excitable- amel.- mental and emotional amelioration

Mind- EXCITEMENT, excitable- chill- during

Mind- EXCITEMENT, excitable- fever, during

Mind- EXCITEMENT, excitable- fever, during- heat

Mind- EXCITEMENT, excitable- nervous

Mind- EXERCISE, exertion; after

Mind- EXHILARATION

Mind- EXHILARATION; mania, in merry

Mind- FAILURE, ailments from literary, scientific

Mind- FAILURE, ailments from literary, scientific- mental and emotional consequences

Mind- FANCIES- sleep- preventing

Mind- FANCIES- exaltation of

Mind- FANCIES- exaltation of- evening

Mind- FANCIES- exaltation of- evening; bed, in

Mind-; FANCIES- exaltation of- sleeplessness, with

Mind- FEAR

Mind- FEAR- morning

Mind- FEAR- afternoon

Mind- FEAR- evening; agg.

Mind- FEAR- evening- agg.- twilight

Mind- FEAR- night- agg.

Mind- FEAR- night- agg.- lie in bed, cannot

Mind- FEAR- air, open- amel.

Mind- FEAR- bed; in

Mind- FEAR- breath away, taking

Mind- FEAR- crowd, in

Mind- FEAR- escape, desire to

Mind- FEAR- fever; during

Mind- FEAR- heat; during

Mind- FEAR- heaviness in forehead, with

Mind- FEAR- looked at

Mind- FEAR- menses- during

Mind- FEAR- perspiration, with

Mind- FEAR- sadness, with

Mind- FEAR- sighing, with

Mind- FEAR- thinking of, when; sad things

Mind- FEAR- trifles, about

Mind- FEAR- vertigo, in

Mind- FEAR- accidents, of

Mind- FEAR- alone, being

Mind- FEAR- animals, of

Mind- FEAR- bath, of

Mind- FEAR- behind him, that someone is

Mind- FEAR- dark, of

Mind- FEAR- death, of

Mind-FEAR- death, of- night

Mind- FEAR- death, of- anxiety, with

Mind- FEAR- death, of- fever, during

Mind- FEAR- death, of- heat, during

Mind- FEAR- death, of- perspiration, during

Mind- FEAR- death, of- sitting agg

Mind- FEAR- death, of- sitting agg.- bent over

Mind- FEAR- death, of- strength, with loss of

Mind- FEAR- death, of- vertigo, during

Mind- FEAR- debts, to make, to use credit cards

Mind- FEAR- disaster, of

Mind- FEAR- disease, of

Mind- FEAR- disease, of; incurable, of being

Mind- FEAR- evil, of

Mind- FEAR- failure, of

Mind- FEAR- fire

Mind- FEAR- fire- catch, things will

Mind- FEAR- ghosts, spectres, of

Mind- FEAR- happen something will

Mind- FEAR- happen- something will- air, open, amel.

Mind- FEAR- happen- something will- bad, evil

Mind- FEAR- heart- disease, of

Mind- FEAR- imaginary things

Mind- FEAR- injured, of being

Mind- FEAR- killing, of

Mind- FEAR- killing, of; child, her

Mind- FEAR- misfortune, of

Mind- FEAR- murdered, of being

Mind- FEAR- panic attacks, overpowering

Mind- FEAR- panic attacks, overpowering- death, before

Mind- FEAR- people, of, anthropophobia

Mind- FEAR- persecution, of

Mind- FEAR- poisoned- being

Mind- FEAR- poisoned- being; night

Mind- FEAR- position, to lose his lucrative

Mind- FEAR- sleep- go to, to

Mind- FEAR- sold, of being

Mind- FEAR- suicide, of

Mind- FEAR- superstitious

Mind- FEAR- thunderstorm, of

Mind- FEAR- tremulous

Mind- FEAR- violence, of

Mind- FEVER before

Mind- FEVER- during

Mind- FEVER- during- heat

Mind- FEVER- after scarlet

Mind- FORGETFULNESS

Mind- FORGETFULNESS- evening

Mind- FORGETFULNESS- chill, during

Mind- FORGETFULNESS- congestion to head, with

Mind- FORGETFULNESS- damp, wet agg.

Mind- FORGETFULNESS- eating; agg.

Mind- FORGETFULNESS- head complaints, in

Mind- FORGETFULNESS- headache- during

Mind- FORGETFULNESS- heat- during

Mind- FORGETFULNESS- injuries, after

Mind- FORGETFULNESS- injuries, after- head, to

Mind- FORGETFULNESS- old people, in

Mind- FORGETFULNESS- vertigo, in

Mind- FORGETFULNESS- walking, while, after eating

Mind- FORGETFULNESS- done, for what he has just

Mind- FORGETFULNESS- facts, for

Mind- FORGETFULNESS- facts, for- recent

Mind- FORGETFULNESS- happened, for what has

Mind- FORGETFULNESS- names, for

Mind- FORGETFULNESS- names, for- persons, of

Mind- FORGETFULNESS- names, for- persons, of- objects, of

Mind- FORGETFULNESS- occurrences of the day

Mind- FORGETFULNESS- places, localities, for

Mind- FORGETFULNESS- say, for what he is about to

Mind- FORGETFULNESS- words, for

Mind- FORGETFULNESS- write, for what is about to

Mind- FORSAKEN feeling

Mind- FORSAKEN feeling- air, amel. in open

Mind- FORTUNE, reversal of, agg.

Mind- FRIGHT, fear agg., ailments from

Mind- FRIGHT, fear agg., ailments from- menses, during

Mind- FRIGHT, fear agg., ailments from- mental and emotional consequences

Mind- FRIGHTENED easily

Mind- FRIGHTENED easily- trifles, about

Mind- FRIGHTENED easily- waking; on

Mind- FRIGHTENED easily- waking; on- dreaming, after

Mind- GESTURES, makes

Mind- GESTURES, makes- grasping

Mind- GESTURES, makes- grasping- sleep, during

Mind- GESTURES, makes- picking at- bed clothes, carphologia

Mind- GESTURES, makes- picking at- bed clothes, carphologia- chill, during

Mind- GESTURES, makes- picking at- bed clothes, carphologia- delirium, in

Mind- GESTURES, makes- picking at- bed clothes, carphologia- heat, during

Mind- GESTURES, makes- picking at- bed clothes, carphologia- perspiration, during

Mind- GESTURES, makes- plays with- fingers

Mind- GESTURES, makes- plays with- fingers; sleep, during

Mind- GREED, cupidity

Mind- GRIEF

Mind- GRIEF- ailments from, agg.

Mind- GRIEF- silent, pent up

Mind- HATRED

Mind- HEADACHE- before

Mind- HEADACHE- during

Mind- HEART complaints, in

Mind- HEEDLESS, careless

Mind- HELPLESSNESS

Mind- HELPLESSNESS- weakness, weariness, with

Mind- HIDE- oneself, desire to

Mind- HIDE- oneself, desire to- delirium, in

Mind- HOLDING or being held, desire for

Mind- HOLDING or being held, desire for- amel.

Mind- HOME- go, desire to

Mind- HOPEFULNESS

Mind- HORRIBLE things, sad stories affect profoundly, agg.

Mind- HORRIBLE things, sad stories affect profoundly, agg.- mental and emotional consequences

Mind- HOUSE- agg.

Mind- HURRY, haste

Mind- HURRY, haste- ailments from, agg.

Mind- HURRY, haste- ailments from, agg.0 mental and emotional consequences

Mind- HURRY, haste- drinking

Mind- HURRY, haste- eating, while

Mind- HURRY, haste- perspiration, during

Mind- HYPOCHONDRIASIS

Mind- HYPOCHONDRIASIS- evening

Mind- HYPOCHONDRIASIS- night

Mind- HYPOCHONDRIASIS- solitude, with desire for

Mind- HYSTERIA

Mind- HYSTERIA- anger, vexation agg.

Mind- IDEAS- abundant

Mind- IDEAS- abundant- evening

Mind- IDEAS- abundant- evening- bed, in

Mind- IDEAS- deficiency of

Mind- IDEAS- fixed

Mind- IMBECILITY

Mind- IMPATIENCE

Mind- IMPATIENCE- heat, during

Mind- IMPATIENCE- perspiration, during

Mind- IMPETUOUS, impulsive

Mind- IMPRESSIONABLE, susceptible

Mind- IMPULSES, morbid

Mind- INCONSOLABLE

Mind- INCONSTANCY

Mind- INCONSTANCY- perspiration, during

Mind- INDIFFERENCE, apathy

Mind- INDIFFERENCE, apathy- company, in- agg.

Mind- INDIFFERENCE, apathy- sadness, with

Mind- INDIFFERENCE, apathy- business, about

Mind- INDIFFERENCE, apathy- everything, to

Mind- INDOLENCE, aversion to work

Mind- INDOLENCE, aversion to work- morning

Mind- INDOLENCE, aversion to work- irritability, in

Mind- INDOLENCE, aversion to work- sadness, from

Mind- INDUSTRIOUS, mania for work

Mind- INDUSTRIOUS, mania for work- menses- before

Mind- INITIATIVE, lack of

Mind- INJURIES, accidents, ailments from

Mind- INSANITY, madness

Mind- INSANITY, madness- drunkards, in

Mind- INSANITY, madness- fortune- losing a, after

Mind- INSANITY, madness- position, from fear to lose

Mind- INSANITY, madness- black insanity with despair and weariness of life from fear of mortification or of loss of position

Mind- INSANITY, madness- sad

Mind- INTELLECTUAL

Mind- INTROVERTED

Mind- IRRATIONAL

Mind- IRRESOLUTION, indecision

Mind- IRRESOLUTION, indecision; projects, in

Mind- IRRITABILITY

Mind- IRRITABILITY- morning

Mind- IRRITABILITY- morning- waking, on

Mind- IRRITABILITY- evening- agg.

Mind- IRRITABILITY- night

Mind- IRRITABILITY- ailments from, agg.

Mind- IRRITABILITY- with

Mind- IRRITABILITY- air, open- agg.

Mind- IRRITABILITY- air, open- amel.

Mind- IRRITABILITY- anxiety- with

Mind- IRRITABILITY- chill, during

Mind- IRRITABILITY- house, in- agg.

Mind- IRRITABILITY- menses- before

Mind- IRRITABILITY- motion- amel.

Mind- IRRITABILITY- pain, during

Mind- IRRITABILITY- sitting, while

Mind- IRRITABILITY- sleepiness, with

Mind- IRRITABILITY- spoken to, when

Mind- IRRITABILITY- waking- agg.

Mind- IRRITABILITY- walking- amel. in open air

Mind- IRRITABILITY- easily

Mind- IRRITABILITY- trifles, about

Mind- JESTING

Mind- JUMPING

Mind- JUMPING- bed, out of

Mind- LAMENTING, bemoaning, wailing

Mind- LANGUAGE- unable to learn

Mind- LAZINESS- ailments from, agg.

Mind- LEARNING- desire for

Mind- LEARNING- difficult

Mind- LIGHT- agg.- daylight

Mind- LIGHTNESS, feeling of

Mind- LOATHING

Mind- LOATHING- life, of

Mind- LOATHING- life, of- evening

Mind- LOOKED at- cannot bear to be, agg.

Mind- LOQUACITY

Mind- LOQUACITY- children, in

Mind- LOQUACITY- fever, during

Mind- LOQUACITY- fever, during- heat

Mind- LOSS, financial, agg.

Mind- LYING- agg.

Mind- LYING- agg.; down, after

Mind- MANIA, madness

Mind- MANIA, madness- suicidal

Mind- MATHEMATICS, calculating- inept for

Mind- MEDICINE, drugs- averse to

Mind- MEDITATION

Mind- MEDITATION- ailments from, agg.

Mind- MEDITATION- difficult, impossible

Mind- MEDITATION- difficult, impossible- fever, in typhoid

Mind- MEMORY- active

Mind- MEMORY- active- alternating with- dullness

Mind- MEMORY- active- alternating with- weak memory

Mind- MEMORY- active- words, for

Mind- MENSES- before

Mind- MENSES- during

Mind- MENSES- suppressed, from

Mind- MENTAL exertion- agg.

Mind- MENTAL exertion- incapacity for

Mind- MENTAL exertion- incapacity for- dullness and stupefaction, with

Mind- MILDNESS

Mind- MIRTH, hilarity, liveliness

Mind- MISANTHROPY

Mind- MISTAKES, making

Mind- MISTAKES, making- calculating, in

Mind- MISTAKES, making- misplaces things

Mind- MISTAKES, making- talking, in

Mind- MISTAKES, making- writing, in

Mind- MOANING, groaning

Mind- MOANING, groaning- night

Mind- MOANING, groaning- amel.

Mind- MOANING, groaning- children, in

Mind- MOANING, groaning- fever, during

Mind- MOANING, groaning- fever, during- heat

Mind- MOANING, groaning- pain, from

Mind- MOANING, groaning- perspiration, during

Mind- MOANING, groaning- sleep, during

Mind- MOANING, groaning- loud

Mind- MOANING, groaning- loud- sleep, during

Mind- MOCKING

Mind- MOCKING- sarcasm

Mind- MONOMANIA

Mind- MOOD- changeable, variable

Mind- MOROSE, sulky

Mind- MOROSE, sulky- morning

Mind- MOROSE, sulky- morning- bed, in

Mind- MOROSE, sulky- evening- agg.

Mind- MOROSE, sulky- evening- agg.- bed, in

Mind; MOROSE, sulky- night

Mind; MOROSE, sulky- midnight- before

Mind; MOROSE, sulky- air, open- agg.

Mind- MOROSE, sulky- bed, in

Mind- MOROSE, sulky- house, agg. in, amel. on walking in open air

Mind- MOROSE, sulky- perspiration, during

Mind- MOROSE, sulky- sadness, with

Mind- MOROSE, sulky- waking- agg.

Mind- MOROSE, sulky- weeping- with

Mind- MOROSE, sulky- work; aversion to, with

Mind- MORTIFICATION- ailments from, agg.

Mind- MOTION- agg.

Mind- MOTION- agg.- head, of the

Mind- MOTION- amel.

Mind- MUTTERING

Mind- MUTTERING- perspiration, with

Mind- MUTTERING- sleep, in

Mind- MUTTERING- sleep, in perspiration, with

Mind- NAUSEA- during

Mind- OBSTINATE, headstrong

Mind- OFFENDED easily

Mind- OLD people, in

Mind- PAIN- agg.

Mind- PAIN- agg.- back, in

Mind- PAIN- agg.- heart, in

Mind- PAIN- with- abdomen, in

Mind- PAIN- with- eyes, in

Mind- PAIN- with- heart, in

Mind- PAIN- with- limbs, in

Mind- PERSPIRATION- agg.

Mind- PERSPIRATION- with

Mind- PRAYING

Mind- PROSTRATION of mind

Mind- PROSTRATION of mind- congestion of head, with

Mind- PROSTRATION of mind- exertion agg.

Mind- PROSTRATION of mind- narcotics, from abuse of

Mind- PROSTRATION of mind- paralysis of lower limbs, with

Mind- PROSTRATION of mind- weakness, with bodily

Mind- PUBERTY, during

Mind- QUARRELSOMENESS, scolding

Mind- QUIET- disposition

Mind- QUIET- wants to be

Mind- RAGE

Mind- RAGE, fury- chill, during

Mind- READING- ailments from, agg.

Mind- REFUSES- medicine, to take

Mind- RELIGIOUS affections

Mind- REPROACHES- others

Mind- RESPIRATORY complaints, with

Mind- REST- agg.

Mind- RESTLESSNESS, nervousness

Mind- RESTLESSNESS, nervousness- daytime

Mind- RESTLESSNESS, nervousness- evening- agg.

Mind- RESTLESSNESS, nervousness- evening- agg.- bed, in

Mind- RESTLESSNESS, nervousness- night

Mind- RESTLESSNESS, nervousness- night- swelling and suppuration of parotid glands, with

Mind- RESTLESSNESS, nervousness- midnight- after

Mind- RESTLESSNESS, nervousness- abortion, in threatening

Mind- RESTLESSNESS, nervousness- children, in

Mind- RESTLESSNESS, nervousness- children, in- babies, in

Mind- RESTLESSNESS, nervousness- chill- during

Mind- RESTLESSNESS, nervousness- company- agg.

Mind- RESTLESSNESS, nervousness- convulsions- before

Mind- RESTLESSNESS, nervousness- delivery, parturition- during

Mind- RESTLESSNESS, nervousness- delivery, parturition- after, puerperal

Mind- RESTLESSNESS, nervousness- diphtheria, in

Mind- RESTLESSNESS, nervousness- eating- after

Mind- RESTLESSNESS, nervousness- fever- during

Mind- RESTLESSNESS, nervousness- headache- during

Mind- RESTLESSNESS, nervousness- heat- during

Mind- RESTLESSNESS, nervousness- itching- from

Mind- RESTLESSNESS, nervousness- lochia, in

Mind- RESTLESSNESS, nervousness- menses- during

Mind- RESTLESSNESS, nervousness- menses- suppressed, during

Mind- RESTLESSNESS, nervousness- motion- amel.

Mind- RESTLESSNESS, nervousness- move- must, drives one from place to place

Mind- RESTLESSNESS, nervousness- move- must, drives one from place to place- night

Mind- RESTLESSNESS, nervousness- operations, after

Mind- RESTLESSNESS, nervousness- pain- from

Mind- RESTLESSNESS, nervousness- pain- from- face, in

Mind- RESTLESSNESS, nervousness- pain- from- heart, in

Mind- RESTLESSNESS, nervousness- pain- from- limbs, in

Mind- RESTLESSNESS, nervousness- pain- during

Mind- RESTLESSNESS, nervousness- pain- during- extremities, in

Mind- RESTLESSNESS, nervousness- pain- during- extremities, in- lower

Mind- RESTLESSNESS, nervousness- perspiration- during

Mind- RESTLESSNESS, nervousness- placenta, with retained

Mind- RESTLESSNESS, nervousness- position, change of, amel.

Mind- RESTLESSNESS, nervousness- rest, during

Mind- RESTLESSNESS, nervousness- rheumatic complaints, in

Mind- RESTLESSNESS, nervousness- rheumatic complaints, in- violent rheumatic

Mind- RESTLESSNESS, nervousness- sadness, with

Mind- RESTLESSNESS, nervousness- sadness, with; thoughts, in

Mind- RESTLESSNESS, nervousness- scarlatina, in

Mind- RESTLESSNESS, nervousness- sitting, while

Mind- RESTLESSNESS, nervousness- sleep- before

Mind- RESTLESSNESS, nervousness- sleepiness, with

Mind- RESTLESSNESS, nervousness- internal

Mind- RESTLESSNESS, nervousness- anxious

Mind- RESTLESSNESS, nervousness- drives him out of bed

Mind- RESTLESSNESS, nervousness- drives him out of bed- wants to go from one bed to another

Mind- RESTLESSNESS, nervousness- extreme

Mind- RESTLESSNESS, nervousness- relax, cannot

Mind- RIGIDITY

Mind- RISING- amel., after

Mind- RISING- amel., after- lying, from

Mind- RISING- lying, from

Mind- RISING- lying, from- on

Mind- RISING- lying, from- after

Mind- ROCKING- amel.

Mind- ROCKING- desires

Mind- ROOM, in- agg.

Mind- ROOM, in- agg.- warm

Mind- SADNESS

Mind- SADNESS- morning- agg.

Mind- SADNESS- afternoon- agg.

Mind- SADNESS- evening- agg.

Mind- SADNESS- evening- agg.- twilight, at

Mind- SADNESS- night- agg.

Mind- SADNESS- night- agg.- bed, in

Mind- SADNESS- midnight- after

Mind- SADNESS- air, open- agg.

Mind- SADNESS- air, open- amel.

Mind- SADNESS- children, in

Mind- SADNESS- chill- during

Mind- SADNESS- company- aversion to, desire for solitude

Mind- SADNESS- darkness agg.

Mind- SADNESS- delivery, parturition during

Mind- SADNESS- excitement, emotional agg.

Mind- SADNESS- fever- during

Mind- SADNESS- fever- during- intermittent

Mind- SADNESS- fright, fear agg.

Mind- SADNESS- heat, during

Mind- SADNESS- house- in, agg.

Mind- SADNESS- indolence, with

Mind- SADNESS- injuries, from

Mind- SADNESS- injuries, from- head, of the

Mind- SADNESS- menses- suppressed

Mind- SADNESS- menses- suppressed- fright or sorrow, after

Mind- SADNESS- perspiration- during

Mind- SADNESS- puberty, in

Mind- SADNESS- room, in warm

Mind- SADNESS- sighing- with

Mind- SADNESS- sleepiness, with

Mind- SADNESS- sleeplessness, with

Mind- SADNESS- waking- on or after

Mind- SADNESS- walking- agg.

Mind- SADNESS- walking- agg.- air, in open

Mind- SADNESS- walking- amel.

Mind- SADNESS- walking- amel.- air, in open

Mind- SADNESS- weakness- with

Mind- SADNESS- weather- damp, wet, in

Mind- SADNESS- weeping- amel.

Mind- SADNESS- weeping- impossible

Mind- SADNESS- weeping- with

Mind- SADNESS- work- aversion to, with

Mind- SADNESS- anxious

Mind- SADNESS- causeless

Mind- SADNESS- domestic affairs, about

Mind- SADNESS- family, for his

Mind- SADNESS- misfortune, as from

Mind- SADNESS- others, for

Mind- SELF-CONTROL

Mind- SELFLESSNESS

Mind- SENSES; acute

Mind- SENSES; confused

Mind- SENSES; dullness of, blunted

Mind- SENSES; dullness of, blunted- chill, during

Mind- SENSITIVE, oversensitive

Mind- SENSITIVE, oversensitive- impressions, to all external

Mind- SENSITIVE, oversensitive- noise, to

Mind- SENSITIVE, oversensitive- noise, to- voices

Mind- SENTIMENTAL

Mind- SERIOUSNESS, earnestness

Mind- SHAME

Mind- SHRIEKING, screaming, shouting

Mind- SHRIEKING, screaming, shouting- children, in

Mind- SHRIEKING, screaming, shouting- children, in; stool; before

Mind- SHRIEKING, screaming, shouting- fright, fear, with

Mind- SHRIEKING, screaming, shouting- pain, during

Mind- SHRIEKING, screaming, shouting- pain, during- back, in

Mind- SHRIEKING, screaming, shouting- pain, during- back, in- lumbar region, in

Mind- SHRIEKING, screaming, shouting- pain, during- heart, in

Mind- SHRIEKING, screaming, shouting- pain, during- limbs, in

Mind- SHRIEKING, screaming, shouting- sleep- during

Mind- SHRIEKING, screaming, shouting- sleep- during- jumping out of sleep and shrieks for help

Mind- SHRIEKING, screaming, shouting- stool- before

Mind- SHRIEKING, screaming, shouting- touch agg.

Mind- SHRIEKING, screaming, shouting- touch agg.- slightest, at, with pain

Mind- SHRIEKING, screaming, shouting- brain cry

Mind- SHRIEKING, screaming, shouting- help, for

Mind SHRIEKING, screaming, shouting- help, for- jumps up from bed

Mind- SHRIEKING, screaming, shouting- help, for- sleep, in

Mind- SHRIEKING, screaming, shouting- sudden, paroxysmal

Mind- SIGHING

Mind- SIGHING- fever, during

Mind- SIGHING- heat, during

Mind- SIGHING- perspiration, during

Mind- SIT, sitting- agg.

Mind- SIT, sitting- desires to

Mind- SIT, sitting- desires to- wrapped in deep, sad thoughts, as if, and notices nothing

Mind- SLEEP- before

Mind- SLEEP- falling asleep

Mind- SLEEP- during

Mind- SLEEP- after

Mind- SLEEPINESS, with

Mind- SLEEPLESSNESS, with

Mind- SLOWNESS

Mind- SOCIAL- position, concerned about

Mind- SPIT, desire to

Mind- SPIT, desire to- fever heat, during

Mind- SPOKEN to- being, agg.

Mind- SPOKEN to- aversion to being

Mind- STANDING- agg.

Mind- STARTING, startled

Mind- STARTING, startled- midnight- before, in sleep

Mind- STARTING, startled- fright or fear, after

Mind- STARTING, startled- noise, from

Mind- STARTING, startled- sleep- falling asleep, on

Mind- STARTING, startled- sleep- during

Mind- STARTING, startled- sleep; from

Mind- STARTING, startled- sudden, paroxysmal

Mind- STARTING, startled- sudden, paroxysmal- forenoon

Mind- STOMACH complaints, in

Mind- STOOL- before

Mind- STOOL- during

Mind- STOOL- after

Mind- STRIKING

Mind- STRIKING- oneself

Mind- STRIKING- oneself- knocking his head against things

Mind- STUPEFACTION, as if intoxicated

Mind- STUPEFACTION, as if intoxicated- morning- agg.

Mind- STUPEFACTION, as if intoxicated- chill; during

Mind- STUPEFACTION, as if intoxicated- heat, during

Mind- STUPEFACTION, as if intoxicated- injury, after

Mind- STUPEFACTION, as if intoxicated- injury, after- concussions

Mind- STUPEFACTION, as if intoxicated- perspiration- during

Mind- STUPEFACTION, as if intoxicated- restlessness, with

Mind- STUPEFACTION, as if intoxicated- rising- on

Mind- STUPEFACTION, as if intoxicated- rising- on- lying, from

Mind- STUPEFACTION, as if intoxicated- vertigo- during

Mind- STUPEFACTION, as if intoxicated- murmuring, muttering

Mind- SUDDEN manifestations

Mind- SUICIDAL disposition

Mind- SUICIDAL disposition; evening

Mind- SUICIDAL disposition- evening; twilight, at

Mind- SUICIDAL disposition- courage, but lacks

Mind- SUICIDAL disposition- fear, with- death, of

Mind- SUICIDAL disposition- fever heat, during

Mind- SUICIDAL disposition- fright, fear agg.

Mind- SUICIDAL disposition- perspiration, during

Mind- SUICIDAL disposition- drowning, by

Mind- SUICIDAL disposition- drowning, by- mania, in

Mind- SUICIDAL disposition- thoughts

Mind- SUPERSTITIOUS

Mind- SUSPICIOUSNESS, mistrustfulness

Mind- SUSPICIOUSNESS, mistrustfulness- sadness, with

Mind- SUSPICIOUSNESS, mistrustfulness- solitude, desire for

Mind- TACITURN, indisposed to talk

Mind- TALK, talking, talks- agg.

Mind- TALK, talking, talks- agg.; others, of

Mind- TALK, talking, talks- sleep; during

Mind- TALK, talking, talks- sneezing, prevented by

Mind- TALK, talking, talks- confused

Mind- TALK, talking, talks- hasty, hurried

Mind- TALK, talking, talks- incoherent

Mind- TALK, talking, talks- irrational

Mind- TALK, talking, talks- oneself, to

Mind- TALK, talking, talks- vivacious

Mind- TALK, talking, talks- wandering

Mind- THINKING- complaints, of- agg.

Mind- THINKING- disagreeable things, about, agg.

Mind- THINKING- aversion to

Mind- THOUGHTS- intrude and crowd around each other

Mind- THOUGHTS- persistent

Mind- THOUGHTS- persistent- disagreeable

Mind- THOUGHTS- persistent- disagreeable- midnight, after

Mind- THOUGHTS- persistent- disagreeable- unpleasant subjects, haunted by

Mind- THOUGHTS- persistent- frightful

Mind- THOUGHTS- persistent- past, of the

Mind- THOUGHTS- persistent- sad

Mind- THOUGHTS- persistent- tormenting

Mind- THOUGHTS- rapid, quick

Mind- THOUGHTS- rush, flow of

Mind- THOUGHTS- rush, flow of; evening

Mind- THOUGHTS- rush, flow of; evening; bed, in

Mind- THOUGHTS- rush, flow of; sleeplessness; with

Mind- THOUGHTS- stagnation of

Mind- THOUGHTS- thoughtful

Mind- THOUGHTS- vanishing, unable to think

Mind- THOUGHTS- vanishing, unable to think; evening

Mind- THOUGHTS- vanishing, unable to think; chill, during

Mind- THOUGHTS- vanishing, unable to think; eating; amel.

Mind- THOUGHTS- vanishing, unable to think; standing agg.

Mind- THOUGHTS- vanishing, unable to think; turning head, on

Mind- THOUGHTS- vanishing, unable to think; writing

Mind- THUNDERSTORM- during

Mind- TICS, nervous

Mind- TIMIDITY

Mind- TIMIDITY- night

Mind- TIMIDITY- bashful

Mind- TOSSING about

Mind- TOSSING about- evening

Mind- TOSSING about- evening- bed, in

Mind- TOSSING about- night

Mind- TOSSING about- midnight; after

Mind- TOSSING about- anxiety, with

Mind- TOSSING about- pain, from

Mind- TOSSING about- sleep- during

Mind- TOSSING about- sleep- during- dreaming, while

Mind- TRANQUILLITY, serenity, calmness

Mind- TRANQUILLITY, serenity, calmness- morning

Mind- TREMBLING, with

Mind- TRIFLES- ailments from, agg.

Mind- TURNING agg.

Mind- TURNING agg.- head

Mind- UNCONSCIOUSNESS, coma

Mind- UNCONSCIOUSNESS, coma- chill- during

Mind- UNCONSCIOUSNESS, coma- cough- during

Mind- UNCONSCIOUSNESS, coma- fever, during

Mind- UNCONSCIOUSNESS, coma- fever, during- quotidian

Mind- UNCONSCIOUSNESS, coma- headache- with

Mind- UNCONSCIOUSNESS, coma- headache- with- motion, on

Mind- UNCONSCIOUSNESS, coma- heat, during

Mind- UNCONSCIOUSNESS, coma- meningitis, in

Mind- UNCONSCIOUSNESS, coma- motion- agg.

Mind- UNCONSCIOUSNESS, coma- motion- agg.- head, of

Mind- UNCONSCIOUSNESS, coma- murmuring, with

Mind- UNCONSCIOUSNESS, coma- perspiration, during

Mind- UNCONSCIOUSNESS, coma- standing agg.

Mind- UNCONSCIOUSNESS, coma- tingling in head, with pain in limbs, motion- amel.

Mind- UNCONSCIOUSNESS, coma- turning head agg.

Mind- UNCONSCIOUSNESS, coma- vertigo- during

Mind- UNCONSCIOUSNESS, coma- transient

Mind- UNFORTUNATE, feels

Mind- VERTIGO agg.

Mind- VIOLENCE, vehemence

Mind- VIVACIOUSNES

Mind- VIVACIOUSNESS- night

Mind- WAKING- on

Mind- WAKING- after

Mind- WALK, walking- while

Mind- WALK, walking- while- air, in open

Mind- WALK, walking- amel.

Mind- WALK, walking- amel.- air, in open

Mind- WALK, walking- must

Mind- WALK, walking- must- pains, from

Mind- WARMTH- agg.

Mind- WEAKNESS- with

Mind- WEARY

Mind- WEARY of life

Mind- WEARY of life- evening

Mind- WEARY of life- fear of death, with

Mind- WEARY of life- fright, fear agg.

Mind- WEARY of life- heat, during

Mind- WEARY of life- perspiration, during

Mind- WEARY of life- anxious

Mind- WEATHER- damp, wet, in

Mind- WEEPING, tearful mood

Mind- WEEPING, tearful mood- morning

Mind- WEEPING, tearful mood- evening- agg.

Mind- WEEPING, tearful mood- evening- agg.- solitude, desire for

Mind- WEEPING, tearful mood- night

Mind- WEEPING, tearful mood- amel.

Mind- WEEPING, tearful mood- chest complaints, about

Mind- WEEPING, tearful mood- pains- with

Mind- WEEPING, tearful mood- pains- with- abdomen, in

Mind- WEEPING, tearful mood- pains- with- chest, in

Mind- WEEPING, tearful mood- perspiration, during

Mind- WEEPING, tearful mood- respiration, with difficult

Mind- WEEPING, tearful mood- sleep- during

Mind- WEEPING, tearful mood- stool- before

Mind- WEEPING, tearful mood- stool- during

Mind- WEEPING, tearful mood- walking in open air- amel.

Mind- WEEPING, tearful mood- aloud

Mind- WEEPING, tearful mood- aloud- sleep, in

Mind- WEEPING, tearful mood- causeless

Mind- WEEPING, tearful mood- constant

Mind- WEEPING, tearful mood- easily

Mind- WEEPING, tearful mood- impossible, cannot weep

Mind- WEEPING, tearful mood- involuntary

Mind- WEEPING, tearful mood- involuntary- weeping, without actual

Mind- WELL; feels very

Mind- WHIMPERING

Mind- WHIMPERING- chill, during

Mind- WHIMPERING- heat, during

Mind- WHIMPERING- perspiration, during

Mind- WORK- agg.

Mind- WORK- agg.- mental

Mind- WORK- impossible

Mind- WORK- mental- aversion to

Mind- WORK- mental- aversion to- reading, in

Mind- WORK- mental- desire for

Mind- WRITING-

Mind- WRITING- difficulties in

Appendix B

General and mental symptoms of Anacardium Orientale with corresponding rubrics & sub rubrics

Generalities- ALTERNATING states

Generalities- ALTERNATING sides

Generalities- CROSSWISE

Generalities- CROSSWISE- left upper and right lower

Generalities- LEFT

Generalities- LEFT- right, then

Generalities- ONE-SIDED

Generalities- RIGHT

Generalities- RIGHT- left, then

Generalities- DAYTIME- agg.

Generalities- DAYTIME- amel.

Generalities- MORNING, five am. - nine am.- agg.

Generalities- MORNING, five am. - nine am.- agg.- rising; on

Generalities- MORNING, five am. - nine am.- agg.- rising; after

Generalities- MORNING, five am. - nine am.- agg.- waking, on

Generalities- MORNING, five am. - nine am.- amel.

Generalities- MORNING, five am. - nine am.- amel.- rising, on or after

Generalities- FORENOON, nine am. – noon- agg.

Generalities- FORENOON, nine am. – noon- agg.- ten am.

Generalities- NOON, twelve am., around- agg.

Generalities- AFTERNOON, one pm. - six pm.- agg.

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.- seven pm., until

Generalities- AFTERNOON, one pm. - six pm.- amel.

Generalities- EVENING, six pm. - nine pm.- agg.

Generalities- EVENING, six pm. - nine pm.- agg.- six pm.

Generalities- EVENING, six pm. - nine pm.- agg.- six pm. midnight, until

Generalities- EVENING, six pm. - nine pm.- agg.- midnight, until

Generalities- EVENING, six pm. - nine pm.- agg.- bed, in

Generalities- EVENING, six pm. - nine pm.- agg.- eating, after- agg.

Generalities- EVENING, six pm. - nine pm.- amel.

Generalities- EVENING, six pm. - nine pm.- amel.- bed, in

Generalities- NIGHT, nine pm. - five am.- agg.

Generalities- NIGHT, nine pm. - five am.- agg.- nine pm.

Generalities- NIGHT, nine pm. - five am.- agg.- nine pm.- ten pm., until

Generalities- NIGHT, nine pm. - five am.- agg.- ten pm.

Generalities- NIGHT, nine pm. - five am.- agg.- bed, in

Generalities- NIGHT, nine pm. - five am.- agg.- waking, on

Generalities- NIGHT, nine pm. - five am.- amel.

Generalities- MIDNIGHT- before

Generalities- MIDNIGHT- about

Generalities- MIDNIGHT- about- two am., until

Generalities- MIDNIGHT- after

Generalities- MIDNIGHT- after- two am.

Generalities- MIDNIGHT- after- four am.- about

Generalities- MIDNIGHT- amel. after

Generalities- SPRING- agg.

Generalities- SUMMER- agg.

Generalities- AUTUMN- agg.

Generalities- AUTUMN and spring agg.

Generalities- PERIODICAL

Generalities- PERIODICAL- every- fourth day

Generalities- PERIODICAL- every- other- day

Generalities- PERIODICAL- every- third day

Generalities- PERIODICAL- half hour, every

Generalities- EXTENDING- backward

Generalities- EXTENDING- downward

Generalities- EXTENDING- forward

Generalities- EXTENDING- outward

Generalities- INTERNAL

Generalities- EXTERNAL

Generalities- PARTS, single

Generalities- SPOTS

Generalities- BONES

Generalities- BONES- condyles

Generalities- BONES- long bones

Generalities- CARTILAGES

Generalities- GLANDS, liver, spleen etc.

Generalities- GLANDS, liver, spleen etc.- hormonal

Generalities- GLANDS, liver, spleen etc.- lymphatic tissue

Generalities- GLANDS, liver, spleen etc.- secretory glands

Generalities- JOINTS

Generalities- JOINTS- small joints

Generalities- JOINTS- ligaments

Generalities- MUCOUS membranes

Generalities- MUSCLES

Generalities- NERVES

Generalities- NERVES- syphilitic complaints, in

Generalities- ORIFICES

Generalities- SPHINCTERS

Generalities- TENDONS

Generalities- ABSCESSSES, suppurations

Generalities- ABSCESSSES, suppurations- incipient

Generalities- ABSCESSSES, suppurations- pus- acrid, corrosive, excoriating

Generalities- ABSCESSSES, suppurations- pus- brown

Generalities- ABSCESSSES, suppurations- pus- yellow

Generalities- AIR- cold- agg.

Generalities- AIR- cold- amel.

Generalities- AIR- indoor air- agg.

Generalities- AIR- indoor air- amel.

Generalities- AIR- open- agg.

Generalities- AIR- open- agg.- warm

Generalities- AIR- open- amel.

Generalities- AIR- open- aversion to

Generalities- AIR- open- desires

Generalities- AIR- open- desires- draft of air agg., but

Generalities- AIR- warm- agg.

Generalities- AIR- warm- amel.

Generalities- ALIVE sensation, internally

Generalities- ANESTHESIA, insensibility

Generalities- ANESTHESIA, insensibility- alternating with hypersensitiveness

Generalities- ANESTHESIA, insensibility- parts- affected

Generalities- ANESTHESIA, insensibility- parts- single

Generalities- ANXIETY, general physical

Generalities- APPLICATIONS- cold- amel.

Generalities- APPLICATIONS- warm- agg.

Generalities- APPLICATIONS- warm- amel.

Generalities- APPLICATIONS- wet- amel.

Generalities- APPLICATIONS- wet- amel.- cold

Generalities- APPLICATIONS- wet- amel.- warm

Generalities- ASCENDING- agg.

Generalities- ASCENDING- agg.- stairs

Generalities- ATROPHY

Generalities- ATROPHY- glands, liver, spleen etc.

Generalities- BALL sensation, internally

Generalities- BALL sensation, internally- hoop, or

Generalities- BATHING, washing- amel.

Generalities- BATHING, washing- amel.- warm

Generalities- BATHING, washing- amel.- warm- hot

Generalities- BED- going to

Generalities- BED- in

Generalities- BENDING- agg.

Generalities- BENDING- agg.- backward

Generalities- BENDING- agg.- backward- head

Generalities- BENDING- agg.- bed, in

Generalities- BENDING- agg.- double

Generalities- BENDING- agg.- parts affected

Generalities- BENDING- amel.- forward, double

Generalities- BENDING- amel.- part affected

Generalities- BITING, chewing- agg.

Generalities- BITING, chewing- agg.- teeth together

Generalities- BLOWING nose- agg.

Generalities- BOILING sensation

Generalities- BORING in ear or nose amel.

Generalities- BREAKFAST- before

Generalities- BREAKFAST- after

Generalities- BREAKFAST- amel. after

Generalities- BREATHING- agg.

Generalities- CHANGE- complaints, of, constant

Generalities- CHILDREN, complaints in

Generalities- CHILL- during

Generalities- CHRONIC diseases, chronicity

Generalities- CLIMACTERIC period agg.

Generalities- COITION- during

Generalities- COITION- after

Generalities- COLD- agg.

Generalities- COLD- amel.

Generalities- COLD- taking, becoming

Generalities- COLD- taking, becoming- easily

Generalities- COLDNESS, lack of vital heat

Generalities- COLDNESS, lack of vital heat- one-sided

Generalities- COLDNESS, lack of vital heat- morning

Generalities- COLDNESS, lack of vital heat- night

Generalities- COLDNESS, lack of vital heat- air, in open

Generalities- COLDNESS, lack of vital heat- pain, during

Generalities- COLDNESS, lack of vital heat- parts- single

Generalities- COLDNESS, lack of vital heat- internal

Generalities- COLDNESS, lack of vital heat- external

Generalities- COLDNESS, lack of vital heat- icy

Generalities- COLDNESS, lack of vital heat- icy- headache, with

Generalities- COLDNESS, lack of vital heat- water, as of cold

Generalities- COMPLAINTS- agg., slight

Generalities- COMPLAINTS- group- recur

Generalities- COMPLEXION, color of eyes, face, hair- dark, brunette

Generalities- COMPLEXION, color of eyes, face, hair- dark, brunette- rigid fiber, with

Generalities- CONCUSSION- agg., ailments from

Generalities- CONGENITAL diseases

Generalities- CONSTITUTION- bilious

Generalities- CONSTITUTION- choleric

Generalities- CONSTITUTION- phlegmatic

Generalities- CONSTRICTION

Generalities- CONSTRICTION- internal

Generalities- CONstriction- internal- glands, liver, spleen etc.

Generalities- CONstriction- external

Generalities- CONstriction- bones

Generalities- CONstriction- joints

Generalities- CONstriction- muscles

Generalities- CONstriction- band sensation

Generalities- CONstriction- band sensation- iron band

Generalities- CONTRACTING facial muscles agg.

Generalities- CONTRACTIONS, strictures, stenoses

Generalities- CONTRACTIONS, strictures, stenoses- convulsive, spasmodic

Generalities- CONTRADICTORY and alternating states

Generalities- CONVALESCENCE, during

Generalities- CONVALESCENCE, during- fever, after

Generalities- CONVALESCENCE, during- meningitis, after

Generalities- CONVULSIONS, spasms

Generalities- CONVULSIONS, spasms- internal

Generalities- CONVULSIONS, spasms- upper

Generalities- CONVULSIONS, spasms- clonic

Generalities- CONVULSIONS, spasms- epileptic

Generalities- COUGH- during

Generalities- COUGH- after

Generalities- CRACKING- joints

Generalities- CRACKS, fissures, orifices

Generalities- CRAMPS

Generalities- CRAMPS- joints

Generalities- CRAMPS- muscles

Generalities- CROOKED, irregular, deformed bones

Generalities- CROWDED places agg.

Generalities- CURVING of body

Generalities- DANCING- agg.

Generalities- DARKNESS- amel.

Generalities- DEBAUCHERY agg.

Generalities- DECAY in old people

Generalities- DELIVERY, parturition- after, puerperal

Generalities- DESCENDING- agg.

Generalities- DESCENDING- agg.- stairs

Generalities- DESCENDING- amel.

Generalities- DILATED sensation, internal

Generalities- DINNER- agg.

Generalities- DINNER- amel.

Generalities- DIPHTHERIA, after

Generalities- DISCHARGES, secretions- amel.

Generalities- DISCHARGES, secretions- acid, sour

Generalities- DISCHARGES, secretions- acrid, corrosive, excoriating

Generalities- DISCHARGES, secretions- bitter taste

Generalities- DISCHARGES, secretions- bloody

Generalities- DISCHARGES, secretions- bloody- streaks

Generalities- DISCHARGES, secretions- briny, fishy odor

Generalities- DISCHARGES, secretions- brownish

Generalities- DISCHARGES, secretions- exhausting

Generalities- DISCHARGES, secretions- gray

Generalities- DISCHARGES, secretions- green

Generalities- DISCHARGES, secretions- hot

Generalities- DISCHARGES, secretions- mucopurulent

Generalities- DISCHARGES, secretions- offensive, fetid

Generalities- DISCHARGES, secretions- profuse, increased

Generalities- DISCHARGES, secretions- purulent

Generalities- DISCHARGES, secretions- reddening parts

Generalities- DISCHARGES, secretions- salty taste

Generalities- DISCHARGES, secretions- scanty, diminished

Generalities- DISCHARGES, secretions- stringy, ropy

Generalities- DISCHARGES, secretions- suppressed

Generalities- DISCHARGES, secretions- sweetish taste

Generalities- DISCHARGES, secretions- tenacious, difficult to detach

Generalities- DISCHARGES, secretions- thick

Generalities- DISCHARGES, secretions- thin, liquid

Generalities- DISCHARGES, secretions- white

Generalities- DISCHARGES, secretions- yellow

Generalities- DISTORTIONS

Generalities- DISTORTIONS- bones

Generalities- DISTORTIONS- joints

Generalities- DRAFT of air- agg.

Generalities- DRAFT of air- aversion to

Generalities- DRAWING- up limb, flexing; agg.

Generalities- DRAWING- up limb, flexing; amel.

Generalities- DRINKING- while

Generalities- DRINKING- while- rapid, hasty

Generalities- DRINKING- after

Generalities- DRINKING- amel.

Generalities- DRUNKARDS, ailments of

Generalities- DRYNESS

Generalities- DRYNESS- joints

Generalities- DRYNESS- internal, parts usually moist

Generalities- DUST- agg., foreign bodies

Generalities- EATING- before

Generalities- EATING- during

Generalities- EATING- during- fast

Generalities- EATING- after

Generalities- EATING- after- drinking, and

Generalities- EATING- after- long after eating

Generalities- EATING- after- overeating

Generalities- EATING- amel.

Generalities- EATING- amel.- small quantities

Generalities- EMACIATION

Generalities- EMACIATION- old people

Generalities- EMACIATION- upper

Generalities- EMISSIONS, pollutions, seminal- agg.

Generalities- EMPTINESS, hollow sensation

Generalities- EMPTINESS, hollow sensation- eating- after

Generalities- EMPTINESS, hollow sensation- internal

Generalities- ERUCTATIONS- agg.

Generalities- ERUPTIONS- mucous membranes

Generalities- EXERCISE, exertion- agg.

Generalities- EXERCISE, exertion- agg.- eyes, of

Generalities- EXERCISE, exertion- agg.- slight

Generalities- EXPIRATION- agg.

Generalities- EXPIRATION- amel.

Generalities- FAINTNESS, fainting

Generalities- FAINTNESS, fainting- afternoon

Generalities- FAINTNESS, fainting- ascending agg.

Generalities- FAINTNESS, fainting- ascending agg.- stairs

Generalities- FAINTNESS, fainting- eating- after

Generalities- FAINTNESS, fainting- walking- while

Generalities- FAINTNESS, fainting- walking- amel.- continuing

Generalities- FALLING- easily

Generalities- FALLING out, hair

Generalities- FASTING, hunger- agg.

Generalities- FASTING, hunger- amel.

Generalities- FEVER- during

Generalities- FEVER- after

Generalities- FEVER- between, apyrexia

Generalities- FLATUS- agg.

Generalities- FLATUS- amel.

Generalities- FLUTTERING sensation

Generalities- FOOD and drinks- alcohol, alcoholic drinks- agg.

Generalities- FOOD and drinks- alcohol, alcoholic drinks- amel.

Generalities- FOOD and drinks- coffee- agg.

Generalities- FOOD and drinks- coffee- amel.

Generalities- FOOD and drinks- cold- drinks- agg.

Generalities- FOOD and drinks- cold- drinks- amel.

Generalities- FOOD and drinks- cold- food- amel.

Generalities- FOOD and drinks- cooked food- aversion

Generalities- FOOD and drinks- diet- errors in, agg.

Generalities- FOOD and drinks- food in general- aversion to

Generalities- FOOD and drinks- food in general- aversion to- chill, during

Generalities- FOOD and drinks- food in general- aversion to- fever- during

Generalities- FOOD and drinks- food in general- aversion to- fever- during- heat

Generalities- FOOD and drinks- milk, milk products- desires

Generalities- FOOD and drinks- salt or salty food- desires

Generalities- FOOD and drinks- soup- agg.

Generalities- FOOD and drinks- stimulants- amel.

Generalities- FOOD and drinks- sweets- aversion

Generalities- FOOD and drinks- warm- drinks- agg.

Generalities- FOOD and drinks- warm- food, cooked food- agg.

Generalities- FOOD and drinks- water- agg.

Generalities- FOOD and drinks- water- amel.

Generalities- FOOD and drinks- whisky- amel.

Generalities- FORCING, urging

Generalities- FOREIGN bodies, as of

Generalities- FORMICATION, crawling

Generalities- FORMICATION, crawling- external

Generalities- FROZEN, from being

Generalities- FULLNESS

Generalities- FULLNESS- internal

Generalities- FULLNESS- internal- piano playing, from

Generalities- GAIT reeling, staggering, tottering and wavering

Generalities- GAIT reeling, staggering, tottering and wavering- standing agg.

Generalities- GONORRHEA, sycosis

Generalities- GRASPING objects- agg.

Generalities- GRASPING objects- amel.

Generalities- GURGLING, clucking, internal

Generalities- HAIR sensation

Generalities- HANGING down limbs- amel.

Generalities- HARDNESS

Generalities- HEART complaints, in

Generalities- HEAT

Generalities- HEAT- during

Generalities- HEAT- headache, during

Generalities-HEAT- respiration, with difficult

Generalities- HEAT- flushes of

Generalities- HEAT- flushes of- afternoon

Generalities- HEAT- flushes of- upper body only

Generalities- HEATED, warmed, hot, becoming- agg.

Generalities- HEATED, warmed, hot, becoming- agg.- walking, while

Generalities- HEATED, warmed, hot, becoming- agg.- walking, while- air, in open

Generalities- HEAVINESS

Generalities- HEAVINESS- left

Generalities- HEAVINESS- right

Generalities- HEAVINESS- morning

Generalities- HEAVINESS- morning- rising- agg.

Generalities- HEAVINESS- afternoon

Generalities- HEAVINESS- afternoon- four pm.

Generalities- HEAVINESS- sitting- while

Generalities- HEAVINESS- internal

Generalities- HEAVINESS- internal- afternoon

Generalities- HEAVINESS- internal- afternoon- four pm.

Generalities- HEAVINESS- internal- eating- during

Generalities- HEAVINESS- internal- eating- after

Generalities- HEAVINESS- internal- piano playing, from

Generalities- HEAVINESS- external

Generalities- HEAVINESS- bones

Generalities- HEMORRHAGE, uterine- agg.

Generalities- HEMORRHOIDS, after disappearance or suppression of bleeding

Generalities- HYPERTROPHY, enlargement

Generalities- IMMOBILITY of affected parts

Generalities- INFECTIOUS diseases, after

Generalities- INFLAMMATION

Generalities- INFLAMMATION- internal

Generalities- INFLAMMATION- external

Generalities- INFLAMMATION- joints, arthritis

Generalities- INFLAMMATION- mucous membranes

Generalities- INFLAMMATION- tendons, tendinitis

Generalities- INFLAMMATION- catarrhal

Generalities- INFLUENZA; after

Generalities- INJURIES, blows, falls and bruises

Generalities- INJURIES, blows, falls and bruises- tendons, ligaments

Generalities- INJURIES, blows, falls and bruises- dislocation, luxation

Generalities- INJURIES, blows, falls and bruises- rupture of- tendons

Generalities- INJURIES, blows, falls and bruises- sprains, distortions

Generalities- INSPIRATION- agg.

Generalities- INSPIRATION- agg.- deep

Generalities- INSPIRATION- amel.

Generalities- INTOXICATED feeling

Generalities- INTOXICATED feeling- morning

Generalities- INTOXICATED feeling- sleep, after

Generalities- INTOXICATION, after

Generalities- INTOXICATION, after- rhus species

Generalities- IRRITABILIT- lack of physical

Generalities- IRRITABILITY- physical, excessive

Generalities- ITCHING, tickling

Generalities- ITCHING, tickling- internal

Generalities- ITCHING, tickling- back part, posterior

Generalities- ITCHING, tickling- glands, liver, spleen etc.

Generalities- ITCHING, tickling- mucous membranes

Generalities- JAR, stepping- agg.

Generalities- JAR, stepping- agg.- false step, misstep

Generalities- JAR, stepping- agg.- stepping hard

Generalities- JERKING

Generalities- JERKING- night

Generalities- JERKING- lying agg.

Generalities- JERKING- motion agg.

Generalities- JERKING- pain, with

Generalities- JERKING- sleep- falling asleep, on

Generalities- JERKING- sleep- during

Generalities- JERKING- internal

Generalities- JERKING- external

Generalities- JERKING- lower parts

Generalities- JERKING- bones

Generalities- JERKING- joints

Generalities- JERKING- muscles

Generalities- KNOTTED sensation internally

Generalities- LAMENESS

Generalities- LAMENESS- walking- during

Generalities- LAMENESS- walking- after

Generalities- LAMENESS- external

Generalities- LAMENESS- lower part

Generalities- LASSITUDE

Generalities- LEANING- against anything- amel.

Generalities- LEANING- against anything- amel.- head

Generalities- LEUCORRHEA- during

Generalities- LIE down- inclination to

Generalities- LIE down- inclination to- headache, during

Generalities- LIFTING, overlifting, straining of muscles and tendons- agg.

Generalities- LIGHT- agg.

Generalities- LIGHT- agg.- artificial light, candlelight, lamplight

Generalities- LIGHT- agg.- bright

Generalities- LIGHT- amel.

Generalities- LIGHT- amel.- bright

Generalities- LIGHT- amel.- sunlight

Generalities- LOOKING- agg.- fixedly, intently

Generalities- LOSS of animal fluids- agg.

Generalities- LUMP sensation

Generalities- LUMP sensation- internal

Generalities- LUMP sensation- external

Generalities- LYING- during

Generalities- LYING- during- bed, in

Generalities- LYING- during- side, on

Generalities- LYING- during; side, on- left

Generalities- LYING- during- side, on- painful, affected

Generalities- LYING- during- side, on- right

Generalities- LYING- amel.

Generalities- LYING- amel.- during

Generalities- LYING- amel.- during- back, on

Generalities- LYING- amel.- during- bed, in

Generalities- LYING- amel.- during- side, on

Generalities- LYING- amel.- during- side, on- left

Generalities- LYING- amel.- during- side, on- painful, affected

Generalities- LYING- amel. during- side, on- painless

Generalities- LYING- amel.- during- side, on- right

Generalities- LYING- amel.- after

Generalities- LYING- down

Generalities- MASTURBATION, ailments from

Generalities- MENSES- during

Generalities- MENSES- amel.- before

Generalities- MENSES; amel.- during

Generalities- MENSES; suppressed, from

Generalities- MENTAL exertion- agg.

Generalities- METASTASIS

Generalities- METASTASIS- gouty, rheumatic

Generalities- MOTION, motions- beginning of, at

Generalities- MOTION, motions- during agg.

Generalities- MOTION, motions- during agg.- air- open, agg.

Generalities- MOTION, motions- during agg.- arms, of

Generalities- MOTION, motions- during agg.- downward

Generalities- MOTION, motions- during agg.- eyes, of

Generalities- MOTION, motions- during agg.- head, of

Generalities- MOTION, motions- during agg.- part- affected

Generalities- MOTION, motions- during agg.- slightest

Generalities- MOTION, motions- after

Generalities- MOTION, motions- amel.

Generalities- MOTION, motions- amel.- continued

Generalities- MOTION, motions- automatic

Generalities- MOTION, motions- aversion to

Generalities- MOTION, motions- difficult

Generalities- MOTION, motions- sensation of

Generalities- MUSIC- agg.

Generalities- MUSIC- agg.- piano playing, from

Generalities- NOISE- agg.

Generalities- NUMBNESS, insensibility

Generalities- NUMBNESS, insensibility- left

Generalities- NUMBNESS, insensibility- right

Generalities- NUMBNESS, insensibility- rest, during

Generalities- NUMBNESS, insensibility- parts- affected

Generalities- NUMBNESS, insensibility- parts- single

Generalities- NUMBNESS, insensibility- external

Generalities- NUMBNESS, insensibility- external- left

Generalities- NUMBNESS, insensibility- external- right

Generalities- NUMBNESS, insensibility- external- motion amel.

Generalities- NUMBNESS, insensibility- glands, liver, spleen etc.

Generalities- ODORS, strong, agg.

Generalities- OLD people, in

Generalities- OLD people, in- men

Generalities- PAIN

Generalities- PAIN- left

Generalities- PAIN- one-sided

Generalities- PAIN- right

Generalities- PAIN- right- left, to

Generalities- PAIN- daytime

Generalities- PAIN- morning

Generalities- PAIN- morning- bed, in

Generalities- PAIN- morning- rising- on or after

Generalities- PAIN- morning- rising- amel.

Generalities- PAIN- morning- waking- on or after

Generalities- PAIN- forenoon

Generalities- PAIN- afternoon

Generalities- PAIN- evening- agg.

Generalities- PAIN- evening- agg.- air, in open

Generalities- PAIN- evening- agg.- bed, in

Generalities- PAIN- evening- agg.- sitting

Generalities- PAIN- night- agg.

Generalities- PAIN- midnight- before

Generalities- PAIN- periodical

Generalities- PAIN- agg.

Generalities- PAIN- air- open- amel.

Generalities- PAIN- air- open- agg.

Generalities- PAIN- anger, vexation agg.

Generalities- PAIN- ascending stairs agg.

Generalities- PAIN- bed- agg.

Generalities- PAIN breathing agg.

Generalities- PAIN- chill, during

Generalities- PAIN- chilliness, during

Generalities- PAIN- descending stairs agg.

Generalities- PAIN- draft of air agg.

Generalities- PAIN- eating- while

Generalities- PAIN- eating- after

Generalities- PAIN- eating- amel.

Generalities- PAIN- excitement, emotional, agg.

Generalities- PAIN- exercise- agg.

Generalities- PAIN- fever, during

Generalities- PAIN- headache, durin

Generalities- PAIN- hunger, fasting agg.

Generalities- PAIN- inspiration, deep, agg.

Generalities- PAIN- jar, stepping agg.

Generalities- PAIN- lying- agg.

Generalities- PAIN- lying- agg.- part, on

Generalities- PAIN- lying- agg.- side, on affected, painful

Generalities- PAIN- lying- amel.

Generalities- PAIN- lying- amel.- side, on affected, painful

Generalities- PAIN- menses- during

Generalities- PAIN- mental exertion agg.

Generalities- PAIN- motion- agg.

Generalities- PAIN- motion- agg.- beginning to

Generalities- PAIN- motion- amel.

Generalities- PAIN- noise agg.

Generalities- PAIN- perspiration- during

Generalities- PAIN- pressure- agg.

Generalities- PAIN- pressure- amel.

Generalities- PAIN- pressure- amel.- hard

Generalities- PAIN- rest- amel.

Generalities- PAIN- rising- agg.

Generalities- PAIN- rising- agg.- lying, from

Generalities- PAIN- rising- agg.- sitting, from

Generalities- PAIN- rising- amel.

Generalities- PAIN- rub, rubbing, massage- amel.

Generalities- PAIN- scratching- agg.

Generalities- PAIN- sit, sitting- agg.

Generalities- PAIN- sit, sitting- agg.- bent

Generalities- PAIN- sleep- after

Generalities- PAIN- sleep- amel.

Generalities- PAIN- standing- agg.

Generalities- PAIN- stool- before

Generalities- PAIN- stool- during

Generalities- PAIN- stool- during- diarrhea

Generalities- PAIN- stool- after

Generalities- PAIN- stool- amel.

Generalities- PAIN- stooping- agg.

Generalities- PAIN- stooping- amel.

Generalities- PAIN- stretching- agg.

Generalities- PAIN- stretching- amel.

Generalities- PAIN- swallowing- agg.

Generalities- PAIN- talking agg.

Generalities- PAIN- tobacco, after

Generalities- PAIN- touch- agg.

Generalities- PAIN- touch- amel.

Generalities- PAIN- urination- agg.

Generalities- PAIN- vertigo, durin

Generalities- PAIN- vomiting- during

Generalities- PAIN- waking- agg.

Generalities- PAIN- walking- agg.

Generalities- PAIN- walking- agg.- after

Generalities- PAIN- walking- agg.- air, in open

Generalities- PAIN- warmth- agg.

Generalities- PAIN- weakness, with

Generalities- PAIN- weather- windy, stormy- during

Generalities- PAIN- extending- back, to

Generalities- PAIN- extending- backward

Generalities- PAIN- extending- crosswise

Generalities- PAIN- extending- downward

Generalities- PAIN- extending- forward

Generalities- PAIN- extending- inward

Generalities- PAIN- extending- outward

Generalities- PAIN- extending- toes, to

Generalities- PAIN- extending- upward

Generalities- PAIN- deep seated

Generalities- PAIN- parts- affected

Generalities- PAIN- parts- affected- external

Generalities- PAIN- internal

Generalities- PAIN- internal- night

Generalities- PAIN- internal- extending outward

Generalities- PAIN- external

Generalities- PAIN- external- left

Generalities- PAIN- external- right

Generalities- PAIN- external- forenoon

Generalities- PAIN- external- perspiration, during

Generalities- PAIN- upper

Generalities- PAIN- upper- morning, rising amel.

Generalities- PAIN- upper- external, left

Generalities- PAIN- lower

Generalities- PAIN- bones

Generalities- PAIN- bones- left

Generalities- PAIN- bones- right

Generalities- PAIN- bones- morning

Generalities- PAIN- bones- morning- bed, in

Generalities- PAIN- bones- morning- rising- amel.

Generalities- PAIN- bones- night

Generalities- PAIN- bones- bed, in

Generalities- PAIN- bones- sitting agg.

Generalities- PAIN- bones- touch agg.

Generalities- PAIN- bones- walking; agg.

Generalities- PAIN- bones- condyles

Generalities- PAIN- bones- long bones

Generalities- PAIN- bones- long bones- walking, while

Generalities- PAIN- glands, liver, spleen etc.

Generalities- PAIN- glands, liver, spleen etc.- left

Generalities- PAIN;- glands, liver, spleen etc.- right

Generalities- PAIN- joints, articulations

Generalities- PAIN- joints, articulations- morning, on waking

Generalities- PAIN- joints, articulations- lying- agg.

Generalities- PAIN- joints, articulations- motion- agg.

Generalities- PAIN- joints, articulations- waking- agg.

Generalities- PAIN- joints, articulations- walking agg.

Generalities- PAIN- joints, articulations- large

Generalities- PAIN- mucous membranes

Generalities- PAIN- muscles

Generalities- PAIN- orifices

Generalities- PAIN- tendons

Generalities- PAIN- benumbing

Generalities- PAIN- biting

Generalities- PAIN- blow, as after

Generalities- PAIN- boring, grinding, grating

Generalities- PAIN- boring, grinding, grating; bones

Generalities- PAIN- burning, smarting

Generalities- PAIN- burning, smarting- night

Generalities- PAIN- burning, smarting- scratching, on

Generalities- PAIN- burning, smarting- internal

Generalities- PAIN- burning, smarting- external

Generalities- PAIN- burning, smarting- upper

Generalities- PAIN- burning, smarting- lower

Generalities- PAIN- burning, smarting- bones

Generalities- PAIN- burning, smarting- glands, liver, spleen etc.

Generalities- PAIN- burning, smarting- joints, articulations

Generalities- PAIN- burning, smarting- mucous membranes

Generalities- PAIN- burning, smarting- orifices

Generalities- PAIN- burning, smarting- pepper, as from

Generalities- PAIN- burnt, scalded

Generalities- PAIN- bursting, splitting, driven asunder

Generalities- PAIN- chronic

Generalities- PAIN- convulsive, spasmodic

Generalities- PAIN- corrosive, gnawing

Generalities- PAIN- corrosive, gnawing- internal

Generalities- PAIN- cramping

Generalities- PAIN- cramping- internal

Generalities- PAIN- cramping- external

Generalities- PAIN- cramping- joints, articulations

Generalities- PAIN- cramping- muscles

Generalities- PAIN- crushed, as if

Generalities- PAIN- crushed, as if- internal

Generalities- PAIN- cutting

Generalities- PAIN- cutting- internal

Generalities- PAIN- cutting- external

Generalities- PAIN- cutting- bones

Generalities- PAIN- cutting- bones- long

Generalities- PAIN- dislocated, as if

Generalities- PAIN- dislocated, as if- internal

Generalities- PAIN- dislocated, as if- external

Generalities- PAIN- dislocated, as if- joints

Generalities- PAIN- drawing

Generalities- PAIN- drawing- left

Generalities- PAIN- drawing- right

Generalities- PAIN- drawing- morning

Generalities- PAIN- drawing- forenoon

Generalities- PAIN- drawing- evening

Generalities- PAIN- drawing- night

Generalities- PAIN- drawing- sitting, while

Generalities- PAIN- drawing- standing agg.

Generalities- PAIN- drawing- stretch limbs, must, amel.

Generalities- PAIN- drawing- walking- agg.

Generalities- PAIN- drawing- walking; agg.- air, in open

Generalities- PAIN- drawing- extending- upward

Generalities- PAIN- drawing- external

Generalities- PAIN- drawing- internal

Generalities- PAIN- drawing- bones

Generalities- PAIN- drawing- joints, articulations

Generalities- PAIN- drawing- muscles

Generalities- PAIN- drawing- cramping

Generalities- PAIN- drawing- rheumatic

Generalities- PAIN- dull

Generalities- PAIN dull- glands

Generalities- PAIN- electric, like

Generalities- PAIN- excoriating

Generalities- PAIN- gouty

Generalities- PAIN- gripping, grasping, clawing

Generalities- PAIN- intermittent

Generalities- PAIN- jerking

Generalities- PAIN- jerking- internal

Generalities- PAIN- jerking- external

Generalities- PAIN- jerking- bones

Generalities- PAIN- jerking- joints, articulations

Generalities- PAIN- lancinating

Generalities- PAIN- nail, as from a

Generalities- PAIN- neuralgic

Generalities- PAIN- neuralgic- plug, as from a

Generalities- PAIN- paralytic

Generalities- PAIN- paralytic- joints, articulations

Generalities- PAIN- piercing

Generalities- PAIN- pinching

Generalities- PAIN- pinching- internal

Generalities- PAIN- pinching- external

Generalities- PAIN- pinching; together

Generalities- PAIN- pressing

Generalities- PAIN- pressing- left

Generalities- PAIN- pressing- right

Generalities- PAIN- pressing- night

Generalities- PAIN- pressing- stool- during

Generalities- PAIN- pressing- walking, while

Generalities- PAIN- pressing- extending- inward

Generalities- PAIN- pressing- extending- outward

Generalities- PAIN- pressing- internal

Generalities- PAIN- pressing- external

Generalities- PAIN- pressing- bones

Generalities- PAIN- pressing- glands, liver, spleen etc.

Generalities- PAIN- pressing- joints, articulations

Generalities- PAIN- pressing- muscles

Generalities- PAIN- pressing- grasping, gripping

Generalities- PAIN- pressing- load, weight, as from

Generalities- PAIN- pressing- plug, as from a

Generalities- PAIN- pressing- stitching

Generalities- PAIN- pressing- stitching- bones

Generalities- PAIN- pressing- stitching- muscles

Generalities- PAIN- pressing- tearing

Generalities- PAIN- pressing- tearing- joints

Generalities- PAIN- pressing- tearing- muscles

Generalities- PAIN- pressing- together, compressing

Generalities- PAIN- pressing- vise, as in a

Generalities- PAIN- pulsating, throbbing

Generalities- PAIN- rheumatic

Generalities- PAIN- shocks, blows, thrusts

Generalities- PAIN- shooting, darting, lightning, quick

Generalities- PAIN- sore, bruised

Generalities- PAIN- sore, bruised- morning

Generalities- PAIN- sore, bruised- morning- bed, in

Generalities- PAIN- sore, bruised- morning- rising- agg.

Generalities- PAIN- sore, bruised- morning- rising- amel.

Generalities- PAIN- sore, bruised- morning- waking, on or after

Generalities- PAIN- sore, bruised- eating, after

Generalities- PAIN- sore, bruised- lying- agg.

Generalities- PAIN- sore, bruised- lying- agg.- part, on

Generalities- PAIN- sore, bruised- rising- agg.

Generalities- PAIN- sore, bruised- rising- agg.- sitting, from

Generalities- PAIN- sore, bruised- rising- amel.

Generalities- PAIN- sore, bruised- touch, on

Generalities- PAIN- sore, bruised- waking, on or after

Generalities- PAIN- sore, bruised- walking- agg.

Generalities- PAIN- sore, bruised- spots

Generalities- PAIN- sore, bruised- internal

Generalities- PAIN- sore, bruised- external

Generalities- PAIN- sore, bruised- external- left

Generalities- PAIN- sore, bruised- upper

Generalities- PAIN- sore, bruised- bone

Generalities- PAIN- sore, bruised bones- morning- bed, in

Generalities- PAIN- sore, bruised- bones- morning- rising amel.

Generalities- PAIN- sore, bruised- bones- touch, on

Generalities- PAIN- sore, bruised- joints, articulations

Generalities- PAIN- sore, bruised- mucous membranes

Generalities- PAIN- spots

Generalities- PAIN- squeezing

Generalities- PAIN- squeezing; internal

Generalities- PAIN- squeezing; external

Generalities- PAIN- squeezing; glands, liver, spleen etc.

Generalities- PAIN- stitching

Generalities- PAIN- stitching- left

Generalities- PAIN- stitching- right

Generalities- PAIN- stitching- night

Generalities- PAIN- stitching- motion- agg.

Generalities- PAIN- stitching- motion- amel.

Generalities- PAIN- stitching- sitting, while

Generalities- PAIN- stitching- touch- amel.

Generalities- PAIN- stitching- extending- crosswise

Generalities- PAIN- stitching- extending- downward

Generalities- PAIN- stitching- extending- inward

Generalities- PAIN- stitching- internal

Generalities- PAIN- stitching- external

Generalities- PAIN- stitching- bones

Generalities- PAIN- stitching- glands, liver, spleen etc.

Generalities- PAIN- stitching- joints, articulations

Generalities- PAIN- stitching- mucous membranes

Generalities- PAIN- stitching- muscles

Generalities- PAIN- stitching- boring

Generalities- PAIN- stitching- burning

Generalities- PAIN- stitching- burning- external

Generalities- PAIN- stitching- burning- muscles

Generalities- PAIN- stitching- crawling

Generalities- PAIN- stitching- drawing

Generalities- PAIN- stitching- dull

Generalities- PAIN- stitching- itching

Generalities- PAIN- stitching- lightning, like

Generalities- PAIN- stitching- needles, as from

Generalities- PAIN- stitching- prickling, muscles

Generalities- PAIN- stitching; pulsating, throbbing

Generalities- PAIN- straining

Generalities- PAIN- sudden, paroxysmal

Generalities- PAIN- tearing

Generalities- PAIN- tearing- left

Generalities- PAIN- tearing- right

Generalities- PAIN- tearing- motion- amel.

Generalities- PAIN- tearing- pressure- amel.

Generalities- PAIN- tearing- standing agg.

Generalities- PAIN- tearing- extending- downward

Generalities- PAIN- tearing- extending- upward

Generalities- PAIN- tearing- internal

Generalities- PAIN- tearing- external

Generalities- PAIN- tearing- bones

Generalities- PAIN- tearing- joints, articulations

Generalities- PAIN- tearing- muscles

Generalities- PAIN- tearing- cramping

Generalities- PAIN- tearing- cramping- joints

Generalities- PAIN- tearing- cramping- muscles

Generalities- PAIN- tearing- drawing

Generalities- PAIN- tearing- jerking

Generalities- PAIN- tearing- stitching, pricking

Generalities- PAIN- tearing- stitching, pricking- joints, articulations

Generalities- PAIN- tearing- stitching, pricking- muscle

Generalities- PAIN- torn

Generalities- PAIN- torn- pieces, to, as if, asunder

Generalities- PAIN- twinging

Generalities- PAIN- twisting

Generalities- PAIN- twitching

Generalities- PAIN- ulcerative

Generalities- PAIN- ulcerative- external

Generalities- PAIN- undulating, waving

Generalities- PAIN- violent

Generalities- PAIN- weary

Generalities- PAINLESSNESS of complaints usually painful

Generalities- PARALYSIS

Generalities- PARALYSIS- left

Generalities- PARALYSIS- one-sided, hemiplegia

Generalities- PARALYSIS- one-sided, hemiplegia- apoplexy, after

Generalities- PARALYSIS- apoplexy, after

Generalities- PARALYSIS- diphtheria, after

Generalities- PARALYSIS- twitching, with

Generalities- PARALYSIS- parts- single

Generalities- PARALYSIS- internal

Generalities- PARALYSIS- internal- organs

Generalities- PARALYSIS- lower part, paraplegia

Generalities- PARALYSIS- lower part, paraplegia- rigidity of muscles, with

Generalities- PARALYSIS- mucous membranes

Generalities- PARALYSIS- muscles

Generalities- PARALYSI- muscles- voluntary

Generalities- PARALYSIS- nerves

Generalities- PARALYSIS- nerves- sensory

Generalities- PARALYSIS- infantile, poliomyelitis

Generalities- PARALYSIS- painless

Generalities- PARASITES- ailments from

Generalities- PAROXYSMS, repeated

Generalities- PERSPIRATION- during

Generalities- PERSPIRATION- amel.

Generalities- PERSPIRATION- amel., does not

Generalities- PLUG, wedge sensation

Generalities- PLUG, wedge sensation- internal

Generalities- PLUG, wedge sensation- external

Generalities- POLYPI

Generalities- PREGNANCY- agg.

Generalities- PRESSURE- agg.

Generalities- PRESSURE- amel.

Generalities- PRESSURE- amel.- hard

Generalities- PSORA

Generalities- PULSATION

Generalities- PULSATION- internal

Generalities- PULSATION- external

Generalities- PULSATION- external- exertion- after

Generalities- PULSATION- external- sitting, while

Generalities- PULSATION- fine, external

Generalities- QUIVERING

Generalities- QUIVERING- external

Generalities- RAISING- agg.

Generalities- RAISING- agg.- arms

Generalities- RAISING- agg.- limbs

Generalities- REACTION- lack of

Generalities- REACTION- lack of- remedies, to

Generalities- READING- agg.

Generalities- READING- agg.- aloud

Generalities- REDNESS

Generalities- REDNESS- parts affected

Generalities- RELAXATION, physical

Generalities- REST- agg.

Generalities- REST- amel.

Generalities- REST- must

Generalities- RESTLESSNESS, physical

Generalities- RESTLESSNESS, physical- forenoon

Generalities- RESTLESSNESS, physical- fever heat, during

Generalities- RESTLESSNESS, physical- perspiration, during

Generalities- RESTLESSNESS, physical- sitting agg.

Generalities- RESTLESSNESS, physical- sleep, with restless

Generalities- RESTLESSNESS, physical- standing agg.

Generalities- RESTLESSNESS, physical- walking- agg.

Generalities- RISING- agg.

Generalities- RISING- agg.- lying, from

Generalities- RISING- agg.- sitting, from

Generalities- RISING- agg.- stooping, from

Generalities- RISING- amel.

Generalities- RISING- amel.- lying, from

Generalities- RISING- amel.- sitting, from

Generalities- ROLLED up, twisted up, as if

Generalities- ROLLING- sensation

Generalities- ROOM- agg.

Generalities- ROOM- agg.- crowded

Generalities- ROOM- agg.- warm

Generalities- ROOM- amel.

Generalities- ROUGHNESS, scratching in internal parts

Generalities- RUBBING, massage, friction- agg.

Generalities- RUBBING, massage, friction- amel.

Generalities- SCARLATINA, after

Generalities- SCRAPING sensation

Generalities- SCRATCHING- agg.

Generalities- SCRATCHING- amel.

Generalities- SECRETIONS of mucous membranes

Generalities- SECRETIONS of mucous membranes- acrid, corrosive, excoriating

Generalities- SECRETIONS of mucous membranes- bloody

Generalities- SECRETIONS of mucous membranes- gray

Generalities- SECRETIONS of mucous membranes- profuse

Generalities- SECRETIONS of mucous membranes- ropy, tenacious, stringy

Generalities- SECRETIONS of mucous membranes- yellow

Generalities- SEDENTARY habits agg.

Generalities- SENSITIVENESS

Generalities- SENSITIVENESS- electric current, to

Generalities- SENSITIVENESS- electric current, to- electric changes

Generalities- SENSITIVENESS- pain, to

Generalities- SENSITIVENESS- touch, to

Generalities- SEPARATED, parts of body feel

Generalities SEXUAL- excesses, after

Generalities- SHAKING head; agg.

Generalities- SHOCKS

Generalities- SHOCKS- electric, like

Generalities- SHORT sensation

Generalities- SHORTENED muscles and tendons

Generalities- SHUDDERING, shivering

Generalities- SINKING sensation

Generalities- SIT, sitting- agg.

Generalities- SIT, sitting- agg.- bent

Generalities- SIT, sitting- agg.- down

Generalities- SIT, sitting- agg.- upright, erect

Generalities- SIT, sitting- amel

Generalities- SIT, sitting- amel.- bent

Generalities- SIT, sitting- amel.- down

Generalities- SIT, sitting- must

Generalities- SLEEP- before

Generalities- SLEEP- falling asleep

Generalities- SLEEP- during

Generalities- SLEEP- after

Generalities- SLEEP- after; afternoon sleep

Generalities- SLEEP- after; long

Generalities- SLEEP- amel.

Generalities-SLEEP- amel.- half asleep, dozing

Generalities- SLEEP- loss of, from

Generalities- SLUGGISHNESS of body

Generalities- SLUGGISHNESS of body- afternoon

Generalities- SLUGGISHNESS of body- afternoon- sleep, after

Generalities- SLUGGISHNESS of body- motion, in

Generalities- SMOKING- agg.

Generalities- SOFTENING- internal

Generalities- STAND, standing- agg.

Generalities- STAND, standing- amel.

Generalities- STIFFNESS, rigidity

Generalities- STIFFNESS, rigidity- morning

Generalities- STIFFNESS, rigidity- morning- waking, on

Generalities- STIFFNESS, rigidity- motion- agg.

Generalities- STIFFNESS, rigidity- motion; agg.; beginning

Generalities- STIFFNESS, rigidity- waking, on

Generalities- STIFFNESS, rigidity- parts affected

Generalities- STIFFNESS, rigidity- upper

Generalities- STIFFNESS, rigidity- lower

Generalities- STIFFNESS, rigidity- muscle

Generalities- STIFFNESS, rigidity- muscles- voluntary

Generalities- STIFFNESS, rigidity- paralytic

Generalities- STOMACH complaints, in

Generalities- STONE sensation

Generalities- STOOL- before

Generalities- STOOL- during

Generalities- STOOL- during; diarrhea

Generalities- STOOL- after

Generalities- STOOL; amel. after

Generalities- STOOL; straining at

Generalities- STOOPING; agg.

Generalities- STOOPING; amel.

Generalities- STRENGTH- sensation of

Generalities- STRETCHING- agg.

Generalities- STRETCHING- agg.- parts affected

Generalities- STRETCHING- amel.

Generalities- STRETCHING- amel.- parts affected

Generalities- STRETCHING- sensation, muscles, on motion

Generalities- STRETCHING- stretch, must

Generalities- STUFFED up sensation

Generalities- SUDDEN manifestations

Generalities- SUN- agg.

Generalities- SUN- agg.- sunstroke

Generalities- SUN- amel.

Generalities- SUPPER- agg.

Generalities- SUPPER- amel.

Generalities- SUPPORTING a part; amel.

Generalities- SWALLOWING- during

Generalities- SWALLOWING- after

Generalities- SWELLING

Generalities- SWELLING- left

Generalities- SWELLING- parts- affected

Generalities- SWELLING- joints, articulations

Generalities- SWELLING- mucous membranes

Generalities- SWELLING- orifices

Generalities- SWELLING- chronic

Generalities- SWELLING- edematous

Generalities- SWELLING- edematous- external

Generalities- SWELLING- edematous- upper

Generalities- SWELLING- nodular

Generalities- SWELLING- painful

Generalities- SWELLING- sensation of

Generalities- SWELLING- sensation of- internal

Generalities- SWINGING- sensation

Generalities- SYPHILIS

Generalities- TALKING- agg.

Generalities- TENSION, tightness

Generalities- TENSION, tightness- morning

Generalities- TENSION, tightness- morning; waking, on

Generalities- TENSION, tightness- evening

Generalities- TENSION, tightness- walking; agg.

Generalities- TENSION, tightness- internal

Generalities- TENSION, tightness- external

Generalities- TENSION, tightness- joints, articulations

Generalities- TREMBLING

Generalities- TREMBLING- right

Generalities- TREMBLING- morning

Generalities- TENSION, tightness- muscles

Generalities- THREAD sensation

Generalities- TINGLING, prickling

Generalities- TINGLING, prickling- right

Generalities- TINGLING, prickling- morning

Generalities- TINGLING, prickling- external

Generalities- TOBACCO- agg.

Generalities- TOBACCO- agg.- chewing

Generalities- TOUCH- agg.

Generalities- TOUCH- amel.

Generalities- TREMBLING- afternoon

Generalities- TREMBLING- headache, during

Generalities- TREMBLING- eating- agg.

Generalities- TREMBLING- exertion, from

Generalities- TREMBLING- exertion, from- slight

Generalities- TREMBLING- fever- during

Generalities- TREMBLING- intention tremor

Generalities- TREMBLING- motion- agg.

Generalities- TREMBLING- internal

Generalities- TREMBLING- internal- upper

Generalities- TREMBLING- external

Generalities- TREMBLING- external- right

Generalities- TREMBLING- external- morning

Generalities- TREMBLING- sensation

Generalities- TUMORS

Generalities- TUMORS- atheroma, steatoma, wens

Generalities- TURNING- bed, in

Generalities- TURNING- head

Generalities- TURNING- winding, twisting sensation

Generalities- TWITCHING

Generalities- TWITCHING- left

Generalities- TWITCHING- one-sided

Generalities- TWITCHING- one-sided- other side paralyzed

Generalities- TWITCHING- night

Generalities- TWITCHING- sitting, while

Generalities- TWITCHING- sleep- during

Generalities- TWITCHING- external

Generalities- TWITCHING- upper

Generalities- TWITCHING- lower

Generalities- TWITCHING- muscles

Generalities- TWITCHING- tendons- subsultus tendinum

Generalities- ULCERS

Generalities- ULCERS- mucous membranes

Generalities- ULCERS- suppurating

Generalities- UNCOVERING- agg.

Generalities- UNCOVERING- aversion

Generalities- URINATION- before

Generalities- URINATION- during

Generalities- URINATION- after

Generalities- VERTIGO, during

Generalities- VIOLENT complaints

Generalities- VOMITING- during

Generalities- VOMITING- amel.

Generalities- WAKING- agg.

Generalities- WALK, walking- beginning o

Generalities- WALK, walking- during

Generalities- WALK, walking- during- air, in open

Generalities- WALK, walking- after

Generalities- WALK, walking- after- air, in open

Generalities- WALK, walking- amel.

Generalities- WALK, walking- amel.- air, in open

Generalities- WALK, walking- amel.- continued

Generalities- WANDERING complaints

Generalities- WARMTH- agg.

Generalities- WARMTH- agg.- bed, of

Generalities- WARMTH- agg.- radiated

Generalities- WARMTH- agg.- stove, of

Generalities- WARMTH- agg.- sun, of

Generalities- WARMTH- amel.

Generalities- WARMTH- amel.; wet

Generalities- WARMTH- desires

Generalities- WARMTH- desires- sun, of

Generalities- WAVELIKE- sensation

Generalities- WEAKNESS

Generalities- WEAKNESS- right

Generalities- WEAKNESS- morning

Generalities- WEAKNESS- afternoon

Generalities- WEAKNESS- evening- agg.

Generalities- WEAKNESS- ascending stairs agg.

Generalities- WEAKNESS- bright?s disease, in

Generalities- WEAKNESS- chill- during

Generalities- WEAKNESS- debauchery, after

Generalities- WEAKNESS- disease- acute, in or after

Generalities- WEAKNESS- eating- after

Generalities- WEAKNESS- eating- amel.

Generalities- WEAKNESS- emissions, pollutions, after seminal

Generalities- WEAKNESS- excitement, emotional, agg.

Generalities- WEAKNESS- exertion- agg.

Generalities- WEAKNESS- exertion- agg.- slight

Generalities- WEAKNESS- fever- during

Generalities- WEAKNESS- fever- during- heat

Generalities- WEAKNESS- fluids, from loss of animal

Generalities- WEAKNESS- fright, fear agg.

Generalities- WEAKNESS- headache- during

Generalities- WEAKNESS- heaviness, with

Generalities- WEAKNESS- leaning head on something and closing eyes amel.

Generalities- WEAKNESS- lying; agg.

Generalities- WEAKNESS- masturbation, from

Generalities- WEAKNESS- mental exertion, occupation; agg.

Generalities- WEAKNESS- motion; agg.

Generalities- WEAKNESS- motion; agg.; least, slightest

Generalities- WEAKNESS- old people, in

Generalities- WEAKNESS- old people, in- men

Generalities- WEAKNESS- perspiration- with

Generalities- WEAKNESS- piano playing, from

Generalities- WEAKNESS- reading- agg.

Generalities- WEAKNESS- sexual- excesses, after

Generalities- WEAKNESS- sit down, must

Generalities- WEAKNESS- sitting- agg.

Generalities- WEAKNESS- standing agg.

Generalities- WEAKNESS- walking- while

Generalities- WEAKNESS- walking- after

Generalities- WEAKNESS- walking- amel.

Generalities- WEAKNESS- upper

Generalities- WEAKNESS- lower

Generalities- WEAKNESS- organ

Generalities- WEAKNESS- joints

Generalities- WEAKNESS- muscles

Generalities- WEAKNESS- paralytic

Generalities- WEAKNESS- tremulous

Generalities- WEARINESS

Generalities- WEARINESS- morning

Generalities- WEARINESS- morning- waking, on

Generalities- WEARINESS- eating- while

Generalities- WEARINESS- eating- after

Generalities- WEARINESS- heaviness of limbs, with

Generalities- WEARINESS- piano playing, fro

Generalities- WEARINESS- sit down, must

Generalities- WEARINESS- waking- on or after

Generalities- WEARINESS- walking- after

Generalities- WEARINESS- bones

Generalities- WEATHER- cold, dry- agg.

Generalities- WEATHER- damp, rainy, wet- agg.

Generalities- WEATHER- dry- agg.

Generalities- WEATHER- warm, sultry- agg.

Generalities- WEATHER- windy, stormy- during

Generalities- WEEPING- amel.

Generalities- WHITENESS, paleness of parts usually red

Generalities- WHITENESS, paleness of parts usually red- mucous membranes

Generalities- WOMEN, complaints in

Generalities- WORK, manual- agg.

Generalities- WORM complaints

Generalities- WORM complaints- lumbricoides, roundworms

Generalities- WORM complaints- taeniae, tapeworms

Generalities- WOUNDS

Generalities- WOUNDS- expulsions of fishbones, splinters, needles, foreign bodies, to promote

Generalities- WOUNDS- granulations, proud flesh

Generalities- WRAPPED up, as if

Generalities- WRAPPING up; ame

Generalities- WRITING- agg.

Generalities- YAWNING- agg.

Mind- ALTERNATING states- mental with emotional

Mind- ALTERNATING states- mental complaints, with other

Mind- ALTERNATING states

Mind- DAYTIME

Mind- MORNING- agg.

Mind- MORNING- agg.- rising, on

Mind- MORNING- agg.- waking, on

Mind- FORENOON

Mind- AFTERNOON- agg.

Mind- AFTERNOON- agg.- siesta, afternoon sleep, after

Mind- AFTERNOON- amel.

Mind- EVENING- agg.

Mind- EVENING- agg.- bed, in

Mind- NIGHT- agg.

Mind- SUMMER

Mind- PERIODICALLY

Mind- PERIODICALLY- day, every third

Mind- GENERAL

Mind- PSYCHOLOGICAL themes- activity, passivity- activity

Mind- PSYCHOLOGICAL themes- activity, passivity- passivity

Mind- PSYCHOLOGICAL themes- aggression

Mind- PSYCHOLOGICAL themes- altruism

Mind- PSYCHOLOGICAL themes- anxiety, fear

Mind- PSYCHOLOGICAL themes- blame, punishment

Mind- PSYCHOLOGICAL themes- bodily sensations

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- decreased, avoiding

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- increased

Mind- PSYCHOLOGICAL themes- despair

Mind- PSYCHOLOGICAL themes- distance, reservation

Mind- PSYCHOLOGICAL themes- erotic

Mind- PSYCHOLOGICAL themes- feelings, strong

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- expression, facial

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- gesticulation, appearance

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- speaking, verbal expression

Mind- PSYCHOLOGICAL themes- harmony with self, coherence

Mind- PSYCHOLOGICAL themes- intimacy- open

Mind- PSYCHOLOGICAL themes- loneliness

Mind- PSYCHOLOGICAL themes- perception, reasoning, cognition- cognition

Mind- PSYCHOLOGICAL themes- perception, reasoning, cognition- confusion, weak concentration

Mind- PSYCHOLOGICAL themes- rationalizing, lack of feelings, depression

Mind- PSYCHOLOGICAL themes- religious affections; atheism

Mind- PSYCHOLOGICAL themes- religious affections- overly religious

Mind- PSYCHOLOGICAL themes- religious affections- religious, spiritual

Mind- PSYCHOLOGICAL themes- self-appreciation- diminished

Mind- PSYCHOLOGICAL themes- self-appreciation- increased

Mind- PSYCHOLOGICAL themes- sensitivity

Mind- PSYCHOLOGICAL themes- sexuality

Mind- PSYCHOLOGICAL themes- shame, offense

Mind- PSYCHOLOGICAL themes- work, productivity, money, social status

Mind- ABDOMINAL complaints, with

Mind- ABRUPT

Mind- ABSENT-MINDEDNESS

Mind- ABSENT-MINDEDNESS- anxiety, with

Mind- ABUSE agg., ailments from

Mind- ABUSE agg., ailments from- childhood, in

Mind- ABUSE agg., ailments from- sexual

Mind- ABUSIVE, insulting

Mind- ABUSIVE, insulting- wife, to- in front of children or vice versa

Mind- AFFECTIONATE

Mind- AFFECTIONATE- alternating with violence

Mind- AFFECTIONAT- children kiss and caress

Mind- AIR; open- agg.

Mind- AIR; open- amel.

Mind- ALCOHOL, alcoholic drinks- agg.

Mind- ALCOHOLISM, dipsomania

Mind- ALCOHOLISM, dipsomania- recurrent

Mind- AMBITION- ambitious

Mind- AMBITION- ambitious; achieve things, desire to

Mind- ANGER

Mind- ANGER; ailments from, agg.

Mind- ANGER; ailments from, agg.- mental and emotional consequences of

Mind- ANGER; ailments from, agg.- mental and emotional consequences of; suppressed

Mind- ANGER- air, open- desires

Mind- ANGER- children, in

Mind- ANGER- contradiction, from

Mind- ANGER- contradiction, from; least, slightest

Mind- ANGER- offended, when

Mind- ANGER- throws things away

Mind- ANGER- trifles, about

Mind- ANGER- stabbed anyone, so that he could have

Mind- ANGER- temper tantrums

Mind- ANGER- violent

Mind- ANGER- violent- personal, from slight offense

Mind- ANGER- violent- takes everything in bad part

Mind- ANGUISH

Mind- ANGUISH- ailments from, agg.

Mind- ANGUISH- ailments from, agg.- mental and emotional consequences of

Mind- ANGUISH- hypochondriasis, in

Mind- ANSWER, answering, answers- abruptly, shortly, curtly

Mind- ANSWER, answering, answers- abruptly, shortly, curtly- incomplete but correct, in imbecility

Mind- ANSWER, answering, answers- aversion to

Mind- ANSWER, answering, answers- incomplete

Mind- ANSWER, answering, answers- incorrectly

Mind- ANSWER, answering, answers- slowly

Mind- ANSWER, answering, answers- thinks long

Mind- ANTAGONISM- oneself, with

Mind- ANTICIPATION

Mind- ANTICIPATION- ailments from, agg.

Mind- ANTICIPATION- ailments from, agg.- mental and emotional consequences of

Mind- ANTICIPATION- ailments from, agg.- stage-fright

Mind- ANTICIPATION- examination, for

Mind- ANXIETY

Mind- ANXIETY- morning

Mind- ANXIETY- morning- bed, in

Mind- ANXIETY- morning- waking, on or after

Mind- ANXIETY- evening- agg.

Mind- ANXIETY- evening; agg.- bed, in

Mind- ANXIETY- agg., ailments from

Mind- ANXIETY- agg., ailments from- mental and emotional consequences of

Mind- ANXIETY- abdominal complaints, in

Mind- ANXIETY- air- open- agg.

Mind- ANXIETY- air- open- amel.

Mind- ANXIETY- bed- in

Mind- ANXIETY- bed- driving out of

Mind- ANXIETY- congestion, with

Mind- ANXIETY- congestion, with- chest, in

Mind- ANXIETY- coryza, in

Mind- ANXIETY- driving him from place to place

Mind- ANXIETY- eating- amel.

Mind- ANXIETY- expected of him, when anything is

Mind- ANXIETY- fear, with

Mind- ANXIETY- fever- during

Mind- ANXIETY- flushes of heat, with

Mind- ANXIETY- heat- during

Mind- ANXIETY- moaning, groaning, with

Mind- ANXIETY- pain, with

Mind- ANXIETY- pain, with- abdomen, in

Mind- ANXIETY- palpitations- with

Mind- ANXIETY- perspiration- with

Mind- ANXIETY- respiration- difficult, anxious, with

Mind- ANXIETY- sleep- during

Mind- ANXIETY- standing- agg.

Mind- ANXIETY- stomach complaints, in

Mind- ANXIETY- waking, on or after

Mind- ANXIETY- walking- while

Mind- ANXIETY- walking- while- air- open, in

Mind- ANXIETY- work- manual- during

Mind- ANXIETY- abdomen- in

Mind- ANXIETY- abdomen- in- hypochondria

Mind- ANXIETY- chest, in

Mind- ANXIETY- chest, in- air, driving him into open

Mind- ANXIETY- chest, in; sternum

Mind- ANXIETY- chest, in- sternum- region of, without pain, feels as if he must go out into open air and be busy

Mind- ANXIETY- heart region

Mind- ANXIETY- business, about

Mind- ANXIETY- conscience, of

Mind- ANXIETY- future, about

Mind- ANXIETY- future, about- disease, and of her

Mind- ANXIETY- hypochondriacal

Mind- ANXIETY- pursued, as if

Mind- ANXIETY- pursued, as if- waking, on

Mind- ANXIETY- pursued, as if- walking, while

Mind- ANXIETY- trifles, about

Mind- APHASIA

Mind- APOPLEXY, after

Mind- APPETITE, with diminished

Mind- APPROACH of a person agg.

Mind- AUTOMATIC behavior, acts

Mind- AWKWARDNESS

Mind- AWKWARDNESS- afternoon

Mind- BED- agg.

Mind- BEGGING, entreating

Mind- BENEVOLENCE

Mind- BESIDE oneself, being

Mind- BUSINESS- ailments from, agg.

Mind- BUSINESS- ailments from, agg.- mental and emotional consequences of

Mind- BUSINESS- aversion to

Mind- BUSY

Mind- CARES, worries, full of

Mind- CARES, worries, full of- future, for

Mind- CARESS, caressed- caresses husband and child, then pushes away

Mind- CAUTIOUS

Mind- CHAOTIC

Mind- CHEERFULNESS

Mind- CHEERFULNESS- daytime

Mind- CHEERFULNESS- afternoon

Mind- CHEERFULNESS- evening

Mind- CHEERFULNESS- eating- while

Mind- CHEERFULNESS- foolish, and

Mind- CHILDISH behavior

Mind- CHILDREN- complaints in

Mind- CHILL, during

Mind- CLAIRVOYANCE

Mind- CLIMACTERIC period, in

Mind- COMA vigil

Mind- COMA vigil- sleeplessness, with

Mind- COMPANY- aversion to

Mind- COMPANY- aversion to- coryza, in

Mind- COMPANY- aversion to- solitude, desire for

Mind- COMPANY- aversion to- strangers, to

Mind- COMPANY- desire for

Mind- COMPANY- desire for- family, of

Mind- COMPLAINING

Mind- COMPLAINING- sleep, in

Mind- COMPLAINING- sleep, in- comatose

Mind- COMPREHENSION- easy

Mind- COMPREHENSION- loss of

Mind- COMPULSIVE disorders

Mind- CONCENTRATION- active

Mind- CONCENTRATION- difficult

Mind- CONCENTRATION- difficult- morning

Mind- CONFIDENCE- want of self

Mind- CONFIDENCE- want of self- contradiction, from

Mind- CONFIDENCE- want of self- memory, with loss of

Mind- CONFIDENCE- want of self- failure, he is a

Mind- CONFIDENCE- want of self- inadequate, feels

Mind- CONFUSION of mind

Mind- CONFUSION of mind- morning

Mind- CONFUSION of mind- morning- rising- on and after

Mind- CONFUSION of mind- morning; waking,

Mind- CONFUSION of mind- night

Mind- CONFUSION of mind- hemorrhoids, with bleeding

Mind- CONFUSION of mind- sleep, after

Mind- CONFUSION of mind- vertigo, during

Mind- CONFUSION of mind- waking, on

Mind- CONFUSION of mind- identity, as to his

Mind- CONFUSION of mind- identity, as to his; duality, sensation of

Mind- CONFUSION of mind- intoxicated feeling

Mind- CONSCIENTIOUS about trifles

Mind- CONSOLATION, sympathy- desire for

Mind- CONTEMPTUOUS

Mind- CONTEMPTUOUS- oneself, of

Mind- CONTRADICT, disposition to

Mind- CONTRADICTION- ailments from, agg.

Mind- CONTRADICTORY

Mind- CONTRADICTORY- actions are contradictory to intentions

Mind- CONTRADICTORY- feelings and impulses

Mind- CONTRARIETY agg.

Mind- CONTRARY

Mind- COUGHING- while

Mind- COWARDICE

Mind- CRUELTY, brutality, inhumanity

Mind- CURSING, swearing, desires

Mind- CURSING, swearing, desires- anger; with

Mind- CURSING, swearing, desires- headache, during

Mind- CURSING, swearing, desires- rage- in

Mind- CURSING, swearing, desires- blasphemy, profanity

Mind- CURSING, swearing, desires- strong and violent expressions

Mind- CURSING, swearing, desires- trifles, about

Mind- DAY-DREAMING

Mind- DAY-DREAMING- poetical, about the future

Mind- DEATH; presentiment of

Mind- DECEITFUL, sly

Mind- DECEITFUL, sly- corrupt, venal

Mind- DECEITFUL, sly- corrupt, venal- politicians

Mind- DEFIANT

Mind- DELIRIUM

Mind- DELIRIUM- eating amel.

Mind- DELIRIUM- trembling, with

Mind- DELIRIUM- frightful

Mind- DELIRIUM- maniacal

Mind DELIRIUM- nonsense, with eyes open

Mind- DELIRIUM- raging, raving

Mind- DELIRIUM tremens, mania-a-potu

Mind- DELIRIUM tremens, mania-a-potu; recurrent

Mind- DELIVERY, parturition⁰ after, puerperal

Mind- DELUSIONS, imaginations

Mind- DELUSIONS, imaginations- cursing, with

Mind- DELUSIONS, imaginations- body, body parts- separated, body and thoughts are

Mind- DELUSIONS, imaginations- body, body parts- separated, divided

Mind- DELUSIONS, imaginations- accidents

Mind- DELUSIONS, imaginations- anxious

Mind- DELUSIONS, imaginations- assembled things, swarms, crowds etc.

Mind- DELUSIONS, imaginations- attacked, is going to be

Mind- DELUSIONS, imaginations- attacked, is going to be- family member, by

Mind- DELUSIONS, imaginations- bed; someone- in, with him, her

Mind- DELUSIONS, imaginations- bier, is lying on a

Mind- DELUSIONS, imaginations- calls; him, someone

Mind- DELUSIONS, imaginations- calls; him, someone- name, with, absent mother or sister

Mind- DELUSIONS, imaginations- calls; someone

Mind- DELUSIONS, imaginations- casualties, sees

Mind- DELUSIONS, imaginations- child, children- hers, not

Mind- DELUSIONS, imaginations- churchyard- visits a

Mind- DELUSIONS, imaginations- crime- committed, he had

Mind- DELUSIONS, imaginations- dead- corpse- near him

Mind- DELUSIONS, imaginations- dead- he is

Mind- DELUSIONS, imaginations- dead- persons, see

Mind- DELUSIONS, imaginations- demoniacal, he is

Mind- DELUSIONS, imaginations- devil, devils

Mind- DELUSIONS, imaginations- devil, devils- blasphemous words, whisper

Mind- DELUSIONS, imaginations- devil, devils- he is a, that

Mind- DELUSIONS, imaginations- devil, devils- possessed of, is

Mind- DELUSIONS, imaginations- devil, devils- present, are

Mind- DELUSIONS, imaginations- devil, devils- sees

Mind- DELUSIONS, imaginations- devil, devils- sit in his neck and tells him offensive things

Mind- DELUSIONS, imaginations- devil, devils- speaking in one ear, angel in other, prompting to murder, or acts of benevolence, devil

Mind- DELUSIONS, imaginations- divided- two parts, into

Mind- DELUSIONS, imaginations- double- he is

Mind- DELUSIONS, imaginations- dream, as from

Mind- DELUSIONS, imaginations- enemy; surrounded by

Mind- DELUSIONS, imaginations- faces, sees

Mind- DELUSIONS, imaginations- faces, sees- everyone's face in a glass except his own

Mind- DELUSIONS, imaginations- failure, he is a

Mind- DELUSIONS, imaginations- fancy, of

Mind- DELUSIONS, imaginations- figures, sees

Mind- DELUSIONS, imaginations- figures, sees- strange figures accompany him, one on his right, other on his left

Mind- DELUSIONS, imaginations- fire

Mind- DELUSIONS, imaginations- grave, coffin; in his

Mind- DELUSIONS, imaginations- head

Mind- DELUSIONS, imaginations- head; separated from body, is

Mind- DELUSIONS, imaginations- hearing, o

Mind- DELUSIONS, imaginations- heaven, is in

Mind- DELUSIONS, imaginations- husband, he is not her

Mind- DELUSIONS, imaginations- images, phantoms, sees

Mind- DELUSIONS, imaginations- images, phantoms, sees- frightful

Mind- DELUSIONS, imaginations- influence, is under a powerful

Mind- DELUSIONS, imaginations- insane- become, that she will

Mind- DELUSIONS, imaginations- motion

Mind- DELUSIONS, imaginations- motion- all parts are in

Mind- DELUSIONS, imaginations- people, some one

Mind- DELUSIONS, imaginations- people, some one- behind him, someone is

Mind- DELUSIONS, imaginations- people, some one- beside him, are

Mind- DELUSIONS, imaginations- people, some one- beside him, are- strange

Mind- DELUSIONS, imaginations- persecuted, that he is

Mind- DELUSIONS, imaginations- person- another in the room

Mind- DELUSIONS, imaginations- person- three persons, that he is

Mind- DELUSIONS, imaginations- place, places- being in different, at a time

Mind- DELUSIONS, imaginations- possessed, he or she is

Mind- DELUSIONS, imaginations- pursued, of being

Mind- DELUSIONS, imaginations- pursued, of being- walking, while

Mind- DELUSIONS, imaginations- pursued, of being- enemies, by

Mind- DELUSIONS, imaginations- pursued, of being- horrible thing, by some

Mind- DELUSIONS, imaginations- religious

Mind- DELUSIONS, imaginations- religious- redemption and devil, about

Mind- DELUSIONS, imaginations- right, does nothing

Mind- DELUSIONS, imaginations- senses, of

Mind- DELUSIONS, imaginations- separated- mind and body are

Mind- DELUSIONS, imaginations- separated- soul, spirit and body are

Mind- DELUSIONS, imaginations- separated- world, from the, that he is

Mind- DELUSIONS, imaginations- soul, souls- body is too small for, or that it is separated from

Mind- DELUSIONS, imaginations- spectres, ghosts, spirits, sees

Mind- DELUSIONS, imaginations- strange- everything is

Mind- DELUSIONS, imaginations- stranger, strangers- accompanies him

Mind- DELUSIONS, imaginations- stranger, strangers; sees

Mind- DELUSIONS, imaginations- succeed, that he cannot, does everything wrong

Mind- DELUSIONS, imaginations- superhuman- control, is under

Mind- DELUSIONS, imaginations- touch, sensory

Mind- DELUSIONS, imaginations- trapped, he is

Mind- DELUSIONS, imaginations- troubles- trifles, about, leads to big trouble

Mind- DELUSIONS, imaginations- unreal- everything is

Mind- DELUSIONS, imaginations- visions, has

Mind- DELUSIONS, imaginations- voices

Mind- DELUSIONS, imaginations- voices- hears

Mind- DELUSIONS, imaginations- voices- hears- behind her

Mind- DELUSIONS, imaginations- voices- hears- dead people, of

Mind- DELUSIONS, imaginations- voices- hears- distant

Mind- DELUSIONS, imaginations- voices- hears- follow, that he must

Mind- DELUSIONS, imaginations- voices- hears- people, of absent

Mind- DELUSIONS, imaginations- walk, walking- someone walks; behind him

Mind- DELUSIONS, imaginations- whispering

Mind- DELUSIONS, imaginations- whispering- blasphemous

Mind- DELUSIONS, imaginations- whispering- him anything, someone

Mind- DELUSIONS, imaginations- wills, possessed of two

Mind- DELUSIONS, imaginations- wrong- everything is

Mind- DELUSIONS, imaginations- wrong- he has done

Mind- DEMENTIA

Mind- DEMENTIA- old people, in

Mind- DESPAIR

Mind- DESPAIR- itching, from

Mind- DESPAIR- do what is required of him, to

Mind- DESPAIR- future, about

Mind- DESPAIR- recovery, of

Mind- DESPAIR- work, over his

Mind- DESTRUCTIVENESS

Mind- DICTATORIAL

Mind- DIRTINESS

Mind- DISCONTENTED

Mind- DISCONTENTED- everything, with

Mind- DISCORDS agg., ailments from

Mind- DISCORDS agg., ailments from- relatives, friends, between

Mind- DISCOURAGED

Mind- DISCOURAGED- anxiety, with

Mind- DISCOURAGED- hypochondriacal

Mind- DISOBEDIENCE

Mind- DISORDERED stomach, after

Mind- DISTANCE- exaggerated, is

Mind- DISTANCE- inaccurate judge of

Mind- DREAM, as in a

Mind- DREAMS

Mind- DREAMS- indifference, with

Mind- DREAMS- meditating, while

Mind- DREAMS- perspiration, with

Mind- DREAMS- absent

Mind- DREAMS- abyss, of, precipitous

Mind- DREAMS- accidents, of

Mind- DREAMS- anxious

Mind- DREAMS- business, occupation, of

Mind- DREAMS- business, occupation, of- day, of

Mind- DREAMS- busy, being

Mind- DREAMS- coffins

Mind- DREAMS- continued

Mind- DREAMS- continued- waking, after

Mind- DREAMS- continuous

Mind- DREAMS- danger

Mind- DREAMS- danger- death, of

Mind- DREAMS- dead- bodies

Mind- DREAMS- dead- people, of

Mind- DREAMS- death, of

Mind- DREAMS- difficulties

Mind- DREAMS- disease

Mind- DREAMS- disease- loathsome

Mind- DREAMS- disgusting

Mind- DREAMS- embarrassment

Mind- DREAMS- eruptions

Mind- DREAMS- events

Mind- DREAMS- events- day, of

Mind- DREAMS- events- long past, forgotten

Mind- DREAMS- events- previous

Mind- DREAMS- excelling in mental work

Mind- DREAMS- exhausting

Mind- DREAMS- face

Mind- DREAMS- face- covered with pustules

Mind- DREAMS- fire

Mind- DREAMS- frightful, nightmare

Mind- DREAMS- graves

Mind- DREAMS- graves- tomb, of being near a

Mind- DREAMS- high places

Mind- DREAMS- intellectual

Mind- DREAMS- luck, of bad

Mind- DREAMS- many

Mind- DREAMS- mental effort, of

Mind- DREAMS- misfortune, of

Mind- DREAMS- morose

Mind- DREAMS- persistent

Mind- DREAMS- plans

Mind- DREAMS- plans- made

Mind- DREAMS- preach, preaching; he is

Mind- DREAMS- preach, preaching; preach, must, but does not memorize sermon

Mind- DREAMS- precipices

Mind- DREAMS- projects

Mind- DREAMS- restless

Mind- DREAMS- slopes

Mind- DREAMS- smallpox, variola

Mind- DREAMS- smelling- burning sulphur and tinder

Mind- DREAMS- smelling- mouldy

Mind- DREAMS- thinks, in which he

Mind- DREAMS- threats

Mind- DREAMS- true, seem, on waking

Mind- DREAMS- unimportant

Mind- DREAMS- vexatious

Mind- DREAMS- vexatious- disgusting

Mind- DREAMS- vivid

Mind- DREAMS- vivid- recurred during day, as if really happened

Mind- DULLNESS

Mind- DULLNESS- morning

Mind- DULLNESS- morning- waking, on

Mind- DULLNESS- forenoon

Mind- DULLNESS- afternoon- agg.

Mind- DULLNESS- afternoon- amel.

Mind- DULLNESS- evening- agg.

Mind- DULLNESS- night- agg.

Mind- DULLNESS- night- agg.- ten pm., after

Mind- DULLNESS- alcohol, alcoholic drinks, from

Mind- DULLNESS- anxiety, with

Mind- DULLNESS- exaltation of fancies, after

Mind- DULLNESS- excitement, emotional- agg.

Mind- DULLNESS- mental exertion- agg.

Mind- DULLNESS- sexual excesses, after

Mind- DULLNESS- stomach complaints, in

Mind- DULLNESS- think- long, unable to

Mind- DULLNESS- vertigo- during

Mind- DULLNESS- waking, on

Mind- DUTY- want of sense of

Mind- EAT, eating- while

Mind- EAT, eating- after

Mind- EAT, eating- amel.

Mind- EAT, eating- amel.- after

Mind- EAT, eating- refuses

Mind- EGOTISM, self-esteem

Mind- EMBARRASSMENT- agg., ailments from

Mind- EMPTINESS of mind, sensation of

Mind- ENVY

Mind- ERUPTIONS or hemorrhoids, ailments after suppressed

Mind- ESCAPE, desire to

Mind- ESTRANGED

Mind- ESTRANGED- family, from her

Mind- ESTRANGED- society, mankind, from

Mind- EXAMINATIONS agg.

Mind- EXCESSES- sexual, ailments from, agg.

Mind- EXCITEMENT, excitable

Mind- EXCITEMENT, excitable- alternating with- dullness

Mind- EXCITEMENT, excitable- evening

Mind- EXCITEMENT, excitable- ailments from, agg.

Mind- EXCITEMENT, excitable- ailments from, agg.- mental and emotional consequences of

Mind- EXCITEMENT, excitable- ailments from, agg.- suppressed

Mind- EXCITEMENT, excitable- amel.

Mind- EXCITEMENT, excitable- amel.- mental and emotional amelioration

Mind- EXCITEMENT, excitable- contradiction, from least

Mind- EXCITEMENT, excitable- eruptions, with

Mind- EXCITEMENT, excitable- nervous

Mind- EXHILARATION

Mind- EXHILARATION- evening

Mind- FANCIES- exaltation of

Mind- FANCIES- exaltation of- afternoon

Mind- FANCIES- exaltation of- evening

Mind- FANCIES- lascivious

Mind- FANCIES- lascivious- evening

Mind- FASTIDIOUS

Mind- FEAR

Mind- FEAR- morning

Mind- FEAR- evening- agg.

Mind- FEAR- air, open- agg.

Mind- FEAR- cough, during

Mind- FEAR- eating- amel.

Mind- FEAR- trifles, about

Mind- FEAR- accidents, of

Mind- FEAR- alone, being

Mind- FEAR- alone, being- solitude, of

Mind- FEAR- approaching- others, of

Mind- FEAR- behind him, that someone is

Mind- FEAR- danger, of impending

Mind- FEAR- death, of

Mind- FEAR- death, of- whooping cough, in

Mind- FEAR- death, of- impending, of

Mind- FEAR- devil, being taken by the, of

Mind- FEAR- disease, of

Mind- FEAR- disease, of- incurable, of being

Mind- FEAR- enemies, of

Mind- FEAR- evil, of

Mind- FEAR- examinations, of

Mind- FEAR- failure, of

Mind- FEAR- failure, of- examinations, during

Mind- FEAR- happen- something will

Mind- FEAR- happen- something will- bad, evil

Mind- FEAR- insanity, of losing his reason

Mind- FEAR- misfortune, of

Mind- FEAR- paralysis, of

Mind- FEAR- people, of, anthropophobia

Mind- FEAR- persecution, of

Mind- FEAR- poisoned- being

Mind- FEAR- poverty, of

Mind- FEAR- pursuit, of

Mind- FEAR- robbers, of

Mind- FEVER- during

Mind- FEVER- during- heat

Mind- FEVER- after scarlet

Mind- FIGHT- wants to

Mind- FOOLISH behavior

Mind- FORGETFULNESS

Mind- FORGETFULNESS- morning- agg.

Mind- FORGETFULNESS- afternoon- agg.

Mind- FORGETFULNESS- afternoon- amel.

Mind- FORGETFULNESS- periodically

Mind- FORGETFULNESS- apoplexy, after

Mind- FORGETFULNESS- appetite, wanting

Mind- FORGETFULNESS- fever, during

Mind- FORGETFULNESS- fright, fear agg.

Mind- FORGETFULNESS- head complaints, in

Mind- FORGETFULNESS- hysteria, in

Mind- FORGETFULNESS- imbecility, in

Mind- FORGETFULNESS- meningitis, after

Mind- FORGETFULNESS- mental exertion- agg.

Mind- FORGETFULNESS- mortification, from

Mind- FORGETFULNESS- old people, in

Mind- FORGETFULNESS- palpitation, with

Mind- FORGETFULNESS- sexual excesses, after

Mind- FORGETFULNESS- smallpox, variola, after

Mind- FORGETFULNESS- softening of brain, in threatening

Mind- FORGETFULNESS- vertigo, in

Mind- FORGETFULNESS- everything- almost

Mind- FORGETFULNESS- everything- immediately

Mind- FORGETFULNESS- facts, for

Mind- FORGETFULNESS- facts, for- past

Mind- FORGETFULNESS- facts, for- past- old people, in

Mind- FORGETFULNESS- names, for

Mind- FORGETFULNESS- names, for- persons, of

Mind- FORGETFULNESS- persons, for

Mind- FORGETFULNESS- purchases, making, and goes out without them

Mind- FORGETFULNESS- put objects, for where he has

Mind- FORGETFULNESS- read, for what he has

Mind- FORGETFULNESS- read, for what he has- just

Mind- FORGETFULNESS- say, for what he is about to

Mind- FORGETFULNESS- seen, for everything

Mind- FORGETFULNESS- sudden and periodical

Mind- FORGETFULNESS- sudden and periodical- pain, from fright

Mind- FORGETFULNESS- thought, for what he just

Mind- FORGETFULNESS- words, for

Mind- FORGETFULNESS- words, for- to speak, word hunting

Mind- FORGETFULNESS- sunstroke, after

Mind- FORSAKEN feeling

Mind- FORSAKEN feeling- friendless, feels

Mind- FORSAKEN feeling- isolation, sensation of

Mind- FRIENDS, aversion to

Mind- FRIGHT, fear agg., ailments from

Mind- FRIGHT, fear agg., ailments from- mental and emotional consequences

Mind- GESTURES, makes

Mind- GESTURES, makes- automatic

Mind- GESTURES, makes- perseverance, with great

Mind- GESTURES, makes- stamping feet, with

Mind- GODLESS, want of religious feeling

Mind- GOING out- aversion to

Mind- GRIEF

Mind- GRIEF- ailments from, agg.

Mind- GRIEF- ailments from, agg.- mental and emotional consequences

Mind- GRIEF- silent, pent up

Mind- HARSHNESS, rough

Mind- HATRED

Mind- HATRED- revenge, and

Mind- HATRED- children, of

Mind- HATRED- persons, of

Mind- HATRED- persons, of- offended him, who had

Mind- HAUGHTY, pride

Mind- HEADACHE- before

Mind- HEADACHE- during

Mind- HEART complaints, in

Mind- HEEDLESS, careless

Mind- HELPLESSNESS

Mind- HONOR- absent sense of

Mind- HOUSE- agg.

Mind- HURRY, haste

Mind- HURRY, haste- drinking

Mind- HURRY, haste- eating, while

Mind- HURRY, haste- movements, in

Mind- HURRY, haste- writing, in

Mind- HYPOCHONDRIASIS

Mind- HYPOCHONDRIASIS- morning

Mind- HYPOCHONDRIASIS- eating, after

Mind- HYPOCHONDRIASIS- emissions, pollutions, after seminal

Mind- HYPOCHONDRIASIS- sexual

Mind- HYPOCHONDRIASIS- sexual- excesses, after

Mind- HYPOCHONDRIASIS- weakness, weariness, with

Mind- HYPOCHONDRIASIS- work, with aversion to

Mind- HYSTERIA

Mind- HYSTERIA- emissions, pollutions, after seminal

Mind- HYSTERIA- sexual- excesses, after

Mind- IDEAS- abundant

Mind- IDEAS- abundant- afternoon

Mind- IDEAS- abundant- evening

Mind- IDEAS- deficiency of

Mind- IDEAS- fixed

Mind- IDEAS- sad and joyless

Mind- IDIOCY

Mind- IMBECILITY

Mind- IMBECILITY- rage, stamps feet

Mind- IMPATIENCE

Mind- IMPATIENCE- playing of children

Mind- IMPATIENCE- children, about

Mind- IMPETUOUS, impulsive

Mind- IMPRESSIONABLE, susceptible

Mind- IMPULSES, morbid

Mind- CONCOMITANT

Mind- IMPULSES, morbid- contradictory

Mind- INDIFFERENCE, apathy

Mind- INDIFFERENCE, apathy- daytime

Mind- INDIFFERENCE, apathy- agreeable things, to

Mind- INDIFFERENCE, apathy- complete

Mind- INDIFFERENCE, apathy- dead, everything seems to him, nothing makes a vivid impression upon his mind

Mind- INDIFFERENCE, apathy- everything, to

Mind- INDIFFERENCE, apathy- external things, to

Mind- INDIFFERENCE, apathy- happiness, to

Mind- INDIFFERENCE, apathy- irritating, disagreeable things, to

Mind- INDIFFERENCE, apathy- joy, to

Mind- INDIFFERENCE, apathy- joy, to- suffering, and

Mind- INDIFFERENCE, apathy- pleasure, to

Mind- INDIFFERENCE, apathy- religion, to his

Mind- INDIFFERENCE, apathy- suffering, to

Mind- INDIFFERENCE, apathy- suffering, to- others, of

Mind- INDOLENCE, aversion to work

Mind- INDOLENCE, aversion to work- morning

Mind- INDOLENCE, aversion to work- forenoon

Mind- INDOLENCE, aversion to work- afternoon- agg.

Mind- INDOLENCE, aversion to work- afternoon- agg.- afternoon sleep, after

Mind- INDOLENCE, aversion to work- afternoon- amel.

Mind- INDOLENCE, aversion to work- eating, after

Mind- INDOLENCE, aversion to work- sadness, from

Mind- INJUSTICE, cannot support

Mind- INSANITY, madness

Mind- INSANITY, madness- obsession, with

Mind- INSANITY, madness- old people, in

Mind- INSANITY, madness- religious

Mind- INSOLENT, impertinence

Mind- INTELLECTUAL

Mind- INTROVERTED

Mind- IRRATIONAL

Mind- IRRESOLUTION, indecision

Mind- IRRITABILITY

Mind- IRRITABILITY- daytime

Mind- IRRITABILITY- afternoon

Mind- IRRITABILITY- night

Mind- IRRITABILITY- air, open- amel.

Mind- IRRITABILITY- chill, during

Mind- IRRITABILITY- headache- during

Mind- IRRITABILITY- heat- during

Mind- IRRITABILITY- house, in- agg.

Mind- IRRITABILITY- itching, from

Mind- IRRITABILITY- music- agg.

Mind- IRRITABILITY- music- agg.- piano, of

Mind- IRRITABILITY- pain, during

Mind- IRRITABILITY- room- warm, in

Mind- IRRITABILITY- waking- agg.

Mind- IRRITABILITY- easily

Mind- IRRITABILITY- silent

Mind- IRRITABILITY- takes everything in bad part

Mind- IRRITABILITY- trifles, about

Mind- JEALOUSY

Mind- JOY

Mind- JOY- misfortune of others, at

Mind- JUMPING

Mind- JUMPING- height, from a

Mind- KILL, desire to

Mind- KISSES- everyone

Mind- KISSES- hands, his companions

Mind- LAMENTING, bemoaning, wailing

Mind- LASCIVIOUSNESS

Mind- LAUGHING

Mind- LAUGHING- serious matters, over

Mind- LAUGHING- trifles, about

Mind- LAUGHING- convulsive, spasmodic

Mind- LAUGHING- hysterical

Mind- LAUGHING- immoderately

Mind- LEARNING- difficult

Mind- LEWDNESS, obscene

Mind- LOATHING

Mind- LOATHING- talking

Mind- LOATHING- work

Mind- LOOKED at- cannot bear to be, agg.

Mind- LOQUACITY

Mind- LOVE- perversity

Mind- LOVE- perversity- sadomasochistic

Mind- MALICIOUS, vindictive

Mind- MALICIOUS, vindictive- anger, during

Mind- MANIA, madness

Mind- MANIA, madness- delirium, without

Mind- MANIA, madness- rage, in

Mind- MANIA, madness- violence, with deeds of

Mind- MANIA, madness- demoniacal, as if possessed

Mind- MASTURBATION, ailments from

Mind- MEDITATION- ailments from, agg.

Mind- MEMORIES- dĕjɹ̥ vu

Mind- MEMORY- active

Mind- MEMORY- active- afternoon

Mind- MEMORY- active- words, for

Mind- MEMORY- confused

Mind- MENSES- during

Mind- MENSES- amel.

Mind- MENSES- suppressed, from

Mind- MENTAL exertion- agg.

Mind- MILDNESS

Mind- MIRTH, hilarity, liveliness

Mind- MIRTH, hilarity, liveliness- evening

Mind- MISANTHROPY

Mind- MISCHIEVOUS

Mind- MISTAKES, making

Mind- MISTAKES, making- perception, of

Mind- MISTAKES, making- talking, in

Mind- MISTAKES, making- time, in

Mind- MISTAKES, making- time, in- confounding; future with past

Mind- MISTAKES, making- time, in- confounding- present with; future

Mind- MISTAKES, making; time, in- confounding- present with- past

Mind- MOANING, groaning

Mind- MOANING, groaning- amel.

Mind- MOANING, groaning- sleep, during

Mind- MONOMANIA

Mind- MOOD- changeable, variable

Mind- MOOD- repulsive

Mind- MORAL affections- antisocial

Mind- MORAL affections- want of moral feeling

Mind- MOROSE, sulky

Mind- MOROSE, sulky- afternoon- agg.

Mind- MOROSE, sulky- afternoon- agg.- sleep, after afternoon sleep

Mind- MOROSE, sulky- night

Mind- MOROSE, sulky- air, open- amel.

Mind- MOROSE, sulky- chill- during

Mind- MOROSE, sulky- forgetfulness, during

Mind- MOROSE, sulky- headache, during

Mind- MOROSE, sulky- room, in

Mind- MOROSE, sulky- sadness, with

Mind- MOROSE, sulky- sleep- after

Mind- MOROSE, sulky- talk, indisposed to, taciturn

Mind- MOROSE, sulky- waking- agg.

Mind- MORTIFICATION- ailments from, agg.

Mind- MORTIFICATION- ailments from, agg.- mental and emotional consequences

Mind- MOTION- agg.

Mind- MUSIC- agg.

Mind- MUSIC- agg.- piano playing

Mind- MUSIC- aversion to

Mind- MUTTERING

Mind- OBSTINATE, headstrong

Mind- OFFENDED easily

Mind- OLD people, in

Mind- ORDER, desire for

Mind- ORGASM of blood, with

Mind- PAIN- agg.

Mind- PAIN- with- abdomen, in

Mind- PAIN- with- heart, in

Mind- PAIN- with- stomach, in

Mind- PASSIONATE

Mind- PERSPIRATION- with

Mind- PERTINACITY

Mind- PESSIMIST

Mind- PHILOSOPHY- ability for

Mind- PIANO playing, from

Mind- PLANS- many

Mind- PRAYING

Mind- PRAYING- fervent

Mind PREGNANCY, in

Mind- PROSTRATION of mind

Mind- PROSTRATION of mind- afternoon

Mind- PROSTRATION of mind- dreaming, after

Mind- PROSTRATION of mind- eating, after

Mind- PROSTRATION of mind- emissions, pollutions, after seminal

Mind- PROSTRATION of mind- fever- during

Mind- PROSTRATION of mind- fever- after

Mind- PROSTRATION of mind- masturbation, from

Mind- PROSTRATION of mind- mental exertion agg.

Mind- PROSTRATION of mind- old people, in

Mind- PROSTRATION of mind- old people, in; men

Mind- PROSTRATION of mind- sexual excesses, after

Mind- PROSTRATION of mind- spontaneity, no

Mind- PROSTRATION of mind- stomach complaints, in

Mind- PROSTRATION of mind- study, night watching, loss of sleep, from

Mind- PROSTRATION of mind- weakness, with bodily

Mind- PROVE oneself, wants to

Mind- PUSH, desire to

Mind- PUSH, desire to- others

Mind- QUARRELSOMENESS, scolding

Mind- QUARRELSOMENESS, scolding- violent

Mind- QUIET- disposition

Mind- QUIET- disposition- sleep, after

Mind- QUIET- wants to be

Mind- RAGE, fury

Mind- RAGE, fury- evening

Mind- RAGE, fury- ailments from, agg.

Mind- RAGE, fury- ailments from, agg.- mental and emotional consequences

Mind- RAGE, fury- cursing, with

Mind- RAGE, fury- shrieking, while

Mind- RAGE, fury- striking, with

Mind- RAGE, fury- uncontrollable, can scarcely be restrained

Mind- RAPED, being, agg., ailments from

Mind- READING- ailments from, agg.

Mind- RECOGNIZE- does not- paralysis, in

Mind- RECOGNIZE- does not- oneself in the mirror

Mind- RECOGNIZE- does not- people, anyone

Mind- RECOGNIZE- does not- people, anyone- children, her

Mind- RECOGNIZE- does not- people, anyone- relatives, his

Mind- REFLECTING- long

Mind- RELIGIOUS affections

Mind- RELIGIOUS affections- feeling, spirituality, want of

Mind- RELIGIOUS affections- mania

Mind- REMORSE, repentance

Mind- REPROACHES- oneself

Mind- RESERVED

Mind- RESERVED- afternoon

Mind- RESERVED- sleep, after

Mind- RESPIRATORY complaints, with

Mind- RESPONSIBILITY- ailments from, agg.

Mind- REST- cannot, when things are not in proper place

Mind- RESTLESSNESS, nervousness

Mind- RESTLESSNESS, nervousness- forenoon

Mind- RESTLESSNESS, nervousness- afternoon

Mind- RESTLESSNESS, nervousness- night

Mind- RESTLESSNESS, nervousness- periodic

Mind- RESTLESSNESS, nervousness- periodic- every third day

Mind- RESTLESSNESS, nervousness- chill- during

Mind- RESTLESSNESS, nervousness- fever- during

Mind- RESTLESSNESS, nervousness- headache- during

Mind- RESTLESSNESS, nervousness- heat- during

Mind- RESTLESSNESS, nervousness- move- must, drives one from place to place

Mind- RESTLESSNESS, nervousness- pain- from

Mind- RESTLESSNESS, nervousness- anxious

Mind- RESTLESSNESS, nervousness- feverish

Mind- RESTRAINED, difficult to be

Mind- REVERENCE- lack of

Mind- ROOM, in- agg.

Mind- RUDENESS

Mind- RUDENESS- ailments from, agg.

Mind- RUNS about

Mind- RUNS about- followed, thinks he is

Mind- SADNESS

Mind- SADNESS- morning- agg.

Mind- SADNESS- morning- agg.- waking, on

Mind- SADNESS- forenoon- agg.

Mind- SADNESS- awkward and helpless manner, with

Mind- SADNESS- chill- during

Mind- SADNESS- climacteric period, in

Mind- SADNESS- cough- during

Mind- SADNESS- delivery, parturition- after, puerperal, post-natal

Mind- SADNESS- eating; after

Mind- SADNESS- excitement, emotional- agg.

Mind- SADNESS- fever, after typhoid

Mind- SADNESS- heart complaints, with

Mind- SADNESS- indolence, with

Mind- SADNESS- menses- during

Mind- SADNESS- menses- during- painful

Mind- SADNESS- menses- suppressed

Mind- SADNESS- quarrel, after

Mind- SADNESS- quarrel, after- husband, with

Mind- SADNESS- waking- on or after

Mind- SADNESS- whooping cough, in

Mind- SADNESS- work- aversion to, with

Mind- SADNESS- gloomy, dark

Mind- SADNESS- hypochondriacal

Mind- SADNESS- silent

Mind- SATYRIASIS

Mind- SCHIZOPHRENIA

Mind- SCHIZOPHRENIA- paranoid

Mind- SCRATCHES with hands

Mind- SELF-CONTROL- loss of

Mind- SELFISHNESS, egoism

Mind- SENSES- acute

Mind- SENSES- confused

Mind- SENSES- dullness of, blunted

Mind- SENSES- dullness of, blunted- anxiety, with

Mind- SENSES- dullness of, blunted- pain, from

Mind- SENSES- dullness of, blunted- vertigo, in

Mind- SENSITIVE, oversensitive

Mind- SENSITIVE, oversensitive- impressions, to all external

Mind- SENSITIVE, oversensitive- noise, to

Mind- SENSITIVE, oversensitive- odors, to

Mind- SENSITIVE, oversensitive- sensual impressions, to

Mind- SENSUAL impressions, ailments from

Mind- SERIOUSNESS, earnestness

Mind- SERIOUSNESS, earnestness- ludicrous things, when seeing

Mind- SHAME

Mind- SHAMELESS

Mind- SHRIEKING, screaming, shouting

Mind- SHRIEKING, screaming, shouting- children, in

Mind- SHRIEKING, screaming, shouting- children, in- fever, during

Mind- SHRIEKING, screaming, shouting- headache, during

Mind- SHRIEKING, screaming, shouting- itching, from

Mind- SHRIEKING, screaming, shouting- pain, during

Mind- SHRIEKING, screaming, shouting- sleep- during

Mind- SHRIEKING, screaming, shouting- sleep- during- dream, during anxious

Mind- SHRIEKING, screaming, shouting- calls someone

Mind- SHRIEKING, screaming, shouting- must, feels as though she

Mind- SHRIEKING, screaming, shouting- sudden, paroxysmal

Mind- SIGHING

Mind SIGHING- sleep, during

Mind- SING, desires to

Mind- SIT, sitting- desires to

Mind- SLANDER, disposition to

Mind- SLEEP- falling asleep

Mind- SLEEP- during

Mind- SLEEP- after

Mind- SLEEP- loss of, agg.

Mind- SLEEPLESSNESS, with

Mind- SLOWNESS

Mind- SOMNAMBULISM

Mind- STANDING- agg.

Mind- STARTING, startled

Mind- STARTING, startled- evening

Mind- STARTING, startled- evening- sleep; falling asleep, on

Mind- STARTING, startled- bed, in

Mind- STARTING, startled- bed, in- lying awake, while

Mind- STARTING, startled- fright or fear, after

Mind- STARTING, startled- sleep- falling asleep, on

Mind- STARTING, startled- sleep- during

Mind- STARTING, startled- sleep- from

Mind- STARTING, startled- waking, on

Mind- STOMACH complaints, in

Mind- STRANGERS, in presence of- agg.

Mind- STRENGTH- increased, mental

Mind- STRIKING

Mind- STUPEFACTION, as if intoxicated

Mind- STUPEFACTION, as if intoxicated- morning- agg.

Mind- STUPEFACTION, as if intoxicated- anxiety, with

Mind- STUPEFACTION, as if intoxicated- sleep, after

Mind- SUDDEN manifestations

Mind- SUICIDAL disposition

Mind- SUICIDAL disposition- shooting, by

Mind- SUICIDAL disposition- thoughts

Mind- SUICIDAL disposition- throwing oneself from- height, a

Mind- SUNSTROKE, after

Mind- SUSPICIOUSNESS, mistrustfulness

Mind- SUSPICIOUSNESS, mistrustfulness; anxiety, with

Mind- SUSPICIOUSNESS, mistrustfulness; solitude, desire for

Mind- SUSPICIOUSNESS, mistrustfulness; walking, while

Mind- SUSPICIOUSNESS, mistrustfulness; everyone, to

Mind- TACITURN, indisposed to talk

Mind- TACITURN, indisposed to talk; afternoon

Mind- TACITURN, indisposed to talk; afternoon; sleep, after

Mind- TACITURN, indisposed to talk; headache, during

Mind- TACITURN, indisposed to talk; waking, on

Mind- TALK, talking, talks; sleep; during

Mind- TALK, talking, talks; sleep; during; grief, after

Mind- TALK, talking, talks; foolish

Mind- TALK, talking, talks; hasty, hurried

Mind- TALK, talking, talks; incoherent

Mind- TALK, talking, talks; irrational

Mind- TALK, talking, talks; irrational; mortification, after

Mind- TALK, talking, talks; prattling

Mind- TALK, talking, talks; prattling; sleep, during

Mind- TALK, talking, talks; violent

Mind- TALK, talking, talks; wandering

Mind- THOUGHTS; collect, cannot

Mind- THOUGHTS; intrude and crowd around each other

Mind- THOUGHTS; persistent

Mind- THOUGHTS; persistent; separated; mind and body are

Mind- THOUGHTS; rapid, quick

Mind- THOUGHTS; rush, flow of

Mind- THOUGHTS; rush, flow of; afternoon

Mind- THOUGHTS; rush, flow of; evening

Mind- THOUGHTS; two trains of thoughts

Mind- THOUGHTS; vanishing, unable to think

Mind- THOUGHTS; vanishing, unable to think; morning

Mind- THOUGHTS; vanishing, unable to think; reading agg.

Mind- THOUGHTS; vanishing, unable to think; talking, while

Mind- THOUGHTS; vanishing, unable to think; writing

Mind- THOUGHTS; wandering

Mind- THROWS; things

Mind- THROWS; things; away, around

Mind- TIMIDITY

Mind- TIMIDITY; bashful

Mind- TIMIDITY; public, about appearing in

Mind- TOSSING about

Mind- TOSSING about; evening

Mind- TOSSING about; evening; bed, in

Mind- TOUCH things, impelled to

Mind- TOUCH things, impelled to; children, in

Mind- TOUCHED; being, agg.

Mind- TRANQUILLITY, serenity, calmness

Mind- TREMBLING, with

Mind- TRIFLES; ailments from, agg.

Mind- TRIFLES; important, seem

Mind- UNCONSCIOUSNESS, coma

Mind- UNCONSCIOUSNESS, coma; cholera infantum, in

Mind- UNCONSCIOUSNESS, coma; pain, from

Mind- UNCONSCIOUSNESS, coma; conduct, automatic

Mind- UNCONSCIOUSNESS, coma; dream, as from

Mind- UNFEELING, hard-hearted

Mind- UNFEELING, hard-hearted; alternating with sensitivity

Mind- UNSYMPATHETIC, unscrupulous

Mind- UNTIDY

Mind- VENERATION

Mind- VERTIGO agg.

Mind- VIOLENCE, vehemence

Mind- VIOLENCE, vehemence; rage leading to deeds of, agg.

Mind- VIVACIOUSNESS

Mind- VULNERABLE, emotionally

Mind- WAKING; on

Mind- WAKING; after

Mind- WALK, walking; while

Mind- WALK, walking; while; air, in open

Mind- WALK, walking; amel.

Mind- WARMTH; agg.

Mind- WEAKNESS; with

Mind- WEARY

Mind- WEARY of life

Mind- WEEPING, tearful mood

Mind- WEEPING, tearful mood; night

Mind- WEEPING, tearful mood; amel.

Mind- WEEPING, tearful mood; fever, during

Mind- WEEPING, tearful mood; fever, during; infants, in

Mind- WEEPING, tearful mood; headache, with

Mind- WEEPING, tearful mood; heat, during

Mind- WEEPING, tearful mood; sleep; during

Mind- WEEPING, tearful mood; sleep; during; dreams, during

Mind- WHIMPERING

Mind- WHIMPERING; night

Mind- WHIMPERING; sleep, during

Mind- WHIMPERING; sleep, during; comatose

Mind- WICKED disposition

Mind- WILL; contradiction of

Mind- WILL; contradiction of; headache and whooping cough, in

Mind- WILL; loss of

Mind- WILL; loss of; apoplexy, after

Mind- WILL; two, feels as if he had two wills

Mind- WILL; two, feels as if he had two wills; one commanding him to do what the other forbids Mind- WILL; weakness of

Mind- WORK; agg.

Mind- WORK; agg.; manual, fine work

Mind- WORK; agg.; mental

Mind- WORK; impossible

Mind- WORK; mental; aversion to

Mind- WORK; mental; aversion to; eating, after

Appendix C

General and mental symptoms of Mangifera Indica with corresponding rubrics & sub rubrics

Generalities- ALTERNATING states

Generalities- ALTERNATING sides

Generalities- CROSSWISE

Generalities- CROSSWISE- left lower and right upper

Generalities- LEFT

Generalities- ONE-SIDED

Generalities- ONE-SIDED- extending to other and there agg.

Generalities- RIGHT

Generalities- DAYTIME- agg.

Generalities- MORNING, five am. - Nine am. - agg.

Generalities- MORNING, five am. - Nine am. - agg. - Five am.

Generalities- MORNING, five am. - Nine am. - agg. - Six am.

Generalities- MORNING, five am. - Nine am. - agg. - Six am. - Five pm., until

Generalities- MORNING, five am. - Nine am. - agg. - bed, in

Generalities- MORNING, five am. - Nine am. - agg. – Rising- on

Generalities- MORNING, five am. - Nine am. - agg. – Rising- after

Generalities- FORENOON, nine am. – Noon- agg.

Generalities- FORENOON, nine am. – Noon- agg. - Ten am.

Generalities- FORENOON, nine am. – Noon- agg. - Ten am. - Noon, until

Generalities- NOON, twelve Am., around- agg.

Generalities- AFTERNOON, one pm. - six pm. - agg.

Generalities- AFTERNOON, one pm. - six pm. - agg. - Two pm.

Generalities- AFTERNOON, one pm. - six pm. - agg. - Four pm.

Generalities- AFTERNOON, one pm. - six pm. - agg. - Four pm.; nine pm., until

Generalities- AFTERNOON, one pm. - six pm. - agg. -Four thirty pm.

Generalities- AFTERNOON, one pm. - six pm. - agg. - Five pm.

Generalities- EVENING, six pm. - nine pm. - agg.

Generalities- EVENING, six pm. - nine pm. - agg. - Six pm.

Generalities- EVENING, six pm. - nine pm. - agg. - Seven pm.

Generalities- EVENING, six pm. - nine pm. - agg. - Eight pm.

Generalities- EVENING, six pm. - nine pm. - agg. - twilight

Generalities- EVENING, six pm. - nine pm. - agg. - bed, in

Generalities- EVENING, six pm. - nine pm. - agg. - Lying down - agg.

Generalities- EVENING, six pm. - nine pm. - amel.

Generalities- EVENING, six pm. - nine pm. - amel. - bed, in

Generalities- NIGHT, nine pm. - five am. - agg.

Generalities- NIGHT, nine pm. - five am. - agg. - Nine pm.

Generalities- NIGHT, nine pm. - five am. - agg. - waking, on

Generalities- MIDNIGHT- before

Generalities- MIDNIGHT- after

Generalities- MIDNIGHT- after- one am.

Generalities- SPRING- agg.

Generalities- WINTER- agg.

Generalities- PERIODICAL

Generalities- PERIODICAL- daily

Generalities- EXTENDING- downward

Generalities- EXTENDING- forward

Generalities- EXTENDING- outward

Generalities- EXTENDING- upward

Generalities- RADIATING, spreading complaints

Generalities- INTERNAL

Generalities- EXTERNAL

Generalities- PARTS, single

Generalities- SPOTS

Generalities- BONES

Generalities- BONES- condyles

Generalities- BONES- long bones

Generalities- BONES- periosteum

Generalities- CARTILAGES

Generalities- GLANDS, liver, spleen etc.

Generalities- GLANDS, liver, spleen etc. - hormonal

Generalities- GLANDS, liver, spleen etc. – hormonal- reproductive system, of

Generalities- GLANDS, liver, spleen etc. - lymphatic tissue

Generalities- GLANDS, liver, spleen etc. - secretory glands

Generalities- JOINTS

Generalities- JOINTS- small joints

Generalities- MUCOUS membranes

Generalities- MUSCLES

Generalities- NERVES

Generalities- ORIFICES

Generalities- SPHINCTERS

Generalities- ABSCESSSES, suppurations

Generalities- ABSCESSSES, suppurations; internal

Generalities- ABSCESSSES, suppurations- bones

Generalities- ABSCESSSES, suppurations- joints

Generalities- ABSCESSSES, suppurations- chronic

Generalities- ABSCESSSES, suppurations- pus- bland

Generalities- ABSCESSSES, suppurations- pus- offensive, fetid

Generalities- ABSCESSSES, suppurations- pus- yellow

Generalities- AGILITY

Generalities- AIR- cold- agg.

Generalities- AIR- indoor air- agg.

Generalities- AIR- indoor air- amel.

Generalities- AIR- open- agg.

Generalities- AIR- open- agg. - Warm

Generalities- AIR- open- amel.

Generalities- AIR- open- aversion to

Generalities- AIR- open- desires

Generalities- AIR- sensation of- cold

Generalities- AIR- warm- amel.

Generalities- ATROPHY

Generalities- BATHING, washing- agg.

Generalities- BATHING, washing; agg. - sea, in

Generalities- BATHING, washing- agg. - Warm

Generalities- BATHING, washing- aversion to

Generalities- BED- in

Generalities- BENDING- agg.

Generalities- BENDING- agg. - Backward

Generalities- BENDING- agg. – Backward- head

Generalities- BENDING- agg. - Forward

Generalities- BENDING- amel. - Backward

Generalities- BENDING- amel. - Forward, double

Generalities- BENDING- amel. - Limbs

Generalities- BENDING- amel. - Part affected

Generalities- BINDING up, bandaging amel.

Generalities- BITING, chewing- agg.

Generalities- BITING, chewing- agg. - Teeth together

Generalities- BLOWING nose- agg.

Generalities- BLOWING nose- amel.

Generalities- BLUENESS of parts, cyanosis

Generalities- BOILING sensation

Generalities- BREAKFAST- after

Generalities- BREATHING- agg.

Generalities- BREATHING- agg. - Deep

Generalities- BREATHING- holding- agg.

Generalities- BUBBLING sensation

Generalities- BUBBLING sensation- muscles

Generalities- CRIES, necrosis

Generalities- CRIES, necrosis- bones

Generalities- CHANGE- temperature, of, agg.

Generalities- CHANGE- temperature, of, agg. - Cold to warm

Generalities- CHANGE- complaints, of, constant

Generalities- CHILDREN, complaints in

Generalities- CHILL- during

Generalities- CHOREA

Generalities- CHRONIC diseases, chronicity

Generalities- CHRONIC diseases, chronicity- cold, after taking

Generalities- CLIMACTERIC period agg.

Generalities- CLOSING- eyes- agg.

Generalities- COLD- agg.

Generalities- COLD- amel.

Generalities- COLD; taking, becoming

Generalities- COLD- taking, becoming- easily

Generalities- COLDNESS, lack of vital heat

Generalities- COLDNESS, lack of vital heat; morning

Generalities- COLDNESS, lack of vital heat- evening

Generalities- COLDNESS, lack of vital heat- night

Generalities- COLDNESS, lack of vital heat- air, in open

Generalities- COLDNESS, lack of vital heat- chill, during

Generalities- COLDNESS, lack of vital heat; menses- before

Generalities- COLDNESS, lack of vital heat- menses- during

Generalities- COLDNESS, lack of vital heat; pain, during

Generalities- COLDNESS, lack of vital heat- parts- single

Generalities- COLDNESS, lack of vital heat- spots, in

Generalities- COLDNESS, lack of vital heat- internal

Generalities- COLDNESS, lack of vital heat; external

Generalities- COLDNESS, lack of vital heat- icy

Generalities- COMBING or brushing hair- agg.

Generalities- CONCUSSION- agg. - Ailments from

Generalities- CONSTITUTION- dyscratic

Generalities- CONSTITUTION- phlegmatic

Generalities- CONSTRICTION

Generalities- CONSTRICTION- internal

Generalities- CONSTRICTION- internal; glands, liver, spleen

Generalities- CONSTRICTION- external

Generalities- CONSTRICTION- joints

Generalities- CONSTRICTION- muscles

Generalities- CONSTRICTION- band sensation

Generalities- CONTRACTING facial muscles agg.

Generalities- CONTRACTIONS, strictures, stenoses

Generalities- CONVALESCENCE, during

Generalities- CONVULSIONS, spasms

Generalities- CONVULSIONS, spasms; upper

Generalities- CONVULSIONS, spasms- muscles

Generalities- CONVULSIONS, spasms- clonic

Generalities- CONVULSIONS, spasms- epileptic

Generalities- CORYZA- suppressed, agg.

Generalities- COUGH- during

Generalities- COUGH- amel. After

Generalities- CRACKS, fissures, orifices

Generalities- CRAMPS

Generalities- CRAMPS- muscles

Generalities- CURVING of body

Generalities- DARKNESS- amel.

Generalities- DENTITION agg.

Generalities- DESCENDING- agg.

Generalities- DESCENDING- agg. – Stairs

Generalities- DINNER- agg.

Generalities- DINNER- amel.

Generalities- DISCHARGES, secretions- amel.

Generalities- DISCHARGES, secretions- acid, sour

Generalities- DISCHARGES, secretions- acrid, corrosive, excoriating

Generalities- DISCHARGES, secretions- bitter taste

Generalities- DISCHARGES, secretions- bland

Generalities- DISCHARGES, secretions- bloody

Generalities- DISCHARGES, secretions- exhausting

Generalities- DISCHARGES, secretions- glutinous

Generalities- DISCHARGES, secretions- gray

Generalities- DISCHARGES, secretions- green

Generalities- DISCHARGES, secretions- hardened, dry, dessicated pieces

Generalities- DISCHARGES, secretions; lumpy

Generalities- DISCHARGES, secretions- meat water, like

Generalities- DISCHARGES, secretions; offensive, fetid

Generalities- DISCHARGES, secretions; offensive, fetid- putrid

Generalities- DISCHARGES, secretions- profuse, increased

Generalities- DISCHARGES, secretions- purulent

Generalities- DISCHARGES, secretions- reddening parts

Generalities- DISCHARGES, secretions- scanty, diminished

Generalities- DISCHARGES, secretions; slimy, mucous

Generalities- DISCHARGES, secretions; suppressed

Generalities- DISCHARGES, secretions- tenacious, difficult to detach

Generalities- DISCHARGES, secretions- thick

Generalities- DISCHARGES, secretions; thin, liquid

Generalities- DISCHARGES, secretions- transparent, clear

Generalities- DISCHARGES, secretions- white

Generalities- DISCHARGES, secretions- yellow

Generalities- DISTORTIONS

Generalities- DISTORTIONS- joints

Generalities- DRAWING- up limb, flexing; amel.

Generalities- DRAWN-together, as if parts are

Generalities- DRINKING- while

Generalities- DRINKING- after

Generalities- DRYNESS

Generalities- DRYNESS- cough, during

Generalities- DRYNESS- internal, parts usually moist

Generalities- EATING- before

Generalities- EATING- during

Generalities- EATING- after

Generalities- EATING- after- long after eating

Generalities- EATING- amel.

Generalities- EMACIATION

Generalities- EMACIATION- cough, with

Generalities- EMACIATION- progressive

Generalities- EMACIATION- progressive- muscles

Generalities- EMPTINESS, hollow sensation

Generalities- EMPTINESS, hollow sensation- internal

Generalities- ENLARGED sensation

Generalities- ERUCTATIONS; agg.

Generalities- ERUCTIONS; amel.

Generalities- ERUPTIONS- agg.

Generalities- ERUPTIONS- mucous membranes

Generalities- EXERCISE, exertion; agg.

Generalities- EXERCISE, exertion- agg. - eyes, of

Generalities- EXERCISE, exertion- amel.

Generalities- EXPIRATION- agg.

Generalities- FAINTNESS, fainting

Generalities- FALLING- easily

Generalities- FALLING- sensation

Generalities- FASTING, hunger- amel.

Generalities; FEATHER bed, in

Generalities- FEVER- during

Generalities- FEVER- after

Generalities- FLATUS- agg.

Generalities- FLATUS- amel.

Generalities- FOOD and drinks- alcohol, alcoholic drinks- desires

Generalities- FOOD and drinks- beer- desires

Generalities- FOOD and drinks- beer- desires- evening

Generalities- FOOD and drinks- beer- desires- evening- six pm.

Generalities- FOOD and drinks- beer- desires- thirst- with

Generalities- FOOD and drinks- coffee- agg.

Generalities- FOOD and drinks- cold- drinks- agg.

Generalities- FOOD and drinks- cold- food- agg.

Generalities- FOOD and drinks; food in general- aversion to

Generalities- FOOD and drinks- milk, milk products- desires

Generalities- FOOD and drinks- milk, milk products- desires- six pm.

Generalities- FOOD and drinks- milk, milk products- desires- sour

Generalities- FOOD and drinks- sour, acid- desires

Generalities- FOOD and drinks- sour, acid- desires- drinks

Generalities- FOOD and drinks- warm- drinks- amel.

Generalities- FOOD and drinks- warm- food, cooked food- agg.

Generalities- FOOD and drinks- warm- food, cooked food- amel.

Generalities- FORMICATION, crawling

Generalities- FORMICATION, crawling; external

Generalities- FULLNESS

Generalities- FULLNESS- right

Generalities- FULLNESS- internal

Generalities- FULLNESS- external

Generalities- GAIT reeling, staggering, tottering and wavering

Generalities- GAIT reeling, staggering, tottering and wavering; walk, walking; beginning to

Generalities- GONORRHEA, sycosis

Generalities- GURGLING, clucking, internal

Generalities- GURGLING, clucking, internal- muscles

Generalities- HANGING down limbs- amel.

Generalities- HARDNESS

Generalities- HARDNESS- glands, liver, spleen etc.

Generalities- HEART complaints, in

Generalities- HEAT

Generalities- HEAT- left

Generalities- HEAT- during

Generalities- HEAT- extending- upward

Generalities- HEAT- flushes of

Generalities- HEAT- flushes of- climacteric period, in

Generalities- HEAT- flushes of- upper body only

Generalities- HEATED, warmed, hot, becoming- agg.

Generalities- HEATED, warmed, hot, becoming- agg. - walking, while

Generalities- HEATED, warmed, hot, becoming- agg. - walking, while - air, in open

Generalities- HEATED, warmed, hot, becoming- amel.

Generalities- HEATED, warmed, hot, becoming; amel. - walking, while

Generalities- HEAVINESS

Generalities- HEAVINESS- morning

Generalities- HEAVINESS- forenoon

Generalities- HEAVINESS- afternoon

Generalities- HEAVINESS- afternoon- four pm.

Generalities- HEAVINESS- evening

Generalities- HEAVINESS- internal

Generalities- HEAVINESS- external

Generalities- HEMORRHAGE, uterine- agg.

Generalities- HYPERTROPHY, enlargement

Generalities- ILL or sick feeling

Generalities- ILL or sick feeling- paroxysmal

Generalities- IMMOBILITY of affected parts

Generalities- INFILTRATION

Generalities- INFILTRATION- serum, bloody, through cellular tissue

Generalities- INFLAMMATION

Generalities- INFLAMMATION- internal

Generalities- INFLAMMATION- external

Generalities- INFLAMMATION- cellular tissue, cellulitis

Generalities- INFLAMMATION- bones, osteitis

Generalities- INFLAMMATION- bones, osteitis; periosteum, periostitis

Generalities- INFLAMMATION- joints, arthritis

Generalities- INFLAMMATION- mucous membranes

Generalities- INFLAMMATION- catarrhal

Generalities- INFLAMMATION- catarrhal- chronic

Generalities- INFLAMMATION- catarrhal- suppressed

Generalities- INFLAMMATION- chronic

Generalities- INFLAMMATION- chronic- joints, arthritis deformans

Generalities- INJURIES, blows, falls and bruises

Generalities- INJURIES, blows, falls and bruises- dislocation, luxation

Generalities- INJURIES, blows, falls and bruises; fractures etc.

Generalities- INJURIES, blows, falls and bruises; fractures etc., bones- slow repair of broken bones

Generalities- INJURIES, blows, falls and bruises; sprains, distortions

Generalities- INSPIRATION- agg.

Generalities- INSPIRATION- agg. - Deep

Generalities- INSPIRATION- amel.

Generalities- INTOXICATED feeling

Generalities- INTOXICATED feeling; afternoon

Generalities- INTOXICATED feeling; standing agg.

Generalities- INTOXICATION, after

Generalities- INTOXICATION, after; china abuse, from, without quinine cachexia

Generalities- INTOXICATION, after- lead

Generalities- INTOXICATION, after; metals in general

Generalities- INTOXICATION, after- quinine

Generalities- IRRITABILITY- physical, excessive

Generalities- ITCHING, tickling

Generalities- ITCHING, tickling- internal

Generalities- ITCHING, tickling- back part, posterior

Generalities- ITCHING, tickling- bones- near

Generalities- ITCHING, tickling; glands, liver, spleen etc.

Generalities- ITCHING, tickling; mucous membranes

Generalities- JAR, stepping- agg.

Generalities- JERKING

Generalities- JERKING- cough, with

Generalities- JERKING- motion agg.

Generalities- JERKING- internal

Generalities- JERKING- external

Generalities- JERKING- lower parts

Generalities- JERKING- joints

Generalities- JERKING- convulsive, spasmodic

Generalities- KNEELING- agg.

Generalities- LAMENESS

Generalities- LAMENESS- external

Generalities- LAMENESS- lower part

Generalities- LASSITUDE

Generalities- LASSITUDE- morning

Generalities- LASSITUDE- morning bed, in

Generalities- LASSITUDE- waking, on

Generalities- LAUGHING

Generalities- LAYING hand- on part- amel.

Generalities- LEAF, valve, skin, as of a

Generalities- LEAN people

Generalities- LEANING- against anything- amel.

Generalities- LEANING- against anything- amel. - Head

Generalities- LICKING- agg. lips

Generalities- LICKING- amel.

Generalities- LIE down- inclination to

Generalities- LIFTING, overlifting, straining of muscles and tendons- agg.

Generalities- LIGHT- agg.

Generalities- LIGHT; agg. - Artificial light, candlelight, lamplight

Generalities- LIGHT- agg. - Bright

Generalities- LIGHT- agg. - daylight

Generalities- LIGHT; agg. - sunlight

Generalities- LIGHT- agg. - twilight

Generalities- LOOKING- agg. - clear space, into

Generalities- LOOKING- agg. - distance, in

Generalities- LOOKING- agg. - down

Generalities- LOOKING- agg. - fixedly, intently

Generalities- LOOKING- agg. - long at anything

Generalities- LOOKING- agg. - upward

Generalities- LOOKING- amel. - fixedly at an object

Generalities- LOOSE, as if

Generalities- LOSS of animal fluids- agg.

Generalities- LYING- during

Generalities- LYING- during- bed, in

Generalities- LYING- during- side, on

Generalities; LYING; during; side, on- painful, affected

Generalities- LYING- during- side, on- right

Generalities- LYING- after

Generalities- LYING- amel.

Generalities- LYING- amel. - during

Generalities- LYING- amel. – during- all troubles amel.

Generalities- LYING- amel. – during- back, on

Generalities- LYING- amel. – during- bed, in

Generalities- LYING- amel. – during- side, on

Generalities- LYING- amel. – during- side, on- painless

Generalities- LYING- amel. – during- side, on- right

Generalities- LYING- down

Generalities- MENSES- before

Generalities- MENSES- during

Generalities- MENSES- suppressed, from

Generalities- MENTAL exertion-

Generalities- METASTASIS

Generalities- MOTION, motions- during agg.

Generalities- MOTION, motions- during agg. – air- open, agg.

Generalities- MOTION, motions- during agg. - downward

Generalities- MOTION, motions- during agg. - eyes, of

Generalities- MOTION, motions; during agg. - head, of

Generalities- MOTION, motions; during agg. – part- affected

Generalities- MOTION, motions- amel.

Generalities- MOTION, motions- desires

Generalities- MOTION, motions- sensation of

Generalities- MUSIC- agg.

Generalities- MUSIC- amel.

Generalities- NOISE- agg.

Generalities- NUMBNESS, insensibility

Generalities- NUMBNESS, insensibility- right

Generalities- NUMBNESS, insensibility- parts- affected

Generalities- NUMBNESS, insensibility- parts- single

Generalities- NUMBNESS, insensibility- internal

Generalities- NUMBNESS, insensibility- external

Generalities- NUMBNESS, insensibility- external- right

Generalities- OBESITY

Generalities- OLD people, in

Generalities- OLD people, in- women

Generalities- OPENING- eyes- amel.

Generalities- OVULATION, ailments during

Generalities- PAIN

Generalities- PAIN- alternating sides

Generalities- PAIN- left

Generalities- PAIN- one-sided

Generalities- PAIN; one-sided- goes to other side and there agg.

Generalities- PAIN- right

Generalities- PAIN- daytime

Generalities- PAIN; morning

Generalities- PAIN- morning- bed, in

Generalities- PAIN- morning- rising- on or after

Generalities- PAIN- morning- waking- on or after

Generalities- PAIN- forenoon

Generalities- PAIN- noon

Generalities- PAIN- afternoon

Generalities- PAIN- evening- agg.

Generalities- PAIN- evening- agg. - lying down agg.

Generalities- PAIN- night- agg.

Generalities- PAIN- night- agg. - bed, in

Generalities- PAIN- night- agg. - menses, before

Generalities- PAIN- disappearing suddenly

Generalities- PAIN- periodical

Generalities- PAIN- agg.

Generalities- PAIN- air- cold- agg.

Generalities- PAIN- air- open- amel.

Generalities- PAIN- air- open- agg.

Generalities- PAIN- anger, vexation agg.

Generalities- PAIN- bed- agg.

Generalities- PAIN- breathing agg.

Generalities- PAIN- chill, during

Generalities- PAIN- chilliness, during

Generalities- PAIN- cold- agg.

Generalities- PAIN- cold- taking

Generalities- PAIN- dinner, after

Generalities- PAIN- eating- while

Generalities- PAIN- eating- after

Generalities- PAIN- eating- amel.

Generalities- PAIN- eructation amel.

Generalities- PAIN- excitement, emotional, agg.

Generalities- PAIN- exercise- agg.

Generalities- PAIN- fever, during

Generalities- PAIN- fever, during- heat

Generalities- PAIN- headache, during

Generalities- PAIN- inspiration, deep, agg.

Generalities- PAIN- jar, stepping agg.

Generalities- PAIN- lying- agg.

Generalities- PAIN- lying- agg. - side, on affected, painful

Generalities- PAIN- lying- amel.

Generalities- PAIN- lying- down agg.

Generalities- PAIN- lying- lie down, must

Generalities- PAIN- menses- before

Generalities- PAIN- menses- during

Generalities- PAIN- mental exertion agg.

Generalities- PAIN- motion- agg.

Generalities- PAIN- motion- amel.

Generalities- PAIN- perspiration- during

Generalities- PAIN- pressure- agg.

Generalities- PAIN- pressure- amel.

Generalities- PAIN- pressure- amel. - hand, with

Generalities- PAIN- rest- agg.

Generalities- PAIN- rising- agg.

Generalities- PAIN- rising- agg. - lying, from

Generalities- PAIN- rising- agg. - sitting, from

Generalities- PAIN- rising- agg. - stooping, from

Generalities- PAIN- rising- amel.

Generalities- PAIN- rising- amel. - stooping, from

Generalities- PAIN- room, in- agg.

Generalities- PAIN- room, in- agg. - warm

Generalities- PAIN- room, in- amel.

Generalities- PAIN- rub, rubbing, massage- agg.

Generalities- PAIN- rub, rubbing, massage- amel.

Generalities- PAIN- scratching- agg.

Generalities- PAIN- sit, sitting- agg.

Generalities- PAIN- sit, sitting- agg. - erect, upright

Generalities- PAIN- sit, sitting- amel.

Generalities- PAIN- sit, sitting- amel. – bent

Generalities- PAIN- sleep- after

Generalities- PAIN- standing- agg.

Generalities- PAIN- standing- amel.

Generalities- PAIN- stool- before

Generalities- PAIN- stool- during

Generalities- PAIN- stool- straining at

Generalities- PAIN- stooping- agg.

Generalities- PAIN- stooping- amel.

Generalities- PAIN- swallowing- agg.

Generalities- PAIN- swallowing- amel.

Generalities- PAIN- talking agg.

Generalities- PAIN- touch- agg.

Generalities- PAIN- touch- amel.

Generalities- PAIN- vertigo, during

Generalities- PAIN- waking- agg.

Generalities- PAIN- walking- agg.

Generalities- PAIN- walking- agg. - after

Generalities- PAIN- walking- agg. - air, in open

Generalities- PAIN- walking- amel.

Generalities- PAIN- walking- amel. - air, in open

Generalities- PAIN- warmth- amel.

Generalities- PAIN- warmth- amel. - fire, of

Generalities- PAIN- weakness, with

Generalities- PAIN- weather- bad, agg.

Generalities- PAIN- weather- changes of, from

Generalities- PAIN- weather- cold, in

Generalities- PAIN- weather- damp, wet, in

Generalities- PAIN- weather- damp, wet, in- cold

Generalities- PAIN- extending- back, to

Generalities- PAIN- extending- crosswise

Generalities- PAIN- extending- diagonal

Generalities- PAIN- extending- downward

Generalities- PAIN- extending- fingers, to

Generalities- PAIN- extending- forward

Generalities- PAIN- extending- inward

Generalities- PAIN- extending- outward

Generalities- PAIN- extending- upward

Generalities- PAIN- deep seated

Generalities- PAIN- internal

Generalities- PAIN- internal- night

Generalities- PAIN- internal- menses, before

Generalities- PAIN- external

Generalities- PAIN- external- left

Generalities- PAIN- external- right

Generalities- PAIN- external- forenoon

Generalities- PAIN- external- evening, rising from lying agg.

Generalities- PAIN- external- heat- during

Generalities- PAIN- external- rest, during

Generalities- PAIN- upper

Generalities- PAIN- upper- external, left

Generalities- PAIN- lower

Generalities- PAIN- bones

Generalities- PAIN- bones- right

Generalities- PAIN- bones- night

Generalities- PAIN- bones- night- bed, in

Generalities- PAIN- bones- bed, in

Generalities- PAIN- bones- motion- amel.

Generalities- PAIN- bones- sitting agg.

Generalities- PAIN- bones- standing agg.

Generalities- PAIN- bones- touch agg.

Generalities- PAIN- bones- walking- agg.

Generalities- PAIN- bones- walking- amel.

Generalities- PAIN- bones- condyles

Generalities- PAIN- bones- long bones

Generalities- PAIN- bones- long bones- motion- amel.

Generalities- PAIN- bones- long bones- walking, while

Generalities- PAIN- bones- periosteum

Generalities- PAIN- cartilages

Generalities- PAIN- glands, liver, spleen etc.

Generalities- PAIN- glands, liver, spleen etc. - left

Generalities- PAIN- glands, liver, spleen etc. - right

Generalities- PAIN- glands, liver, spleen etc. – extending- outward

Generalities- PAIN- joints, articulations

Generalities- PAIN- joints, articulations- night

Generalities- PAIN- joints, articulations- chill, during

Generalities- PAIN- joints, articulations- motion- agg.

Generalities- PAIN- joints, articulations- touch agg.

Generalities- PAIN- joints, articulations- weather- damp, wet agg.

Generalities- PAIN- joints, articulations- spots

Generalities- PAIN- joints, articulations- large

Generalities- PAIN- mucous membranes

Generalities- PAIN- muscles

Generalities- PAIN- muscles- flexor

Generalities- PAIN- orifices

Generalities- PAIN- benumbing

Generalities- PAIN- biting

Generalities- PAIN- blow, as after a

Generalities- PAIN- boring, grinding, grating

Generalities- PAIN- boring, grinding, grating; night- agg.

Generalities- PAIN- boring, grinding, grating- extending; inward

Generalities- PAIN- boring, grinding, grating- bones

Generalities- PAIN- boring, grinding, grating- bones- night

Generalities- PAIN- boring, grinding, grating- bones- periosteum

Generalities- PAIN- boring, grinding, grating- joints, articulations

Generalities- PAIN- burning, smarting

Generalities- PAIN- burning, smarting- daytime

Generalities- PAIN- burning, smarting- evening

Generalities- PAIN- burning, smarting- air, open- amel.

Generalities- PAIN- burning, smarting- scratching, on

Generalities- PAIN- burning, smarting- spots

Generalities- PAIN- burning, smarting- internal

Generalities- PAIN- burning, smarting- external

Generalities- PAIN- burning, smarting- external- right

Generalities- PAIN- burning, smarting; external- evening, rising from lying agg.

Generalities- PAIN- burning, smarting- upper

Generalities- PAIN- burning, smarting- lower

Generalities- PAIN- burning, smarting; bones

Generalities- PAIN- burning, smarting- glands, liver, spleen etc.

Generalities- PAIN- burning, smarting- joints, articulations

Generalities- PAIN- burning, smarting- joints, articulations- spots

Generalities- PAIN- burning, smarting; mucous membranes

Generalities- PAIN- bursting, splitting, driven asunder

Generalities- PAIN- chronic

Generalities- PAIN- corrosive, gnawing

Generalities- PAIN- corrosive, gnawing; internal

Generalities- PAIN- corrosive, gnawing- external

Generalities- PAIN- corrosive, gnawing- bones

Generalities- PAIN- corrosive, gnawing; joints, articulations

Generalities- PAIN- cramping

Generalities- PAIN- cramping- night- agg.

Generalities- PAIN- cramping- internal

Generalities- PAIN- cramping- external

Generalities- PAIN- cramping- muscles

Generalities- PAIN- crushed, as if

Generalities- PAIN- cutting

Generalities- PAIN- cutting- morning

Generalities- PAIN- cutting- evening

Generalities- PAIN- cutting- internal

Generalities- PAIN- cutting- external

Generalities- PAIN- cutting- bones

Generalities- PAIN- cutting- joints, articulations

Generalities- PAIN- dislocated, as if

Generalities- PAIN- dislocated, as if- external

Generalities- PAIN- dislocated, as if- joints

Generalities- PAIN- dragging, bearing- down

Generalities- PAIN- drawing

Generalities- PAIN- drawing- left

Generalities- PAIN- drawing- right

Generalities- PAIN- drawing- morning

Generalities- PAIN- drawing- morning- waking, on or after

Generalities- PAIN- drawing- sitting, while

Generalities- PAIN- drawing- standing agg.

Generalities- PAIN- drawing- waking, on

Generalities- PAIN- drawing- walking- amel.

Generalities- PAIN- drawing- extending- downward

Generalities- PAIN- drawing- extending- upward

Generalities- PAIN- drawing- external

Generalities- PAIN- drawing- internal

Generalities- PAIN- drawing- bones

Generalities- PAIN- drawing- glands, liver, spleen etc.

Generalities- PAIN- drawing- joints, articulations

Generalities- PAIN; drawing- muscles

Generalities- PAIN- drawing- cramping

Generalities- PAIN- drawing- together

Generalities- PAIN- dull

Generalities- PAIN- excoriating

Generalities- PAIN- gouty

Generalities- PAIN- gripping, grasping, clawing

Generalities- PAIN- growing pains

Generalities- PAIN- intermittent

Generalities- PAIN- jerking
 Generalities- PAIN- jerking- morning
 Generalities- PAIN- jerking- evening
 Generalities- PAIN- jerking- internal
 Generalities- PAIN- jerking- external
 Generalities- PAIN- jerking- bones
 Generalities- PAIN- jerking- joints, articulations
 Generalities- PAIN- jerking- glands, liver, spleen etc.
 Generalities- PAIN- jerking- muscles
 Generalities- PAIN- maddening, intolerable
 Generalities- PAIN- maddening, intolerable- joints, articulations
 Generalities- PAIN- neuralgic
 Generalities- PAIN- paralytic
 Generalities- PAIN- pinching
 Generalities- PAIN- pinching- left
 Generalities- PAIN- pinching- internal
 Generalities- PAIN- pinching- external
 Generalities- PAIN- pressing
 Generalities- PAIN- pressing- left
 Generalities- PAIN- pressing- walking, while
 Generalities- PAIN- pressing- extending- inward
 Generalities- PAIN- pressing- extending- outward
 Generalities- PAIN- pressing- internal
 Generalities- PAIN- pressing- external
 Generalities- PAIN-pressing- glands, liver, spleen etc.
 Generalities- PAIN- pressing- glands, liver, spleen etc. – extending- outward
 Generalities- PAIN- pressing- muscles

Generalities- PAIN- pressing- load, weight, as from

Generalities- PAIN- pressing- stitching

Generalities- PAIN- pulsating, throbbing

Generalities- PAIN- radiating

Generalities- PAIN- rheumatic

Generalities- PAIN- rheumatic- wandering

Generalities- PAIN- shocks, blows, thrusts

Generalities- PAIN- shooting, darting, lightning, quick

Generalities- PAIN- shuddering, as from concussion

Generalities- PAIN- sore, bruised

Generalities- PAIN- sore, bruised- morning

Generalities- PAIN- sore, bruised- night

Generalities- PAIN- sore, bruised- menses- before

Generalities- PAIN- sore, bruised- motion- agg.

Generalities- PAIN- sore, bruised- scratching, after

Generalities- PAIN- sore, bruised- stooping agg.

Generalities- PAIN- sore, bruised- touch, on

Generalities- PAIN- sore, bruised- walking- agg.

Generalities- PAIN- sore, bruised- deep seated

Generalities- PAIN- sore, bruised- spots

Generalities- PAIN- sore, bruised- internal

Generalities- PAIN- sore, bruised- external

Generalities- PAIN- sore, bruised- external- right

Generalities- PAIN- sore, bruised- upper

Generalities- PAIN- sore, bruised- bones

Generalities- PAIN- sore, bruised- bones- touch, on

Generalities- PAIN- sore, bruised- bones- periosteum

Generalities- PAIN- sore, bruised- bones- long

Generalities- PAIN- sore, bruised- cartilages

Generalities- PAIN- sore, bruised- joints, articulations

Generalities- PAIN- sore, bruised- mucous membranes

Generalities- PAIN- splinters, as of

Generalities- PAIN- spots

Generalities- PAIN- squeezing

Generalities- PAIN- squeezing- external

Generalities- PAIN- stitching

Generalities- PAIN- stitching- left

Generalities- PAIN- stitching- right

Generalities- PAIN- stitching- evening

Generalities- PAIN- stitching- night

Generalities- PAIN- stitching- chilliness, during

Generalities- PAIN- stitching- motion- agg.

Generalities- PAIN- stitching- sitting, while

Generalities- PAIN- stitching- extending- downward

Generalities- PAIN- stitching- extending- inward

Generalities- PAIN- stitching- extending- outward

Generalities- PAIN- stitching- extending- upward

Generalities- PAIN- stitching- internal

Generalities- PAIN- stitching- external

Generalities- PAIN- stitching- bones

Generalities- PAIN- stitching- glands, liver, spleen etc.

Generalities- PAIN- stitching- joints, articulations

Generalities- PAIN- stitching- joints, articulations- chill, during

Generalities- PAIN- stitching- mucous membranes

Generalities- PAIN- stitching- muscles

Generalities- PAIN- stitching- burning

Generalities- PAIN- stitching- burning- external

Generalities- PAIN- stitching- burning- muscles

Generalities- PAIN- stitching- drawing

Generalities- PAIN- stitching- dull

Generalities- PAIN- stitching- itching

Generalities- PAIN- stitching- jerking

Generalities- PAIN- stitching- jerking- muscles

Generalities- PAIN- stitching- needles, as from

Generalities- PAIN- stitching- pinching

Generalities- PAIN- stitching- prickling, muscles

Generalities- PAIN- stitching- tensive

Generalities- PAIN- straining

Generalities- PAIN- sudden, paroxysmal

Generalities- PAIN- tearing

Generalities- PAIN- tearing- left

Generalities- PAIN- tearing- right

Generalities- PAIN- tearing- motion- agg.

Generalities- PAIN- tearing- sitting, while

Generalities- PAIN- tearing- touch agg.

Generalities- PAIN- tearing- extending- downward

Generalities- PAIN- tearing- extending-

Generalities- PAIN- tearing- internal

Generalities- PAIN- tearing- external

Generalities- PAIN- tearing- bones

Generalities- PAIN- tearing- bones- long

Generalities- PAIN- tearing- glands, liver, spleen etc.

Generalities- PAIN- tearing- joints, articulations

Generalities- PAIN- tearing- muscles

Generalities- PAIN- tearing- cramping

Generalities- PAIN- tearing- cramping- muscles

Generalities- PAIN- tearing- drawing

Generalities- PAIN- tearing- jerking

Generalities- PAIN- tearing- jerking- bones

Generalities- PAIN- tearing- jerking- joints, articulations

Generalities- PAIN- tearing- jerking- muscles

Generalities- PAIN- tearing- stitching, pricking

Generalities- PAIN- tearing- stitching, pricking- joints, articulations

Generalities- PAIN- tearing- stitching, pricking- muscles

Generalities- PAIN- tearing- tensive

Generalities- PAIN- tearing- twitching

Generalities- PAIN- tearing- twitching- bones

Generalities- PAIN- torn

Generalities- PAIN- torn- out or off, as if

Generalities- PAIN- torn- pieces, to, as if, asunder

Generalities- PAIN- twinging

Generalities- PAIN- twitching

Generalities- PAIN- ulcerative

Generalities- PAIN- ulcerative- touch agg.

Generalities- PAIN- ulcerative- internal

Generalities- PAIN- ulcerative- external

Generalities- PAIN- ulcerative- bones

Generalities- PAIN- violent

Generalities- PAIN- wandering

Generalities- PAIN- wandering- joints, articulations

Generalities- PAIN- wandering- rapidly

Generalities- PAIN- wandering- sudden

Generalities- PAIN- weary

Generalities- PARALYSIS

Generalities- PARALYSIS- one-sided, hemiplegia

Generalities- PARALYSIS- right (

Generalities- PARALYSIS- right- stepping, from

Generalities- PARALYSIS- run forward if he tried to walk, with inclination to

Generalities- PARALYSIS- spinal complaints, in

Generalities- PARALYSIS- walking- during

Generalities- PARALYSIS- extending- upward

Generalities- PARALYSIS- internal

Generalities- PARALYSIS- internal- organs

Generalities- PARALYSIS- lower part, paraplegia

Generalities- PARALYSIS- muscles

Generalities- PARALYSIS- nerves

Generalities- PARALYSIS- nerves- sensory

Generalities- PARALYSIS- Landry's ascending paralysis, acute idiopathic polyneuritis

Generalities- PARALYSIS- malignant, lower part

Generalities- PARALYSIS- painful

Generalities- PARALYSIS- spastic spinal paralysis

Generalities- PERSPIRATION- during

Generalities- PERSPIRATION- amel, does not

Generalities- PHAGEDENIC, eating processes

Generalities- PREGNANCY- agg.

Generalities- PRESSURE- agg.

Generalities- PRESSURE- amel.

Generalities- PRESSURE- amel. - hand, with

Generalities- PROGRESSIVE diseases

Generalities- PSORA

Generalities- PULSATION

Generalities- PULSATION- internal

Generalities- PULSATION- external

Generalities- PULSATION- fine, external

Generalities- QUIVERING

Generalities- QUIVERING- external

Generalities- RAISING- agg.

Generalities- RAISING- agg. - head

Generalities- RAISING- amel. - limbs

Generalities- REACTION- lack of

Generalities- READING- agg.

Generalities- READING- agg. - aloud

Generalities- REDNESS

Generalities- REDNESS- parts affected

Generalities- REDNESS- spots

Generalities- REFLEXES- increased

Generalities- RELAXATION, physical

Generalities- RELAXATION, physical- muscles

Generalities- REST- agg.

Generalities- REST- amel.

Generalities- RESTLESSNESS, physical

Generalities- RISING- agg.

Generalities- RISING- agg. - lying, from

Generalities- RISING- agg. - sitting, from

Generalities- RISING- agg. - stooping, from

Generalities- RISING- amel.

Generalities- RISING- amel. - lying, from

Generalities- RISING- amel. - sitting, from

Generalities- RISING- amel. - stooping, from

Generalities- ROOM- agg.

Generalities- ROOM- agg. - entering, on

Generalities- ROOM- agg. - warm

Generalities- ROOM- amel.

Generalities- ROOM- amel. - warm

Generalities- ROUGHNESS, scratching in internal parts

Generalities- RUBBING, massage, friction- agg.

Generalities- RUBBING, massage, friction- amel.

Generalities- RUBBING, massage, friction; amel. - hand, with

Generalities - SCRAPING sensation

Generalities- SCRATCHING- agg.

Generalities- SCRATCHING- amel.

Generalities- SECRETIONS of mucous membranes

Generalities- SECRETIONS of mucous membranes- acrid, corrosive, excoriating

Generalities- SECRETIONS of mucous membranes- bland

Generalities- SECRETIONS of mucous membranes- bloody

Generalities- SECRETIONS of mucous membranes- gray

Generalities- SECRETIONS of mucous membranes- greenish

Generalities- SECRETIONS of mucous membranes- hard

Generalities- SECRETIONS of mucous membranes- lumpy

Generalities- SECRETIONS of mucous membranes- profuse

Generalities- SECRETIONS of mucous membranes- suppressed, scanty

Generalities- SECRETIONS of mucous membranes- thick, slimy

Generalities- SECRETIONS of mucous membranes- transparent

Generalities- SECRETIONS of mucous membranes- yellow

Generalities- SECRETIONS of mucous membranes- yellow- green

Generalities- SENSITIVENESS

Generalities- SENSITIVENESS- fever heat, during

Generalities- SENSITIVENESS- internal

Generalities- SENSITIVENESS- bones

Generalities- SENSITIVENESS- bones- periosteum

Generalities- SENSITIVENESS- pain, to

Generalities- SENSITIVENESS- touch, to

Generalities- SEWING- agg.

Generalities- SHAKING head- agg.

Generalities- SHAVING- agg.

Generalities- SHOCKS

Generalities- SHOCKS- electric, like

Generalities- SHRIVELLING

Generalities- SHUDDERING, shivering

Generalities- SHUDDERING, shivering- alternating with heat

Generalities- SINGING- agg.

Generalities- SIT, sitting- agg.

Generalities- SIT, sitting; agg. - down

Generalities- SIT, sitting; agg. - Upright, erect

Generalities- SIT, sitting; amel.

Generalities- SIT, sitting; amel. - bent

Generalities- SIT, sitting; amel. - down

Generalities- SLEEP- before

Generalities- SLEEP- falling asleep

Generalities- SLEEP- during

Generalities- SLEEP- after

Generalities- SLUGGISHNESS of body

Generalities- SMOKING- agg.

Generalities- SMOKING- amel.

Generalities- SOFTENING- internal

Generalities- STAND, standing- agg.

Generalities- STAND, standing- amel.

Generalities- STIFFNESS, rigidity

Generalities- STIFFNESS, rigidity- evening

Generalities- STIFFNESS, rigidity- sitting agg.

Generalities- STIFFNESS, rigidity- upper

Generalities- STIFFNESS, rigidity- lower

Generalities- STOMACH complaints, in

Generalities- STOOL- before

Generalities- STOOL- during

Generalities- STOOL- straining at

Generalities- STOOPING- agg.

Generalities- STOOPING- amel.

Generalities- STRETCHING- agg.

Generalities- STRETCHING- agg. - parts affected

Generalities- STRETCHING- stretch, must

Generalities- STRETCHING- stretch, must- daytime

Generalities- SUCKING gums- agg.

Generalities- SUCKING gums- amel.

Generalities- SUDDEN manifestations

Generalities- SUN- agg.

Generalities- SUPPORTING a part- amel.

Generalities- SWALLOWING- during

Generalities- SWALLOWING- during- empty

Generalities- SWALLOWING- after

Generalities- SWALLOWING- amel.

Generalities- SWALLOWING- except when

Generalities- SWASHING, splashing sensation internally

Generalities- SWELLING

Generalities- SWELLING- evening

Generalities- SWELLING- parts- affected

Generalities- SWELLING- bones

Generalities- SWELLING- bones- periosteum

Generalities- SWELLING- glands, liver, spleen etc.

Generalities- SWELLING- joints, articulations

Generalities- SWELLING- lymphatic tissue

Generalities- SWELLING- mucous membranes

Generalities- SWELLING- orifices

Generalities- SWELLING- black

Generalities- SWELLING- bluish

Generalities- SWELLING- bluish- glands, liver, spleen etc.

Generalities- SWELLING- bluish- black, verging into

Generalities- SWELLING- edematous

Generalities- SWELLING- inflammatory

Generalities- SWELLING- inflammatory- glands, liver, spleen etc.

Generalities- SWELLING- nodular

Generalities- SWELLING- painful

Generalities- SWELLING- painful- stitching

Generalities- SWELLING- red

Generalities- SWELLING- red- shiny

Generalities- SWELLING- sensation of

Generalities- TALKING- agg.

Generalities- TALKING- agg. - others, of

Generalities- TENSION, tightness

Generalities- TENSION, tightness- walking- agg.

Generalities- TENSION, tightness- internal

Generalities- TENSION, tightness- external

Generalities- TENSION, tightness- bones

Generalities- TENSION, tightness- joints, articulations

Generalities- TINGLING, prickling

Generalities- TINGLING, prickling- external

Generalities- TINGLING, prickling- needles, as of, external

Generalities- TOBACCO- amel.

Generalities- TOUCH- agg.

Generalities- TOUCH- amel.

Generalities- TREMBLING

Generalities- TREMBLING- evening

Generalities- TREMBLING- evening- walking agg.

Generalities- TREMBLING- heart complaints, in

Generalities- TREMBLING- walking- while

Generalities- TREMBLING- internal

Generalities- TREMBLING- external

Generalities- TREMBLING- external- evening

Generalities- TREMBLING- nervous

Generalities- TREMBLING- sensation

Generalities- TUMORS

Generalities- TURNING- bed, in

Generalities- TURNING- eyes

Generalities- TURNING- head

Generalities- TWITCHING

Generalities- TWITCHING- left

Generalities- TWITCHING- right

Generalities- TWITCHING- morning

Generalities- TWITCHING- afternoon

Generalities- TWITCHING- evening

Generalities- TWITCHING- motion- agg.

Generalities- TWITCHING- internal

Generalities- TWITCHING- external

Generalities- TWITCHING- upper

Generalities- TWITCHING- lower

Generalities- TWITCHING- glands

Generalities- TWITCHING- muscles

Generalities- ULCERS

Generalities- ULCERS- mucous membranes

Generalities- ULCERS- cancerous

Generalities- ULCERS- suppurating

Generalities- UNCOVERING- aversion

Generalities- URINATION- beginning of

Generalities- URINATION- during

Generalities- VERTIGO, during

Generalities- VIOLENT complaints

Generalities- WAKING- agg.

Generalities- WALK, walking- beginning of

Generalities- WALK, walking- during

Generalities- WALK, walking- during- air, in open

Generalities- WALK, walking- during- fast, rapid, quick

Generalities- WALK, walking- after

Generalities- WALK, walking- after- air, in open

Generalities- WALK, walking- amel.

Generalities- WALK, walking- amel. - air, in open

Generalities- WALK, walking- backward impossible

Generalities- WALK, walking- must

Generalities- WANDERING complaints

Generalities- WARMTH- agg.

Generalities- WARMTH- amel.

Generalities- WARMTH- amel. - fire, of

Generalities- WARMTH- amel. - stove, of

Generalities- WARTS- internal

Generalities- WATER- working in- agg.

Generalities- WAVELIKE sensation

Generalities- WEAKNESS

Generalities- WEAKNESS- morning

Generalities- WEAKNESS- forenoon

Generalities- WEAKNESS- afternoon

Generalities- WEAKNESS- afternoon- four pm.

Generalities- WEAKNESS- evening- agg.

Generalities- WEAKNESS- evening- agg. - eight pm.

Generalities- WEAKNESS- night

Generalities- WEAKNESS- children, in

Generalities- WEAKNESS- chill- during

Generalities- WEAKNESS- fever- during

Generalities- WEAKNESS- fever- during- heat

Generalities- WEAKNESS- headache- during

Generalities- WEAKNESS- heaviness, with

Generalities- WEAKNESS- menses- during

Generalities- WEAKNESS- sitting- agg.

Generalities- WEAKNESS- waking- on or after

Generalities- WEAKNESS- upper

Generalities- WEAKNESS- lower

Generalities- WEAKNESS- organs

Generalities- WEAKNESS- joints

Generalities- WEAKNESS- muscles

Generalities- WEAKNESS- sudden, paroxysmal

Generalities- WEAKNESS- tremulous

Generalities- WEARINESS

Generalities- WEARINESS- afternoon- agg.

Generalities- WEARINESS- afternoon- agg. - four pm.

Generalities- WEARINESS- heaviness of limbs, with

Generalities- WEARINESS- rest, during

Generalities- WEATHER- change of- agg.

Generalities- WEATHER- change of- agg. - cold to warm

Generalities- WEATHER- change of- agg. - cold to warm - amel., and

Generalities- WEATHER- change of- amel.

Generalities- WEATHER- cloudy- agg.

Generalities- WEATHER- cold, dry- agg.

Generalities- WEATHER- cold, wet, damp- agg.

Generalities- WEATHER- damp, rainy, wet- agg.

Generalities- WEATHER- damp, rainy, wet- amel.

Generalities- WEATHER- dry- agg.

Generalities- WEATHER- dry- amel.

Generalities- WEATHER- foggy- agg.

Generalities- WEATHER- thunderstorm- during

Generalities- WEATHER- thunderstorm- amel.

Generalities- WEATHER- warm, sultry- agg.

Generalities- WEATHER- warm, sultry- amel.

Generalities- WEATHER- windy, stormy- before

Generalities- WEATHER- windy, stormy- during

Generalities- WEATHER- change of, desires

Generalities- WHITENESS, paleness of parts usually red

Generalities- WHITENESS, paleness of parts usually red- mucous membranes

Generalities- WIND- draft of air, sensation of

Generalities- WIND- draft of air, sensation of- cold

Generalities- WIPING eyes- amel.

Generalities- WOMEN, complaints in

Generalities- WOUNDS

Generalities- WOUNDS- granulations, proud flesh

Generalities- WOUNDS- heal- slow

Generalities- WOUNDS- suppurating

Generalities- YAWNING- agg.

Mind- MORNING- agg.

Mind- FORENOON.

Mind- AFTERNOON- agg.

Mind- NIGHT- agg.

Mind- MIDNIGHT- after

Mind- WINTER

Mind- GENERAL

Mind- PSYCHOLOGICAL themes- activity, passivity- activity

Mind- PSYCHOLOGICAL themes- activity, passivity- passivity

Mind- PSYCHOLOGICAL themes- aggression

Mind- PSYCHOLOGICAL themes- altruism

Mind- PSYCHOLOGICAL themes- anxiety, fear

Mind- PSYCHOLOGICAL themes- bodily sensations

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- decreased, avoiding

Mind- PSYCHOLOGICAL themes- compulsions- responsibility- increased

Mind- PSYCHOLOGICAL themes- distance, reservation

Mind- PSYCHOLOGICAL themes- feelings, strong

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- expression, facial

Mind; PSYCHOLOGICAL themes; gesticulation, appearance, verbal expression; gesticulation, appearance

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- speaking, verbal expression

Mind- PSYCHOLOGICAL themes; harmony with self, coherence

Mind- PSYCHOLOGICAL themes- intimacy; open

Mind- PSYCHOLOGICAL themes- perception, reasoning, cognition; confusion, weak concentration

Mind- PSYCHOLOGICAL themes- rationalizing, lack of feelings, depression

Mind- PSYCHOLOGICAL themes- religious affections- religious, spiritual

Mind- PSYCHOLOGICAL themes- self-appreciation- diminished

Mind- PSYCHOLOGICAL themes- self-appreciation- increased

Mind- PSYCHOLOGICAL themes; sensitivity

Mind- PSYCHOLOGICAL themes; sexuality

Mind- PSYCHOLOGICAL themes- shame, offense

Mind- PSYCHOLOGICAL themes- work, productivity, money, social status

Mind- ABSENT-MINDEDNESS

Mind- ABSORBED, buried in thought

Mind- ABSORBED, buried in thought; afternoon

Mind- ABSORBED, buried in thought; sadness, indulges in

Mind- ABSTRACTION of mind

Mind- ADAPTABILITY

Mind- AIR- open- amel.

Mind- ANGER

Mind- ANGER- morning

Mind- ANGER- ailments from, agg.

Mind-ANGER- talking of others, from

Mind- ANGER- trifles, about

Mind- ANGER- easily

Mind- ANGER- violent

Mind- ANTICIPATION

Mind- ANTICIPATION- ailments from, agg.

Mind- ANTICIPATION- ailments from, agg. - Mental and emotional consequences of

Mind- ANXIETY

Mind- ANXIETY- daytime- agg.

Mind- ANXIETY- night- agg.

Mind- ANXIETY- midnight; after

Mind- ANXIETY- agg. Ailments from

Mind- ANXIETY- excitement, emotional, agg.

Mind- ANXIETY- fear, with

Mind- ANXIETY- lying- amel.

Mind- ANXIETY- menses- before

Mind- ANXIETY- mental exertion agg.

Mind- ANXIETY- motion; agg.

Mind- ANXIETY- nausea- with

Mind- ANXIETY- perspiration- with

Mind- ANXIETY- respiration- difficult, anxious, with

Mind- ANXIETY- sleep- disturbed, with

Mind- ANXIETY- stomach complaints, in

Mind- ANXIETY- walking- while

Mind- ANXIETY- business, about

Mind- ANXIETY- future, about

Mind- ANXIETY- trifles, about

Mind- ANXIETY- wrong- went wrong with him, as if

Mind- APPRECIATION, desires

Mind- APPRECIATION, desires- work, for

Mind- BED- agg.

Mind- BENEVOLENCE

Mind- BROODING

Mind- BUSINESS- ailments from, agg.

Mind- BUSINESS- ailments from, agg. - Mental and emotional consequences of

Mind- CARES, worries, full of

Mind- CARES, worries, full of; agg. Ailments from

Mind- CAUTIOUS

Mind- COMPANY- aversion to

Mind- COMPANY- aversion to- solitude, desire for

Mind- CONCENTRATION- difficult

Mind- CONFUSION of mind

Mind- CONFUSION of mind- air, open- amel.

Mind- CONFUSION of mind- congestion of head, with

Mind- CONFUSION of mind- headache- during

Mind- CONFUSION of mind- sitting, while

Mind- CONFUSION of mind- collect ones senses, cannot, with headache

Mind- DELUSIONS, imaginations

Mind- DELUSIONS, imaginations- body, body parts- enlarged

Mind- DELUSIONS, imaginations- body, body parts- larger, are

Mind- DELUSIONS, imaginations- enlarged

Mind- DELUSIONS, imaginations- enlarged- he is

Mind- DELUSIONS, imaginations- head

Mind- DELUSIONS, imaginations- head- enlarged, is

Mind- DELUSIONS, imaginations- hearing, of

Mind- DELUSIONS, imaginations; images, phantoms, sees

Mind- DELUSIONS, imaginations- images, phantoms, sees- frightful

Mind- DELUSIONS, imaginations- insane; become, that she will

Mind- DELUSIONS, imaginations- soldier- sees

Mind- DELUSIONS, imaginations- soldier- sees- shooting him through and through

Mind- DESIRES- full of

Mind- DESIRES- full of- refused when offered

Mind- DISCOMFORT

Mind- DISCOMFORT- afternoon

Mind- DISCONTENTED

Mind- DISCONTENTED- everything, with

Mind- DISCONTENTED- oneself, with

Mind- DISCOURAGED

Mind- DREAMS

Mind- DREAMS- midnight- after

Mind- DREAMS- sleep, on falling asleep

Mind- DREAMS- angry

Mind- DREAMS- animals, of

Mind- DREAMS- anxious

Mind- DREAMS- changing

Mind- DREAMS- changing- objects, of

Mind- DREAMS- clairvoyant

Mind- DREAMS- comical

Mind- DREAMS- confused

Mind- DREAMS- crocodiles, alligators

Mind- DREAMS- danger

Mind- DREAMS- danger- death, of

Mind- DREAMS- doctors

Mind- DREAMS- doctors- he is with his doctor

Mind- DREAMS- events

Mind- DREAMS- events; not yet taken place

Mind- DREAMS- exhausting

Mind- DREAMS- frightful, nightmare

Mind- DREAMS- future events, prophetic

Mind- DREAMS- future events, prophetic; next day, seen

Mind- DREAMS; heavy

Mind- DREAMS- joyous

Mind- DREAMS- luck, of bad

Mind- DREAMS- many

Mind- DREAMS- misfortune, of

Mind- DREAMS- morose

Mind- DREAMS- physician

Mind- DREAMS- pleasant

Mind- DREAMS- reconciliation

Mind- DREAMS- remembered

Mind- DREAMS- things, objects

Mind- DREAMS- things, objects- varied

Mind- DREAMS- unremembered

Mind- DREAMS- vexatious

Mind- DREAMS- vivid

Mind- DREAMS- water

Mind- DREAMS- water- flood, of a

Mind- DULLNESS

Mind- DULLNESS- sitting, while

Mind- DULLNESS- standing agg.

Mind- DULLNESS- standing agg. - Rush of blood from nape of neck over vertex toward forehead, during motion

Mind- DWELLS- events, on past disagreeable

Mind- EMBARRASSMENT- agg, ailments from

Mind- EMBITTERED, exasperated

Mind- EXCITEMENT, excitable

Mind- EXCITEMENT, excitable; morning

Mind- EXCITEMENT, excitable; ailments from, agg.

Mind- EXCITEMENT, excitable- ailments from, agg.; mental and emotional consequences of

Mind- EXCITEMENT, excitable; ailments from, agg. - suppressed

Mind- FEAR

Mind- FEAR- night; agg.

Mind- FEAR; midnight- after

Mind- FEAR- midnight- after- one am., before menses

Mind- FEAR; menses; before

Mind- FEAR- sadness, with

Mind- FEAR- evil, of

Mind- FEAR- forsaken, of being

Mind- FEAR- happen- something will

Mind- FEAR- happen- something will- bad, evil

Mind- FEAR- happen; something will- bad, evil- lying down amel.

Mind- FEAR- insanity, of losing his reason

Mind- FEAR- misfortune, of

Mind- FEAR- violence, of

Mind- FEAR; wind, storm, of

Mind- FORGETFULNESS

Mind- FORGETFULNESS- head complaints, in

Mind- FORGETFULNESS- headache; during

Mind- FORGETFULNESS- business, for

Mind- FROWN, disposed to

Mind- FROWN, disposed to- angry

Mind- GOING out- aversion to

Mind- GRIEF

Mind- GRIEF- silent, pent up

Mind- HATRED

Mind- HATRED- revenge, and

Mind- HATRED- persons, of

Mind- HATRED- persons, of- offended him, who had

Mind- HEADACHE- before

Mind- HEADACHE- during

Mind- HONEST

Mind- HORRIBLE things, sad stories affect profoundly, agg.

Mind- HORRIBLE things, sad stories affect profoundly, agg. - Mental and emotional consequences

Mind- HYSTERIA

Mind- IMBECILITY

Mind- IMPRESSIONABLE, susceptible

Mind- IMPULSES, morbid

Mind- INCONSOLABLE

Mind- INDUSTRIOUS, mania for work

Mind- INDUSTRIOUS, mania for work menses; before

Mind- INTROVERTED

Mind- IRRESOLUTION, indecision

Mind- IRRITABILITY

Mind- IRRITABILITY- morning

Mind- IRRITABILITY- forenoon

Mind- IRRITABILITY; afternoon

Mind- IRRITABILITY- afternoon; four thirty pm.

Mind- IRRITABILITY- afternoon- sitting, on

Mind- IRRITABILITY- excitement, emotional, agg.

Mind- IRRITABILITY- headache; during

Mind- IRRITABILITY- heaviness, during

Mind- IRRITABILITY- music- agg.

Mind- IRRITABILITY- music- agg. - Saddest

Mind- IRRITABILITY- pain, during

Mind- IRRITABILITY- sitting, while

Mind- IRRITABILITY- spoken to, when

Mind- IRRITABILITY- talking, while

Mind- LAUGHING- ailments from, agg.

Mind- LYING- amel.

Mind- MALICIOUS, vindictive

Mind- MEDITATION

Mind- MENSES- before

Mind- MENSES- during

Mind- MENSES- suppressed, from

Mind- MENTAL exertion- agg.

Mind- MILDNESS

Mind- MISTAKES, making

Mind- MISTAKES, making; talking, in

Mind; MISTAKES, making- talking, in- vertigo, in

Mind- MISTAKES, making- talking, in- words, wrong

Mind- MOANING, groaning

Mind- MOANING, groaning; amel.

Mind- MOANING, groaning- constant

Mind- MOANING, groaning; constant- gasping for air, and

Mind- MOROSE, sulky

Mind- MOROSE, sulky- morning

Mind- MOROSE, sulky- forenoon

Mind- MOROSE, sulky- afternoon- agg.

Mind- MOROSE, sulky- music amel.

Mind- MOROSE, sulky- music amel. - Sad

Mind- MOROSE, sulky; sadness, with

Mind- MOROSE, sulky- talk, indisposed to, taciturn

Mind- MOROSE, sulky- trifles, about

Mind- MORTIFICATION- ailments from, agg.

Mind- MUSIC; agg.

Mind- MUSIC; amel.

Mind- MUSIC- amel. - Sad

Mind- MUSIC- aversion to

Mind- MUSIC- aversion to- joyful, to, but immediately affected by saddest

Mind- NAUSEA- during

Mind- NEGLECTED- ailments from, agg. From being

Mind- ORGASM of blood, with

Mind- PAIN- agg.

Mind- PASSIONATE

Mind- PERSPIRATION- with

Mind- PRAISE- sweet talkers

Mind- PROSTRATION of mind

Mind- QUARRELSOMENESS, scolding

Mind- QUIET- disposition

Mind- RAGE, fury

Mind- RECONCILED to fate

Mind- RESERVED

Mind- RESERVED- afternoon

Mind- RESPIRATORY complaints, with

Mind- RESTLESSNESS, nervousness

Mind- RESTLESSNESS, nervousness- night

Mind- RESTLESSNESS, nervousness- itching; from

Mind- RESTLESSNESS, nervousness; itching; from; knee, in

Mind- RESTLESSNESS, nervousness- lying; amel.

Mind- RESTLESSNESS, nervousness- menses- before

Mind- RESTLESSNESS, nervousness- pain- from

Mind- RESTLESSNESS, nervousness- toothache, in

Mind- RESTLESSNESS, nervousness- anxious

Mind- RESTLESSNESS, nervousness- anxious- lying

Mind- RUNS about

Mind- RUNS about- forward, when trying to walk

Mind- SADNESS

Mind- SADNESS- afternoon- agg.

Mind- SADNESS- afternoon- agg. - four thirty pm.

Mind- SADNESS- lying amel.

Mind- SADNESS- music- amel.

Mind- SADNESS- music- amel. - Sad

Mind- SADNESS- weariness, with

Mind- SADNESS- gloomy, dark

Mind- SADNESS- silent

Mind- SENSES- acute

Mind- SENSES- confused

Mind- SENSES- confused- afternoon, while standing

Mind- SENSES- dullness of, blunted

Mind- SENSITIVE, oversensitive

Mind- SENSITIVE, oversensitive- impressions, to all external

Mind- SENSITIVE, oversensitive- noise, to

Mind- SERIOUSNESS, earnestness

Mind- SHAME

Mind- SIT, sitting- agg.

Mind- SLEEP- during

Mind- SOCIAL- sociable

Mind- SPOKEN to- being, agg.

Mind- STANDING- agg.

Mind- STOMACH complaints, in

Mind- STUPEFACTION, as if intoxicated

Mind- STUPEFACTION, as if intoxicated- afternoon

Mind- STUPEFACTION, as if intoxicated- afternoon- standing agg.

Mind- STUPEFACTION, as if intoxicated- standing agg.

Mind- TACITURN, indisposed to talk

Mind- TALK, talking, talks; agg.

Mind- TALK, talking, talks- agg. - others, of

Mind- THINKING- disagreeable things, about, agg.

Mind- THOUGHTS- persistent

Mind- THOUGHTS- persistent- past, of the

Mind- THOUGHTS- thoughtful

Mind- THOUGHTS- thoughtful- afternoon

Mind- TIMIDITY

Mind- TIMIDITY- bashful

Mind- TOOTHACHE, in

Mind- TOSSING about

Mind- TOSSING about- sleep- during

Mind- TRANQUILLITY, serenity, calmness

Mind- TRANQUILLITY, serenity, calmness- reconciling- fate, to

Mind- TRIFLES- ailments from, agg.

Mind- TRIFLES- important, seem

Mind- UNCONSCIOUSNESS, coma

Mind- UNCONSCIOUSNESS, coma; headache; with

Mind- VERTIGO agg.

Mind- VIOLENCE, vehemence

Mind- VIOLENCE, vehemence- talk of others, from

Mind- WALK, walking- amel.

Mind- WALK, walking- must

Mind- WEARY

Mind- WEEPING, tearful mood

Mind- WEEPING, tearful mood- music, from

Mind- WORK; agg.

Mind- WORK- agg. - Mental

Mind- WORK- impossible

Mind- WRITING- difficulties in

Mind- WRITING- difficulties in- letters- smaller

Appendix D

General and mental symptoms of Comocladia Dentata with corresponding rubrics & sub rubrics

Generalities- BOTH sides

Generalities- LEFT

Generalities- LEFT- right, then

Generalities- ONE-SIDED

Generalities- RIGHT

Generalities- RIGHT- left, then

Generalities- DAYTIME- agg.

Generalities- MORNING, five am. - nine am.- agg.

Generalities- MORNING, five am. - nine am.- agg.- eight thirty am.

Generalities- MORNING, five am. - nine am.- agg.- bed, in

Generalities- FORENOON, nine am. – noon- agg.

Generalities- FORENOON, nine am. – noon- agg.- nine am.

Generalities- FORENOON, nine am. – noon- agg.- eleven am.

Generalities- NOON, twelve am., around- agg.

Generalities- AFTERNOON, one pm. - six pm.- agg.

Generalities- AFTERNOON, one pm. - six pm.- agg.- one pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- three pm.

Generalities- AFTERNOON, one pm. - six pm.- agg.- three pm.- four pm., until

Generalities- AFTERNOON, one pm. - six pm.- agg.- four pm.

Generalities- EVENING, six pm. - nine pm.- agg.

Generalities- EVENING, six pm. - nine pm.- agg.- seven pm.

Generalities- NIGHT, nine pm. - five am.- agg.

Generalities- NIGHT, nine pm. - five am.- agg.- nine thirty pm.

Generalities- NIGHT, nine pm. - five am.- agg.- eleven pm.

Generalities- NIGHT, nine pm. - five am.- agg.- eleven thirty pm.

Generalities- NIGHT, nine pm. - five am.- agg.- waking, on

Generalities- MIDNIGHT- before

Generalities- MIDNIGHT- about

Generalities- MIDNIGHT- about- two am., until

Generalities- MIDNIGHT- after

Generalities- MIDNIGHT- after- two am.

Generalities- MIDNIGHT- after- three am.- about

Generalities- EXTENDING- backward

Generalities- EXTENDING- downward

Generalities- EXTENDING- forward

Generalities- EXTENDING- outward

Generalities- INTERNAL

Generalities- EXTERNAL

Generalities- BONES

Generalities- BONES- long bones

Generalities- BONES- sutures or symphysis

Generalities- GLANDS, liver, spleen etc.

Generalities- GLANDS, liver, spleen etc.- lymphatic tissue

Generalities- JOINTS

Generalities- JOINTS- small joints

Generalities- MUCOUS membranes

Generalities- MUSCLES

Generalities- NERVES

Generalities- ORIFICES

Generalities- ABSCESSSES, suppurations

Generalities- AIR- cold- agg.

Generalities- AIR- cold- amel.

Generalities- AIR- open- agg.

Generalities- AIR- open- amel.

Generalities- AIR- warm- agg.

Generalities- BED- in

Generalities- BLACKNESS of external parts, gangrene

Generalities- BREATHING- agg.

Generalities- BREATHING- amel.

Generalities- BREATHING- amel.- deep

Generalities- BUBBLING sensation

Generalities- CHANGE- temperature, of, agg.

Generalities- CHANGE- temperature, of, agg.- cold to warm

Generalities- CLOTHING- intolerance of, loosening amel.

Generalities- CLOTHING- intolerance of, loosening amel.- woolen, of

Generalities- COLD- agg.

Generalities- COLD- amel.

Generalities- COLDNESS, lack of vital heat

Generalities- COLDNESS, lack of vital heat- night

Generalities- COLDNESS, lack of vital heat- external

Generalities- CONVULSIONS, spasms

Generalities- CONVULSIONS, spasms- epileptic

Generalities- CONVULSIONS, spasms- epileptic- before epileptic paroxysm, aura

Generalities- COUGH- during

Generalities- CRAMPS

Generalities- CRAMPS- internal

Generalities- DILATED sensation, internal

Generalities- DISCHARGES, secretions- acid, sour

Generalities- DISCHARGES, secretions- bloody

Generalities- DISCHARGES, secretions- green

Generalities- DISCHARGES, secretions- offensive, fetid

Generalities- DISCHARGES, secretions- purulent

Generalities- DISCHARGES, secretions- thick

Generalities- DISCHARGES, secretions- thin, liquid

Generalities- DISCHARGES, secretions- yellow

Generalities- DRYNESS

Generalities- DRYNESS- internal, parts usually moist

Generalities- EATING- after

Generalities- ENLARGED sensation

Generalities- EXERCISE, exertion- agg.

Generalities- EXPIRATION- agg.

Generalities- FEVER- during

Generalities- FLATUS- agg.

Generalities- FOOD and drinks- chocolate- agg.

Generalities- FORCING, urging

Generalities- FORMICATION, crawling

Generalities FULLNESS

Generalities- FULLNESS- right

Generalities- FULLNESS- internal

Generalities- FULLNESS- external

Generalities- GLISTENING, shining of mucous membranes

Generalities- GRASPING objects- agg.

Generalities- HARDNESS

Generalities- HEAT

Generalities- HEAT- during

Generalities- HEATED, warmed, hot, becoming- agg.

Generalities- HEAVINESS

Generalities- HEAVINESS- morning

Generalities- HEAVINESS- internal

Generalities- HEAVINESS- external

Generalities- INFLAMMATION

Generalities- INFLAMMATION- internal

Generalities- INFLAMMATION- external

Generalities- INFLAMMATION- mucous membranes

Generalities- INFLAMMATION- catarrhal

Generalities- INSPIRATION- agg.

Generalities- INSPIRATION- agg.- deep

Generalities- INSPIRATION- amel.

Generalities- INTOXICATED feeling

Generalities- INTOXICATION, after

Generalities- INTOXICATION, after- medicaments

Generalities- ITCHING, tickling

Generalities- ITCHING, tickling- back part, posterior

Generalities- ITCHING, tickling- muscles

Generalities- JERKING

Generalities- JERKING- external

Generalities- LAMENESS

Generalities- LAMENESS- left

Generalities- LAMENESS- right

Generalities- LAMENESS- walking- during

Generalities- LAMENESS- external

Generalities- LAMENESS- lower part

Generalities- LIE down- inclination to

Generalities- LIE down- inclination to- forenoon

Generalities- LIE down- inclination to- forenoon- headache, during

Generalities- LIE down- inclination to- headache, during

Generalities- LIGHT- agg.

Generalities- LIGHT- agg.- artificial light, candlelight, lamplight

Generalities- LIGHT- agg.- bright

Generalities- LOOSE, as if

Generalities- LYING- during

Generalities- LYING- during- bed, in

Generalities- LYING- during- side, on

Generalities- LYING- during- side, on- left

Generalities- LYING- amel.

Generalities- LYING- amel.- during

Generalities- LYING- amel.- during- head- high, with

Generalities- MENSES- before

Generalities- MOTION, motions- during agg.

Generalities- MOTION, motions- during agg.- eyes, of

Generalities- MOTION, motions- during agg.- head, of

Generalities- MOTION, motions- during agg.- part- affected

Generalities- MOTION, motions- amel.

Generalities- MOTION, motions- amel.- air, in open

Generalities- MOTION, motions- amel.- continued

Generalities- NOISE- agg.

Generalities- NUMBNESS, insensibility

Generalities- NUMBNESS, insensibility- parts- affected

Generalities- NUMBNESS, insensibility- external

Generalities- PAIN

Generalities- PAIN- left

Generalities- PAIN- one-sided

Generalities- PAIN- right

Generalities- PAIN- right- left, to

Generalities- PAIN- forenoon

Generalities- PAIN- noon

Generalities- PAIN- afternoon

Generalities- PAIN- afternoon- four pm.

Generalities- PAIN- evening- agg.

Generalities- PAIN- night- agg.

Generalities- PAIN- night- agg.- eleven pm.

Generalities- PAIN- air- open- amel.

Generalities- PAIN- air- open- agg.

Generalities- PAIN- bed- agg.

Generalities- PAIN- breathing agg.

Generalities- PAIN- eating- after

Generalities- PAIN- excitement, emotional, agg.

Generalities- PAIN- fever, during

Generalities- PAIN- fever, during- heat

Generalities- PAIN- inspiration, deep, agg.

Generalities- PAIN- lying- agg.

Generalities- PAIN- lying- amel.

Generalities- PAIN- lying- down agg.

Generalities- PAIN- menses- before

Generalities- PAIN- motion- agg.

Generalities- PAIN- motion- amel.

Generalities- PAIN- noise agg.

Generalities- PAIN- numbness, with

Generalities- PAIN- pressure- amel.

Generalities- PAIN- rest- agg.

Generalities- PAIN- room, in- agg.

Generalities- PAIN- room, in- agg.- warm

Generalities- PAIN- sit, sitting- agg.

Generalities- PAIN- standing- amel.

Generalities- PAIN- stool- before

Generalities- PAIN- stool- during

Generalities- PAIN- stool- during- diarrhea

Generalities- PAIN- stooping- agg.

Generalities- PAIN- walking- agg.

Generalities- PAIN- walking- agg.- after

Generalities- PAIN- walking- agg.- air, in open

Generalities- PAIN- walking- amel.

Generalities- PAIN- warmth- agg.

Generalities- PAIN- warmth- agg.- stove, of

Generalities- PAIN- warmth- amel.

Generalities- PAIN- extending- back, to

Generalities- PAIN- extending- backward

Generalities- PAIN- extending- downward

Generalities- PAIN- extending- fingers, to

Generalities- PAIN- extending- forward

Generalities- PAIN- extending- outward

Generalities- PAIN- extending- upward

Generalities- PAIN- internal

Generalities- PAIN- internal- night

Generalities- PAIN- internal- menses, before

Generalities- PAIN- external

Generalities- PAIN- external- left

Generalities- PAIN- external- right

Generalities- PAIN- external- forenoon

Generalities- PAIN- external- rest, during

Generalities- PAIN- upper

Generalities- PAIN- upper- external, left

Generalities- PAIN- lower

Generalities- PAIN- bones

Generalities- PAIN- bones- left

Generalities- PAIN- bones- right

Generalities- PAIN- bones- motion- amel.

Generalities- PAIN- bones- sitting agg.

Generalities- PAIN- glands, liver, spleen etc.

Generalities- PAIN- glands, liver, spleen etc.- left

Generalities- PAIN- joints, articulations

Generalities- PAIN- joints, articulations- motion- amel.

Generalities- PAIN- joints, articulations- large

Generalities- PAIN- lymphatic tissue

Generalities- PAIN- mucous membranes

Generalities- PAIN- muscles

Generalities- PAIN- muscles- motion- agg.

Generalities- PAIN- muscles- flexor

Generalities- PAIN- muscles- extensors

Generalities- PAIN- burning, smarting

Generalities- PAIN- burning, smarting- evening

Generalities- PAIN- burning, smarting- internal

Generalities- PAIN- burning, smarting- external

Generalities- PAIN- burning, smarting- external- left

Generalities- PAIN- burning, smarting- external- right

Generalities- PAIN- burning, smarting- external- upper, left

Generalities- PAIN- burning, smarting- upper

Generalities- PAIN- bursting, splitting, driven asunder

Generalities- PAIN- corrosive, gnawing

Generalities- PAIN- cramping

Generalities- PAIN- cramping- internal

Generalities- PAIN- cramping- external

Generalities- PAIN- cutting

Generalities- PAIN- cutting- left

Generalities- PAIN- cutting- right

Generalities- PAIN- cutting- internal

Generalities- PAIN- cutting- glands, liver, spleen etc.

Generalities- PAIN- drawing

Generalities- PAIN- drawing- left

Generalities- PAIN- drawing- right

Generalities- PAIN- drawing- forenoon

Generalities- PAIN- drawing- afternoon

Generalities- PAIN- drawing- evening

Generalities- PAIN- drawing- night

Generalities- PAIN- drawing- extending- fingers, to

Generalities PAIN- drawing- extending- upward

Generalities- PAIN- drawing- external

Generalities- PAIN- drawing- bones

Generalities- PAIN- drawing- joints, articulations

Generalities- PAIN- drawing- cramping

Generalities- PAIN- gouty

Generalities- PAIN- intermittent

Generalities- PAIN- jerking

Generalities- PAIN- jerking- external

Generalities- PAIN- neuralgic

Generalities- PAIN- paralytic

Generalities- PAIN- pinching

Generalities- PAIN- pinching; internal

Generalities- PAIN- pressing

Generalities- PAIN- pressing- left

Generalities- PAIN- pressing- right

Generalities- PAIN- pressing- extending- outward

Generalities- PAIN- pressing- internal

Generalities- PAIN- pressing- external

Generalities- PAIN- pressing- glands, liver, spleen etc.

Generalities- PAIN- pressing; joints, articulations

Generalities- PAIN- pressing- load, weight, as from

Generalities- PAIN- pulsating, throbbing

Generalities- PAIN- pulsating, throbbing- heat, during

Generalities- PAIN- rheumatic

Generalities- PAIN- shooting, darting, lightning, quick

Generalities- PAIN- sore, bruised

Generalities- PAIN- sore, bruised- evening

Generalities- PAIN- sore, bruised- motion- agg.

Generalities- PAIN- sore, bruised- sitting- agg.

Generalities- PAIN- sore, bruised- walking- amel.

Generalities- PAIN- sore, bruised- internal

Generalities- PAIN- sore, bruised- external

Generalities- PAIN- sore, bruised- external- right

Generalities- PAIN- sore, bruised- upper

Generalities- PAIN- sore, bruised- glands, liver, spleen etc.

Generalities- PAIN- sore, bruised- mucous membranes

Generalities- PAIN- stitching

Generalities- PAIN- stitching- right

Generalities- PAIN- stitching- afternoon

Generalities- PAIN- stitching- night

Generalities- PAIN- stitching- lying- agg.

Generalities- PAIN- stitching- motion- amel.

Generalities- PAIN- stitching- internal

Generalities- PAIN- stitching- internal- night

Generalities- PAIN- stitching- external

Generalities- PAIN- stitching- joints, articulations

Generalities- PAIN- stitching- mucous membranes

Generalities- PAIN- stitching- burning

Generalities- PAIN- stitching- needles, as from

Generalities- PAIN- sudden, paroxysmal

Generalities- PAIN- ulcerative

Generalities- PAIN- violent

Generalities- PAIN- wandering

Generalities- PNEUMONIA, after

Generalities- PRESSURE- amel.

Generalities- PULLED, as if

Generalities- PULSATION

Generalities- PULSATION- external

Generalities- QUIVERING

Generalities- QUIVERING- external

Generalities- REACTION- lack of

Generalities- READING- agg.

Generalities- REDNESS

Generalities- REDNESS- streaks

Generalities- REST- agg.

Generalities- RESTLESSNESS, physical

Generalities- RIDING on cars or wagons- during

Generalities- RISING- agg.

Generalities- RISING- agg.- lying, from

Generalities- ROOM- agg.

Generalities- ROOM- agg.- entering, on

Generalities- ROOM- agg.- warm

Generalities- SCRAPING sensation

Generalities- SCRATCHING- amel.

Generalities- SHAKING head- agg.

Generalities- SIT, sitting- agg.

Generalities- SLEEP- during

Generalities- SLEEP- after

Generalities- SNEEZING- agg.

Generalities- STAND, standing- agg.

Generalities- STAND, standing- amel.

Generalities- STIFFNESS, rigidity

Generalities- STIFFNESS, rigidity- evening

Generalities- STIFFNESS, rigidity- motion- agg.

Generalities- STIFFNESS, rigidity- upper

Generalities- STOOL- before

Generalities- STOOL- during

Generalities- STOOL- during- diarrhea

Generalities- STOOL- after

Generalities- STOOPING- agg.

Generalities- SUDDEN manifestations

Generalities- SWELLING

Generalities- SWELLING- left

Generalities- SWELLING- joints, articulations

Generalities- SWELLING- orifices
 Generalities- SWELLING- edematous
 Generalities- SWELLING- edematous- external
 Generalities- SWELLING- edematous- upper
 Generalities- SWELLING- edematous- red
 Generalities- SWELLING- enormous
 Generalities- SWELLING- inflammatory
 Generalities- SWELLING- red
 Generalities- SWELLING- sensation of
 Generalities- SWELLING- white
 Generalities- SYMMETRICAL complaints
 Generalities- TENSION, tightness
 Generalities- TENSION, tightness- internal
 Generalities- TENSION, tightness- external
 Generalities- TINGLING, prickling
 Generalities- TINGLING, prickling- left
 Generalities- TINGLING, prickling- external
 Generalities- TOUCH- agg.
 Generalities- TREMBLING
 Generalities- TREMBLING- left
 Generalities- TREMBLING- intention tremor
 Generalities- TREMBLING- writing, while
 Generalities- TREMBLING- external
 Generalities- TREMBLING- external- left
 Generalities- TREMBLING- external;- writing, while
 Generalities- TREMBLING- sensation
 Generalities- TURNING- amel.

Generalities- TURNING- eyes

Generalities- TURNING- head

Generalities- TWITCHING

Generalities- TWITCHING- external

Generalities- TWITCHING- upper

Generalities- ULCERS

Generalities- ULCERS- glands

Generalities- ULCERS- cancerous

Generalities- ULCERS- suppurating

Generalities- VERTIGO, during

Generalities- VIOLENT complaints

Generalities- WAKING- agg.

Generalities- WALK, walking- during

Generalities- WALK, walking- during- air, in open

Generalities- WALK, walking- after

Generalities WALK, walking- after- air, in open

Generalities- WALK, walking- amel.

Generalities- WANDERING complaints

Generalities- WARMTH- agg.

Generalities- WARMTH- agg.- radiated

Generalities- WARMTH- agg.- stove, of

Generalities- WARMTH- amel.

Generalities- WEAKNESS

Generalities- WEAKNESS- morning

Generalities- WEAKNESS- morning- rising- on

Generalities- WEAKNESS- afternoon

Generalities- WEAKNESS- exertion- agg.

Generalities- WEAKNESS- motion- agg.

Generalities- WEAKNESS- rising- on

Generalities- WEAKNESS- stool- after

Generalities- WEAKNESS- walking- while

Generalities- WEAKNESS- upper

Generalities- WEAKNESS- lower

Generalities- WEAKNESS- joints

Generalities- WEAKNESS- sudden, paroxysmal

Generalities- WRITING- agg.

Generalities- YAWNING- agg.

Mind- FORENOON

Mind- NIGHT- agg.

Mind- NIGHT- agg.- waking, on

Mind- MIDNIGHT- after

Mind- MIDNIGHT- after- two am.

Mind- GENERAL

Mind- PSYCHOLOGICAL themes- activity, passivity- activity

Mind- PSYCHOLOGICAL themes- activity, passivity- passivity

Mind- PSYCHOLOGICAL themes- aggression

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- increased

Mind- PSYCHOLOGICAL themes- distance, reservation

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- gesticulation, appearance

Mind- PSYCHOLOGICAL themes- loneliness

Mind- PSYCHOLOGICAL themes- rationalizing, lack of feelings, depression

Mind- PSYCHOLOGICAL themes- self-appreciation- diminished

Mind- PSYCHOLOGICAL themes- self-appreciation- increased

Mind- PSYCHOLOGICAL themes- shame, offense

Mind- PSYCHOLOGICAL themes- work, productivity, money, social status

Mind- ABSORBED, buried in thought

Mind- ABSORBED, buried in thought- sadness, indulges in

Mind- ANXIETY

Mind- BUSINESS- ailments from, agg.

Mind- BUSINESS- talks of

Mind- BUSINESS- talks of- sleep, during

Mind- BUSINESS- talks of- sleep, in

Mind- CHEERFULNESS

Mind- CHEERFULNESS- forenoon

Mind- COMPANY- aversion to

Mind- CONFUSION of mind

Mind- CONTEMPTUOUS

Mind- CONTEMPTUOUS- oneself, of

Mind- CONTEMPTUOUS- opponents, for

Mind- CONTENTED

Mind- DELUSIONS, imaginations

Mind- DELUSIONS, imaginations- despised, is

Mind- DELUSIONS, imaginations- fail, everything will

Mind- DELUSIONS, imaginations- looked down upon, that she is

Mind- DELUSIONS, imaginations- trapped, he is

Mind- DESPAIR

Mind- DISAPPOINTMENT, deception agg., ailments from

Mind- DISCOURAGED

Mind- DREAMS

Mind- DREAMS- animals, of

Mind- DREAMS anxious

Mind- DREAMS- birds, of

Mind- DREAMS- birds, of- singing

Mind- DREAMS- clairvoyant

Mind- DREAMS- forest, of a

Mind- DREAMS- frightful, nightmare

Mind- DREAMS- gardens

Mind- DREAMS- gardens- entering a beautiful garden

Mind- DREAMS- many

Mind- DREAMS- pleasant

Mind- DREAMS- water

Mind- DREAMS- water- stream

Mind- DREAMS- water- stream, of

Mind- DREAMS- woodland

Mind- DULLNESS

Mind- DULLNESS- night- agg.

Mind- DULLNESS- night- agg.- waking, on

Mind- EXCITEMENT, excitable- ailments from, agg.

Mind- EXCITEMENT, excitable- ailments from, agg.- mental and emotional consequences of

Mind- FORSAKEN feeling

Mind- FORSAKEN feeling- isolation, sensation of

Mind- INDIFFERENCE, apathy

Mind- INDIFFERENCE, apathy- sleepiness, with

Mind- INDIFFERENCE, apathy- everything, to

Mind- INDIFFERENCE, apathy- ordinary matters, to

Mind- INDUSTRIOUS, mania for work

Mind- INDUSTRIOUS, mania for work- menses- before

Mind- LOOKED at- cannot bear to be, agg.

Mind- LOVE; disappointment, unhappy, ailments from, agg.

Mind- MALICIOUS, vindictive

Mind- MENSES- before

Mind- MOROSE, sulky

Mind- PITY, pities- oneself

Mind- QUIET- wants to be

Mind- RESTLESSNESS, nervousness

Mind- RESTLESSNESS, nervousness- night

Mind- RESTLESSNESS, nervousness- midnight- after

Mind- RESTLESSNESS, nervousness- midnight- after- two am.

Mind- SADNESS

Mind- SHAME

Mind- SIT, sitting- desires to

Mind- SIT, sitting- desires to- still, silent

Mind- SIT, sitting- desires to- wrapped in deep, sad thoughts, as if, and notices nothing

Mind- SLEEP- during

Mind- SLEEPINESS, with

Mind- STUPEFACTION, as if intoxicated

Mind- TACITURN, indisposed to talk

Mind- TALK, talking, talks- sleep- during

Mind- THOUGHTS- persistent

Mind- THOUGHTS- persistent- sad

Mind- WAKING- on

Mind- WALK, walking- amel.

Appendix E

General and mental symptoms of Rhus Venenata with corresponding rubrics & sub rubrics

Generalities- ALTERNATING states

Generalities- LEFT

Generalities- ONE-SIDED

Generalities- RIGHT

Generalities- RIGHT- left, then

Generalities- DAYTIME- agg.

Generalities- MORNING, five am. - nine am. - agg.

Generalities- MORNING, five am. - nine am.- agg.- rising- after

Generalities- AFTERNOON, one pm. - six pm.- agg.

Generalities- EVENING, six pm. - nine pm.- agg.

Generalities- EVENING, six pm. - nine pm.- agg.- eight pm.

Generalities- EVENING, six pm. - nine pm.- agg.; bed, in

Generalities- NIGHT, nine pm. - five am.- agg.

Generalities- NIGHT, nine pm. - five am.- agg.- bed, in

Generalities- MIDNIGHT-after

Generalities- WINTER- agg.

Generalities- PERIODICAL

Generalities- PERIODICAL- every- twelve hours

Generalities- PERIODICAL- annually

Generalities- EXTENDING- downward

Generalities- EXTENDING- outward

Generalities- EXTENDING- upward

Generalities- INTERNAL

Generalities- EXTERNAL

Generalities- SPOTS

Generalities- BONES

Generalities- BONES- long bones

Generalities- BONES- periosteum

Generalities- GLANDS, liver, spleen etc.

Generalities- GLANDS, liver, spleen etc. - lymphatic tissue

Generalities- GLANDS, liver, spleen etc.- secretory glands

Generalities- JOINTS

Generalities- JOINTS- small joints

Generalities- MUCOUS membranes

Generalities- MUSCLES

Generalities- NERVES

Generalities- ORIFICES

Generalities- SPHINCTERS

Generalities- ABSCESSSES, suppurations

Generalities- AIR- cold- agg.

Generalities- AIR- warm- amel.

Generalities- APPLICATIONS- warm- amel.

Generalities- APPLICATIONS- wet- amel.

Generalities- APPLICATIONS- wet- amel.- warm

Generalities- ASCENDING- agg.

Generalities- BATHING, washing- amel.

Generalities- BATHING, washing- amel. - cold

Generalities- BATHING, washing- amel.- warm

Generalities- BATHING, washing; amel.- warm; hot

Generalities- BED- in

Generalities- BREATHING- agg.

Generalities- CHRONIC diseases, chronicity

Generalities- COLD- agg.

Generalities- COLD- amel.

Generalities- COLD- amel.- heat agg.

Generalities- COLD- taking, becoming

Generalities- COLDNESS, lack of vital heat

Generalities- COLDNESS, lack of vital heat- external

Generalities- CONSTRICTION

Generalities- CONSTRICTION- external

Generalities- CONSTRICTION- muscles

Generalities- CONSTRICTION- band sensation

Generalities- COVERING- agg. or intolerance of

Generalities- CRAMPS

Generalities- DISCHARGES, secretions- acrid, corrosive, excoriating

Generalities- DISCHARGES, secretions- gray

Generalities- DISCHARGES, secretions- gushing

Generalities- DISCHARGES, secretions- lumpy

Generalities- DISCHARGES, secretions- offensive, fetid

Generalities- DISCHARGES, secretions- profuse, increased

Generalities- DISCHARGES, secretions- thick

Generalities- DISCHARGES, secretions- thin, liquid

Generalities- DISCHARGES, secretions- white

Generalities- DISCHARGES, secretions- yellow

Generalities- DRYNESS

Generalities- DRYNESS- internal, parts usually moist

Generalities- EMACIATION

Generalities- EMACIATION- lower

Generalities- ERUPTIONS- mucous membranes

Generalities- EXERCISE, exertion- agg.

Generalities- EXERCISE, exertion- agg.- eyes, of

Generalities- EXERCISE, exertion- amel.

Generalities- FALLING out, hair

Generalities- FEVER- during

Generalities- FOOD and drinks- food in general- agg.

Generalities- FOOD and drinks- food in general- agg.- smell of

Generalities- FOOD and drinks- meat- agg.

Generalities- FOOD and drinks- pork- agg.

Generalities- FOOD and drinks- pork- agg.- smell of

Generalities- FOOD and drinks- raw food- agg.

Generalities- FORMICATION, crawling

Generalities- FULLNESS

Generalities- FULLNESS- external

Generalities- HAIR sensation

Generalities- HARDNESS

Generalities- HEAT

Generalities- HEAT- during

Generalities- HEATED, warmed, hot, becoming- agg.

Generalities- HEAVINESS

Generalities- HEAVINESS- morning

Generalities- HEAVINESS- internal

Generalities- HEAVINESS- internal- morning

Generalities- HEAVINESS- external

Generalities- INFLAMMATION

Generalities- INFLAMMATION- internal

Generalities- INFLAMMATION- external

Generalities- INFLAMMATION- lymphatic tissue, lymphangitis

Generalities- INFLAMMATION- glands, liver, spleen etc.

Generalities- INFLAMMATION- mucous membranes

Generalities- INFLAMMATION- chronic

Generalities- INJURIES, blows, falls and bruises

Generalities- INJURIES, blows, falls and bruises- sprains, distortions

Generalities- INSPIRATION- agg.

Generalities- INSPIRATION- agg. deep

Generalities- INTOXICATED feeling

Generalities- INTOXICATION, after

Generalities- INTOXICATION, after- antibiotics

Generalities- INTOXICATION, after- antibiotics- eruptions, with

Generalities- INTOXICATION, after- rhus species

Generalities- IRRITABILITY- physical, excessive

Generalities- ITCHING, tickling

Generalities- ITCHING, tickling- back part, posterior

Generalities- ITCHING, tickling- mucous membranes

Generalities- JERKING

Generalities- JERKING- external

Generalities- LAMENESS

Generalities- LAMENESS- external

Generalities- LAMENESS- lower part

Generalities- LASSITUDE

Generalities- LIFTING, overlifting, straining of muscles and tendons- agg.

Generalities- LIGHT- agg.

Generalities- LIGHT- agg.- sunlight

Generalities- LOSS of animal fluids- agg.

Generalities- MENSES- before

Generalities- MENSES- during

Generalities- MENTAL exertion- agg.

Generalities- MOTION, motions- during agg.

Generalities- PAIN

Generalities- PAIN- left

Generalities- PAIN- right

Generalities- PAIN- right- left, to

Generalities- PAIN- morning

Generalities- PAIN- afternoon

Generalities- PAIN- evening- agg.

Generalities- PAIN- night- agg.

Generalities- PAIN- midnight- after

Generalities- PAIN- agg.

Generalities- PAIN- bathing, washing- amel.

Generalities- PAIN- bathing, washing- amel.- cold

Generalities- PAIN- bed- agg.

Generalities- PAIN- cold- agg.

Generalities- PAIN- cold- amel.

Generalities- PAIN- cold- taking

Generalities- PAIN- exercise- agg.

Generalities- PAIN- exercise- amel.

Generalities- PAIN- fever, during

Generalities- PAIN- fever, during- heat

Generalities- PAIN- inspiration, deep, agg.

Generalities- PAIN- mental exertion agg.

Generalities- PAIN- motion- agg.

Generalities- PAIN- pressure- agg.

Generalities- PAIN- rub, rubbing, massage- agg.

Generalities- PAIN- rub, rubbing, massage- amel.

Generalities- PAIN- scratching- agg.

Generalities- PAIN- standing- agg.

Generalities- PAIN- stool- before

Generalities- PAIN- stool- during

Generalities- PAIN- stool- during- diarrhea

Generalities- PAIN- stool- after

Generalities- PAIN- stooping- agg.

Generalities- PAIN- swallowing- agg.

Generalities- PAIN- touch- agg.

Generalities- PAIN- waking- agg.

Generalities- PAIN- walking- agg.

Generalities- PAIN- warmth- agg.

Generalities- PAIN- warmth; agg.- bed, of

Generalities- PAIN- warmth- amel.

Generalities- PAIN- warmth- amel.- bed, of

Generalities- PAIN- extending- downward

Generalities- PAIN- extending- fingers, to

Generalities- PAIN- extending- fingers, to- tips

Generalities- PAIN- extending- outward

Generalities- PAIN- extending- upward

Generalities- PAIN- internal

Generalities- PAIN- internal- night

Generalities- PAIN- internal- itching, with

Generalities- PAIN- internal- extending outward

Generalities- PAIN- external

Generalities- PAIN- external- left

Generalities- PAIN- external- right

Generalities- PAIN- external- bathing, washing- amel.

Generalities- PAIN- external- bathing, washing- amel.- cold

Generalities-PAIN- upper

Generalities- PAIN- upper- external, left

Generalities- PAIN- lower

Generalities- PAIN- bones

Generalities- PAIN- bones- right

Generalities- PAIN- bones- skin covers bone, were

Generalities- PAIN- bones- periosteum

Generalities- PAIN- glands, liver, spleen etc.

Generalities- PAIN- joints, articulations

Generalities- PAIN- joints, articulations- large

Generalities- PAIN- lymphatic tissue

Generalities- PAIN- mucous membranes

Generalities- PAIN- muscles

Generalities- PAIN- orifices

Generalities- PAIN- biting

Generalities- PAIN- boring, grinding, grating

Generalities- PAIN- boring, grinding, grating- bones

Generalities- PAIN- broken, as if

Generalities- PAIN- broken, as if- bones

Generalities- PAIN- burning, smarting

Generalities- PAIN- burning, smarting- bathing, washing- amel.

Generalities- PAIN- burning, smarting- exercise amel.

Generalities- PAIN- burning, smarting- rubbing, after

Generalities- PAIN- burning, smarting- scratching, on

Generalities- PAIN- burning, smarting- warmth- agg.

Generalities- PAIN- burning, smarting- internal

Generalities- PAIN- burning, smarting- external

Generalities- PAIN- burning, smarting- external- right

Generalities- PAIN- burning, smarting- external- bathing, washing- amel.

Generalities- PAIN- burning, smarting- upper

Generalities- PAIN- burning, smarting- lower

Generalities- PAIN- burning, smarting- mucous membranes

Generalities- PAIN- burning, smarting- orifices

Generalities- PAIN- burning, smarting- itching

Generalities- PAIN- burnt, scalded

Generalities- PAIN- cramping

Generalities- PAIN- cramping- external

Generalities- PAIN- cutting

Generalities- PAIN- cutting- evening

Generalities- PAIN- cutting- external

Generalities- PAIN- dislocated, as if

Generalities- PAIN- dislocated, as if- external

Generalities- PAIN- dislocated, as if- joints

Generalities- PAIN- drawing

Generalities- PAIN- drawing- left

Generalities- PAIN- drawing- right

Generalities- PAIN- drawing- evening

Generalities- PAIN- drawing- extending- downward

Generalities- PAIN- drawing- extending- fingers, to

Generalities- PAIN- drawing- extending- upward

Generalities- PAIN- drawing- external

Generalities- PAIN- drawing- bones

Generalities- PAIN- drawing- cramping

Generalities- PAIN- drawing- paralytic

Generalities- PAIN- dull

Generalities- PAIN- excoriating

Generalities- PAIN- gouty

Generalities- PAIN- jerking

Generalities- PAIN- jerking- external

Generalities- PAIN- neuralgic

Generalities- PAIN- paralytic

Generalities- PAIN- paralytic; joints, articulations

Generalities- PAIN- pressing

Generalities- PAIN- pressing- extending- outward

Generalities- PAIN- pressing- internal

Generalities- PAIN- pressing- external

Generalities- PAIN- rheumatic

Generalities- PAIN- shooting, darting, lightning, quick

Generalities- PAIN- sore, bruised

Generalities- PAIN- sore, bruised- pressure- agg.

Generalities- PAIN sore, bruised- touch, on

Generalities PAIN- sore, bruised- external

Generalities- PAIN- sore, bruised- upper

Generalities- PAIN- sore, bruised- joints, articulations

Generalities- PAIN- sore, bruised- mucous membranes

Generalities- PAIN- sore, bruised- muscles

Generalities- PAIN- spots

Generalities- PAIN- stitching

Generalities- PAIN- stitching- afternoon

Generalities- PAIN- stitching- warmth of bed amel.

Generalities- PAIN- stitching- internal

Generalities- PAIN- stitching- external

Generalities- PAIN- stitching- bones

Generalities- PAIN- stitching- mucous membranes

Generalities- PAIN- stitching- burning

Generalities- PAIN- stitching- burning- external

Generalities- PAIN- stitching- sudden, paroxysmal

Generalities- PAIN- sudden, paroxysmal

Generalities PAIN- tearing

Generalities- PAIN- tearing- extending- downward

Generalities- PAIN- tearing- extending- upward

Generalities- PAIN- tearing- external

Generalities- PAIN- tearing- bones

Generalities- PAIN- tearing- joints, articulations

Generalities- PAIN- violent

Generalities- PAIN- wandering

Generalities- PARALYSIS

Generalities- PARALYSIS- lower part, paraplegia

Generalities- PARALYSIS- muscles

Generalities- PHAGEDENIC, eating processes

Generalities- PRESSURE- agg.

Generalities- PULSATION

Generalities- PULSATION- external

Generalities- READING- agg.

Generalities- REDNESS

Generalities- REDNESS- glands

Generalities- REDNESS- lymphatic tissue

Generalities- REDNESS- bright red, mucous membranes

Generalities- RELAXATION, physical

Generalities- RESTLESSNESS, physical

Generalities- ROOM- agg.

Generalities- ROOM- agg.- warm

Generalities- RUBBING, massage, friction- agg.

Generalities- RUBBING, massage, friction- amel.

Generalities- SAND sensation

Generalities- SCRATCHING- agg.

Generalities- SCRATCHING- amel.

Generalities- SENSITIVENESS

Generalities- SENSITIVENESS- touch, to

Generalities- SHOCKS

Generalities- SHRIVELLING

Generalities- SLEEP- falling asleep

Generalities- SLEEP- during

Generalities- STAND, standing- agg.

Generalities- STIFFNESS, rigidity

Generalities- STIFFNESS, rigidity- morning

Generalities- STIFFNESS, rigidity- upper

Generalities- STOOL- before

Generalities- STOOL- before- diarrhea

Generalities- STOOL- during

Generalities- STOOL- during- diarrhea

Generalities- STOOL- after

Generalities- STOOPING- agg.

Generalities- STRETCHING- stretch, must

Generalities- SUDDEN manifestations

Generalities- SUN- agg.

Generalities- SWALLOWING- during

Generalities- SWALLOWING- after

Generalities- SWELLING

Generalities- SWELLING- left

Generalities- SWELLING- right

Generalities- SWELLING- morning

Generalities- SWELLING- heat, during

Generalities- SWELLING- glands, liver, spleen etc.

Generalities- SWELLING- joints, articulations

Generalities- SWELLING- lymphatic tissue

Generalities- SWELLING- mucous membranes

Generalities- SWELLING- orifices

Generalities- SWELLING- edematous

Generalities- SWELLING- edematous- external

Generalities- SWELLING- edematous- upper

Generalities- SWELLING- inflammatory

Generalities- SWELLING- painful

Generalities- SWELLING- painful- glands, liver, spleen etc.

Generalities- SWELLING- red

Generalities- SWELLING- sensation of

Generalities- SYPHILIS

Generalities- TENSION, tightness

Generalities- TENSION, tightness- external

Generalities- TINGLING, prickling

Generalities- TINGLING, prickling- external

Generalities- TOUCH- agg.

Generalities- TREMBLING

Generalities- TREMBLING- external

Generalities- TREMBLING- sensation

Generalities- TUMORS

Generalities- TUMORS- ganglia

Generalities- TWITCHING (592)

Generalities- TWITCHING- external

Generalities- TWITCHING- upper

Generalities- ULCERS

Generalities- ULCERS- glands

Generalities- ULCERS- suppurating

Generalities- VIOLENT complaints

Generalities- WAKING- agg.

Generalities- WALK, walking- during

Generalities- WANDERING complaints

Generalities- WARMTH- agg.

Generalities- WARMTH- agg.- bed, of

Generalities- WARMTH- amel.

Generalities- WARMTH- amel.- bed, of

Generalities- WARMTH- amel.- wet

Generalities- WEAKNESS

Generalities- WEAKNESS- morning

Generalities- WEAKNESS- morning- rising- on

Generalities- WEAKNESS- heaviness, with

Generalities- WEAKNESS- rising- on

Generalities- WEAKNESS- lower

Generalities- WEAKNESS- joints

Generalities- WEAKNESS- paralytic

Generalities- WEARINESS

Generalities- WEARINESS- heaviness of limbs, with

Generalities- WEARINESS- stretch, wants to

Generalities- WEATHER- damp, rainy, wet- amel.

Generalities- WEATHER; warm, sultry- amel.

Generalities- WET, getting- agg.

Generalities- WET, getting- agg.- hands

Generalities- WHITENESS, paleness of parts usually red

Generalities- WHITENESS, paleness of parts usually red- mucous membranes

Generalities- WIPING eyes- agg.

Generalities- WRAPPING up- agg.

Mind- ALTERNATING states

Mind- ALTERNATING states- mental with emotional

Mind- NIGHT- agg.

Mind- MIDNIGHT- after

Mind- GENERAL

Mind- PSYCHOLOGICAL themes- activity, passivity- activity

Mind- PSYCHOLOGICAL themes- aggression

Mind- PSYCHOLOGICAL themes- anxiety, fear

Mind- PSYCHOLOGICAL themes- compulsions, responsibility- decreased, avoiding

Mind- PSYCHOLOGICAL themes- despair

Mind- PSYCHOLOGICAL themes- erotic

Mind- PSYCHOLOGICAL themes- feelings, strong

Mind- PSYCHOLOGICAL themes- gesticulation, appearance, verbal expression- expression, facial

Mind- PSYCHOLOGICAL themes- rationalizing, lack of feelings, depression

Mind- PSYCHOLOGICAL themes- work, productivity, money, social status

Mind- ABSENT-MINDEDNESS

Mind- AMBITION- loss of

Mind- ANXIETY

Mind- CHEERFULNESS

Mind- CHEERFULNESS- alternating with- sadness

Mind- CONCENTRATION- difficult

Mind- DELUSIONS, imaginations

Mind- DELUSIONS, imaginations- tongue- pulling out his, someone is

Mind- DELUSIONS, imaginations; waves, of

Mind- DESPAIR

Mind- DREAMS

Mind- DREAMS- amorous

Mind- DREAMS- death, of

Mind- DREAMS- frightful, nightmare

Mind- DREAMS- lewd, lascivious, voluptuous

Mind- DREAMS- luck, of bad

Mind- DREAMS- many

Mind- DREAMS- misfortune, of

Mind- DREAMS- murder

Mind- DREAMS- vivid

Mind- DREAMS- wild

Mind- DULLNESS

Mind- EXCITEMENT, excitable- ailments from, agg.

Mind- FANCIES- wild

Mind- FEAR

Mind- FEAR- happen- something will

Mind- FEVER- during

Mind- FEVER- during- heat

Mind- FORGETFULNESS

Mind- HYPOCHONDRIASIS

Mind- IMPRESSIONABLE, susceptible

Mind- INDIFFERENCE, apathy

Mind- INDIFFERENCE, apathy- work, with aversion to

Mind- INDIFFERENCE, apathy- life, to

Mind- INDOLENCE, aversion to work

Mind- IRRITABILITY

Mind- LOATHING

Mind- LOATHING- life, of

Mind- MOOD- changeable, variable

Mind- MOROSE, sulky

Mind- RESTLESSNESS, nervousness

Mind- RESTLESSNESS, nervousness- night

Mind- RESTLESSNESS, nervousness- midnight- after

Mind- RESTLESSNESS, nervousness- heat- during

Mind- SADNESS

Mind- SADNESS- gloomy, dark

Mind- SENSES- acute

Mind- SENSITIVE, oversensitive

Mind- SENSITIVE, oversensitive- impressions, to all external

Mind- SLEEP- falling asleep

Mind- SLEEP- during

Mind- STARTING, startled

Mind- STARTING, startled- sleep- falling asleep, on

Mind- STUPEFACTION, as if intoxicated

Mind- SUDDEN manifestations

Mind- THOUGHTS- disconnected

Mind- TIME- fritters away his

Mind- WEARY of life

Mind- WORK- mental- aversion to