

Article

# A Bibliometric Analysis Review: The Emerging Technology of Artificial Intelligence for Non-Bio Inspired and Bio-Inspired Algorithm of Wireless Sensor Network from 2005–2022

Oluwasegun Julius Aroba <sup>1,2,3\*</sup>, Michael Rudolph <sup>1</sup>, Nalindren Naicker <sup>3</sup>,  
Khadija Karodia <sup>3</sup>, Avintha Gupthar <sup>3</sup>, Vinay Bugwandin <sup>2</sup>, Manduth Ramchander <sup>2</sup>  
and Timothy Adeliyi <sup>4</sup>

<sup>1</sup> Centre for Ecological Intelligence, Faculty of Engineering and the Build Environment (FEBE), University of Johannesburg, Electrical and Electronic Engineering Science, Auckland Park Campus, Auckland Park, P.O. Box 524, Johannesburg 2006, South Africa; michaelr@uj.ac.za

<sup>2</sup> Operations and Quality Management Department, Faculty of Management Science, Durban University of Technology, Durban, 4001, South Africa; vinayb@dut.ac.za (V.B.); manduthr@dut.ac.za (M.R.)

<sup>3</sup> ICT and Society Research Group; Information Technology; Durban University of Technology, Durban 4001, South Africa; naickern@dut.ac.za (N.N.); 22004727@dut4life.ac.za (K.K.); 22010790@dut4life.ac.za (A.G.)

<sup>4</sup> Department of Informatics; University of Pretoria; Pretoria 0002, South Africa; tim.adeliyi@gmail.com

\* Correspondence author: jaroba@uj.ac.za or oluwaseguna@dut.ac.za; Tel.: +27-31-373-5547; Fax: +27-31-373-5598

Received date: 8 January 2024; Accepted date: 2 September 2024; Published online: 20 February 2025

**Abstract:** Rapid developments in technology, business, and social norms have been observed in the twenty-first century. The fourth industrial revolution has been brought about by most industries moving toward automation and reducing human intervention. Wireless sensor networks are incredibly important to the fourth industrial revolution since they help with modernization. WSNs are networks of sensor and routing nodes that can be integrated into a variety of control systems, such as those used for home automation, electric-power automation, and environmental monitoring. A key problem that typically afflicts wireless sensor networks is node localization (WSNs). As a result, several algorithms, to ameliorate the challenges WSNs confront, both bio-inspired and non-bio-inspired solutions have been presented. From 2005 through 2022, the Scopus database was searched for publications. WSNs are used in published research paper statistical analysis, Microsoft Excel 365, VOSviewer, RStudio, and Biblioshiny packages were used. For this seventeen-year study period, a total of 36,377 published documents were in the Scopus database. 765 papers in all were examined following the implementation of the exclusion criteria. This study highlights the global research production of bio-inspired and non-bioinspired algorithms in wireless sensor networks, together with their status and tendencies. It can assist IoT and wireless sensor network researchers in gaining a thorough understanding of the most advanced algorithms in this area.

**Keywords:** algorithms; artificial intelligence; bio-inspired; bibliometric; non-bio-inspired; wireless sensor networks



## 1. Introduction

Studies on energy economy in computer-aided systems have long been a focus, especially when combined with machine learning techniques. In a wide range of information-sharing-related applications, including emergency management, transportation surveillance, medical care, and field monitoring, wireless sensor networks offer the right foundation for information sharing [1]. A Central processing unit, sensors and a transceiver are all included in each node. Batteries with a small capacity are typically used to power these sensor nodes. Since battery-powered devices often make up Wireless Sensor Networks, several protocols and algorithms are developed to increase the energy efficiency of information collecting and transmission [1–3].

Bio-inspired techniques and non-bio-inspired strategies can be used to enhance wireless sensor network energy efficiency. This bibliographic review analyses articles regarding the use of algorithms in wireless sensor networks that aren't bio-inspired and bio-inspired are contrasting the two classes. Algorithms for computer optimization that are based on the principles and inspiration of biological evolution are a novel technique to create fresh and effective competing strategies. For instance, computer science researchers have become interested in how some insects or groups of animals behave in nature, such as ant colonies, bird flocks, bee swarms, and schools of fish [4,5]. Living organisms can adapt to live in practically any ecosystem, including the most hostile, such as abyssal depths and polar areas [6-8].

Wireless sensor network also known as WSNs, usually has a few sensors in an area. WSNs are used to complete one or many goals, but this is dependent on the application [9]. However, the objects within each cluster will be slightly more indifferent to each other. Data mining is used in cluster analysis to break down the term network association into manageable groups [10-12]. It enables us to unravel the different segmentations in bio-inspired and non-bio-inspired emergent approaches for wireless sensor networks (WSNs) research from the banks of knowledge in all ramifications [13–15]. Due to its distributed sensing capabilities and the simplicity of implementation made possible by a wireless communication paradigm, wireless sensor networks have become an integral part of our daily lives. Sensor nodes make up wireless sensor networks that act as data generators and network relays [16-20]. The placement of the sensors should be chosen such that their coverage of the area they are in is maximized. This makes the choice of strategy of deployment very important [21]. In the last half century or so, various optimization models have really been developed in an effort to address issues in the actual world. There are, however, problems experienced during optimization. When the problem dimension is high, they do not produce high-quality solutions which stops them from getting approximate solutions of the global optimum [21,22].

Bibliometric analysis is a technique used as a systemic review for insight and inform decision in data science. Bibliometric analysis is accessible, available, advancement of the software being an open source makes it easier for researchers in recent times [23–25]. The contributions made by authors in this bibliometric analysis and their respective countries to the study of bio and non-bio inspired algorithms are identified solutions proposed by the respective authors [26-30].

In this journal paper we presented the background in Section 1, overview search strategy and research approach processes explained in Section 2, while Section 3 presented the result and analysis of the non-bio-inspired and bio-inspired research, historical analysis. Section 4 is the conclusion.

## 2. Search Strategy and Research Methodology

### 2.1. Validation and Quality Assurance of the Search Query

In order to ensure that every published work in the field is as inclusive as possible, the synonyms of the important search phrases were investigated and included. After then, the keywords were changed often to ensure that the search approach was effective. False-positive and false-negative findings were reduced thanks to the adjustment. The likelihood of false-positive results was decreased by analyzing the first document results to make sure they matched the parameters of the study. In order to determine the degree of agreement between the information that has been retrieved and what is actually in the Scopus database about the desired research question, the number of documents for the top active authors shown in the Scopus database was compared with their research profile in Scopus [31-35].

### 2.2 Search Strategy

Information was taken out of the Scopus database, which offers scholarly articles and the citations they contain. Scopus is the only database that brings together a broad, carefully selected text as well as reference database with enhanced material with connected scholarly literature from a broad variety of fields. Scopus includes almost 36,377 titles from roughly 11,678 publishers, 34,346 of which are peer-

reviewed publications in high-calibre topic areas. However, for this analysis report exclusion terms were used to filter out the documents related to bio inspired and non-bio inspired algorithms. A total of 765 documents were initially identified for analysis with the keywords stated below without any exclusions. One database is sufficient, prior research has demonstrated, and evaluating other databases has little bearing on the outcome of the investigation [60]. The keywords used are “Wireless Sensor Networks”, “Node Localization”, “WSN”, “Localization”, “Localization Algorithm”, “Particle Swarm Optimization”, “Nodes Localization”, “Bio-inspired Algorithms”, “Particle Swarm Optimization Algorithm”, “Sensor Networks”, “Swarm Intelligence”, “Ant Colony Optimization”, “Artificial Bee Colony Algorithms”, “Bat Algorithms”, “Bio-inspired Optimizations”, “Bio-inspired”, “Clustering” for documents published in the domain of years 2005 to 2022.

### 2.3. Inclusion and Exclusion Criteria

The requirements for papers to be included. Analysis, letters to the editor, editorials, commentaries, expert opinions, articles, book chapters, quick studies, and theses written in dialects other than English before to January 2005 were excluded from the list of included publications. Additionally, articles that did not meet the inclusion requirements were excluded. The keywords used are “Wireless Sensor Networks”, “Node Localization”, “WSN”, “Localization”, “Localization Algorithm”, “Particle Swarm Optimization”, “Nodes Localization”, “Bio-inspired Algorithms”, “Particle Swarm Optimization Algorithm”, “Sensor Networks”, “Swarm Intelligence”, “Ant Colony Optimization”, “Artificial Bee Colony Algorithms”, “Bat Algorithms”, “Bio-inspired Optimizations”, “Bio-inspired”, “Clustering” for documents published in the domain of years 2005 to 2022.




Figure 1. Bibliometric Information Process.

### 3. Result and Analysis

The restrictions placed on the exported documents were focused on the keywords of the documents. The sum of 765 paper were grafted based on the Scopus literature search. Figure 2a illustrates a flowchart process of the process of the data used in this research studies. In Figure 2b the pie chart illustrates the types of documents identified during the Scopus search. Two of the seven document types can be seen in majority in the pie chart namely conference paper documents representing 49% of the total, followed by article documents representing 46% of the total respectively. The remainder document types make up a small portion of the pie chart which is book chapter with 3% (n = 18), conference review with 1% (n = 10), review with 1% (n = 4), retracted with 0% (n = 2) and lastly book with 0% (n = 1). This research study focused on the bibliometric analysis of the 353 article type documents excluding the remainder documents. In the table below (Table 1), a description of the information extracted from the articles used in this research study can be identified. The average citations, document types, document contents, authors and authors collaboration results are portrayed in the Table 1.

**Table 1.** Description of main document information used in this research study.

<b>Description</b>	<b>Results</b>
Timespan	2005:2022
Sources (Journals, Books, etc.)	484
Documents	765
Average years from publication	6.64
Average citations per documents	8.886
Average citations per year per doc	1.164
References	14713
<b>DOCUMENT TYPES</b>	
article	353
book	1
book chapter	18
conference paper	377
conference review	10
retracted	2
review	4
<b>DOCUMENT CONTENTS</b>	
Keywords Plus (ID)	3383
Author's Keywords (DE)	1569
<b>AUTHORS</b>	
Authors	1689
Author Appearances	2457
Authors of single-authored documents	32
Authors of multi-authored documents	1657
<b>AUTHORS COLLABORATION</b>	
Single-authored documents	44
Documents per Author	0.453
Authors per Document	2.21
Co-Authors per Documents	3.21
Collaboration Index	2.3

In Figure 2a (below) the data process is performed. The first step is to limit the period of publication of published documents by year, followed by excluding all non-articles type documents to yield the total documents to be analysed.

Figure 2b is a 3D pie chart depicting the document types found during the Scopus document search mentioned in Section 3.1. conference paper and article accounts for a significant portion of the pie chart collectively making up 95% with the other.


Search of articles between year  
2005-2022

Non article: book chapter,  
conference review  
, review, retracted and book: **412 non**  
Total remaining-**353 publications** articles  
excluded

Included in final bibliometric  
analysis  
**Total of 353 publications.**

(a)

document types collectively making up 5% of the pie chart.



**Figure 2.** (a) Processing of data flowchart. (b) Pie chart graphically representing document types extracted.

### 3.1. Historical Analysis


The results of the historiographic study are depicted as a sequential network map of direct author citations. The outcome, as shown in Figure 3, helps to determine the period for which the papers were examined. Figure 3 depicts the historical direct citations with nodes from year to year starting in 2012. Each node represents an article that has been cited during the year in question. The nodes correspond to the straight lines that connect the articles and citations. Figure 3 shows that there are no nodes in the years 2014, 2016, or 2020, indicating that no related papers were cited throughout those years. However,

from 2020 to 2022, we can see those papers by Kanoosh, Houssein, and Selim, (2019) [34, 36-40].

### 3.2. Research Methodology

Bibliometric is a method in which one statistically analyses and evaluates bibliometric publications data and scientific and technological literature. It can also be characterized as the use of mathematical and statistical techniques with regard to publications and other methods of communication [41–43]. Common methods found in bibliometric analysis is citations analysis and content analysis. Bibliometric R-application is proposed to be useful for comprehensive scientific mapping analyses. This tool is useful as it provides measures for importing bibliographic data from Scopus. Furthermore, the cooperation of networks in high-producing nations and researchers in the investigation comparing bio-inspired algorithms to non-bio inspired algorithms was depicted and visualized using the VOS viewer package of the R language [44,45].

Historical Direct Citation Network



**Figure 3.** Historical analysis of direct citation of top-cited papers in context to bio-inspired and non-bio inspired algorithms from 2012–2022 (Author’s Own Construct).

### 3.3. Local Citations and Global Citations from the Historical Analysis

In Table 2, the highest GCS and highest normalized global citations is given to a publication by Kulkarni, written in 2011 [37] titled “Particle Swarm Optimization in Wireless-Sensor Networks. Particle Swarm Optimization is a suitable solution for these problems [36–39]. A higher LCS shows a higher level of significance the article has on this particular topic. Table 2 shows the article with the highest LCS and the highest normalized local citations is the paper written by Peng, (2015) [46].

The localization mistake is larger with this approach, though. In order to increase localization accuracy, this article suggested a DV-Hop algorithm based on genetic algorithms [46]. DV-Hop uses hop count to estimate the distance between nodes. As the hop count reaches a neighbor node it increases by one [47-58].

Although PSO is used to solve the problem of localization, it has been challenged by Moth Flame Optimization Algorithm (MFOA). Computer simulations demonstrate that MFOA quickly converge to the optimum node position. Computer simulations show that MFOA converge to the ideal node position quickly [47,59,60]. There are multiple different methods studied such as chicken swarm optimization, butterfly optimization algorithm [14], and Salp swarm algorithm [34].

**Table 2.** Most local cited documents.

Articles/Documents	DOI	Year	LCS	GCS	LC/GC Ratio%	Normalized Local Citations	Normalized Global Citations
LU & ZHANG Q, INT CONF WIREL COMMUN, NETW MOB COMPUT, WICOM [61]	10.1109/WiCom.2008.850	2008	7	21	33.33	9.63	1.03
ZHANG Q, INT CONF COMMUN NETW CHINA, CHINACOM [62]	10.1109/chinacom.2008.4685104	2008	7	24	29.17	9.63	1.18
KULKARNI RV, IEEE TRANS SYST MAN CYBERN PT C APPL REV [63-65]	10.1109/tsmcc.2010.2049649	2010	8	170	4.71	16.00	11.87
GÓMEZ MÁRMOL F, TELECOMMUN SYST [27]	10.1007/s11235-010-9281-7	2011	12	114	10.53	17.20	5.41
KULKARNI RV, IEEE TRANS SYST MAN CYBERN PT C APPL REV [66]	10.1109/tsmcc.2010.2054080	2011	13	526	2.47	18.63	24.96
ALRAJEH NA, INT J DISTRIB SENS NETW [5]	10.1155/2013/304628	2013	13	137	9.49	19.30	14.98
PENG B, COGN NEURODYNAMICS [67]	10.1007/s11571-014-9324-y	2015	13	109	11.93	23.47	15.64
CHENG J, SENSORS [64]	10.3390/s16091390	2016	7	26	26.92	11.86	3.15
SEKHAR P, PHYS COMMUN [61]	10.1016/j.phycom.2021.101411	2017	4	5	80.00	13.33	3.03
MILOUD M, INT J DISTRIB SYST TECHNOL [47]	10.4018/ijdst.2019010106	2017	4	8	50.00	8.24	1.34
LI J, WIRELESS NETWORKS [68]	10.1007/s11276-021-02563-9	2017	5	12	41.67	16.67	7.27
STOJKOSKA BR, IEEE EUROCON [48]	10.1109/eurocon.2013.6625044	2017	4	15	26.67	5.94	1.64
CAO Y, IEEE ACCESS [17]	10.1109/access.2019.2938558	2017	5	23	21.74	10.30	3.84
AL SHAYOKH M, WIRELESS PERS COMMUN [6]	10.1007/s11277-017-4803-1	2017	4	38	10.53	5.02	3.89
SHAHZAD F, J COMMUN NETW [38]	10.1109/jcn.2016.000108	2017	4	38	10.53	6.78	4.61
RAJAKUMAR R, J COMPUT NETW	10.1155/2017/7348141	2017	6	65	9.23	7.53	6.66


COMMUN [69]								
CHAURASIYA VK, INFUSION [19]	10.1016/j.inffus.2013.06.003	2017	5	70	7.14	12.05	8.23	
ARORA S, ARAB J SCIENG [14]	10.1007/s13369-017-2471-9	2017	11	97	11.34	13.81	9.94	
LUI KWK, IEEE TRANS SIGNAL PROCESS [70]	10.1109/tsp.2008.2007916	2017	5	131	3.82	8.81	10.80	
KANOOSH HM, J COMPUT NETW COMMUN [34]	10.1155/2019/1028723	2019	8	45	17.78	16.48	7.52	

**Note:** GCS: global citation score; LCS: local citation score.


### 3.4. Analysis of Main Researchers

From the standpoint of documents in numbers in Figure 4, the 20 authors that stand out are Liu Y, Wang W, Wang X, Wang Y, Na Na, Zhang Y, Li Y, Wang J, Chen L, Chen Q, Kumar A, Mao K, Zhang L, Chen J, Li H, Li J, Liu C, Liu X, Nguyen TT and Pan JS with 14 articles, “A Hybrid Mobile Node Localization Algorithm Based on Adaptive MCB-PSO Approach in Wireless Sensor Networks” [71,72]. The paper titled “IVCN: An improved 3D node localization algorithm based on virtual central node (VCN) in wireless sensor networks, Liu et al., (2008) [70] is another well documented paper that Liu Yang has contributed to with 6 citations published in the Journal of Information and Computational Science.

Figure 5 shows Graphical Representation of the top authors production over time in relation to Figure 4 (above). The key in the far right of the figure can be used to interpret the information displayed.



**Figure 4.** Most relevant authors with articles in context to bio inspired and non-bio inspired algorithms. (Author’s Own Construct).



**Figure 5.** Authors’ production over time in context to bio-inspired and non-bio-inspired algorithms (Author’s Own Construct).


Another author who has significantly contributed to this field his first article titled Algebraic solution for source localization by using TOA-based asymmetric trip ranging.

### 3.5. Academic Collaboration

A collaborative network is a network where a node represents the authors and links represent the co-authors. This is a form of collaboration in science that has been well-researched. This is obtained through:

$$\lambda = \beta' \times \beta \quad (1)$$

In Equation (1),  $\beta$  is a bipartite network of documents  $\times$  authors and  $\lambda$  signifies the academic collaboration. Authors collaboration is vital as it helps strengthen the acceleration in which discussion and expertise takes place, thus widening the vision of a specific subject area. The graph was produced by VOSviewer using the R studio software interface. The nodes/circles in Figure 6 below reflect the writers, the size denotes the number of articles written, the linking line denotes the degree of author collaboration, and each colour denotes a separate cluster.



**Figure 6.** Authors' collaboration map in the field of Non-Bio Inspired and Bio Inspired Algorithm of Wireless Sensor Networks (Authors Own Construct).

Countries that produce more literature have a higher impact and stronger standing within the area of

expertise. China leads with the total number of articles produced being 553 and total citations being 1,587. Table 3 shows the top 20 leading countries in the study of bio-inspired and non-bio inspired algorithms. Arabia and Iraq). Notably, the leading continents are those to be considered as more developed and most likely first world. This justifies the high collaboration and contribution of USA (n = 21) and China (n = 265) however India being a lower power economically show for 102 articles published which surpasses USA. This may be due to the high number of researchers in similar fields of work being higher in India in comparison to other countries. China came out first with regards to citations (n = 1587,5.99), followed by the USA (n = 973,46.33), and India (n = 688, 6.75).

**Table 3.** Productivity based on number of articles at country level.

Most Relevant Countries by Corresponding Author				Most Cited Countries				
Entry	Country	Articles	Freq	SCP	MCP	Countries	TC	AAC
1.	CHINA	265	0.51556	248	17	CHINA	1587	5.99
2.	INDIA	102	0.19844	94	8	USA	973	46.33
3.	USA	21	0.04086	17	4	INDIA	688	6.75
4.	KOREA	16	0.03113	12	4	SAUDI ARABIA	157	39.25
5.	MALAYSIA	13	0.02529	10	3	UNITED KINGDOM	145	16.11
6.	CANADA	10	0.01946	9	1	HONG KONG	142	47.33
7.	UNITED KINGDOM	9	0.01751	5	4	CANADA	126	12.60
8.	ALGERIA	7	0.01362	1	6	SPAIN	125	31.25
9.	GERMANY	5	0.00973	4	1	JAPAN	122	61.00
10.	ITALY	5	0.00973	4	1	MALAYSIA	120	9.23
11.	PAKISTAN	5	0.00973	4	1	KOREA	110	6.88
12.	EGYPT	4	0.00778	4	0	ALGERIA	105	15.00
13.	SAUDI ARABIA	4	0.00778	1	3	TURKEY	84	42.00
14.	SPAIN	4	0.00778	3	1	EGYPT	66	16.50
15.	CZECH REPUBLIC	3	0.00584	2	1	CZECH REPUBLIC	60	20.00
16.	FRANCE	3	0.00584	1	2	ITALY	53	10.60
17.	HONG KONG	3	0.00584	3	0	BRAZIL	49	24.50
18.	IRAQ	3	0.00584	1	2	PAKISTAN	39	7.80
19.	OMAN	3	0.00584	1	2	FRANCE	37	12.33
20.	BRAZIL	2	0.00389	1	1	GERMANY	36	7.20


**Note:** SCP—single country publications, MCP—multiple country publications, TC—total citations,

AAC—average article citations.


### 3.5. Multiple Correspondence Analysis and Cluster Analysis of High-Frequency Keywords

A conceptual structure map is depicted in Figure 7. The figure below is a collaboration map of countries. Algeria and France respectively have the highest article collaboration between each other with 12 articles.

Data from Figure 7 (below) was interpreted to create the graph below. In Figure 8 the countries with the highest production is China with 553 articles followed by India with 365 articles, USA with 74 articles, Canada with 38 articles, Malaysia with 28 articles.




**Figure 7.** Country research article collaboration map.



**Figure 8.** Country Production of research articles.

From the information illustrated in Figures 9 and 10 (below) data from the research articles, the topics sensor nodes, wireless sensor networks, node localization, algorithms and localization algorithms are the top trending topics.



**Figure 9.** Conceptual Structure map of Trend Topics in research articles (Author’s Own Construct).


Zhang et al., (2017) classifies localization algorithms into two groups. Localization methods can be classed as centralized or distributed depending on the computational resources at each anchor. Every sensor node in a distributed algorithm trades data with its neighbor or a set of neighboring sensors nodes and evaluates parameters locally [73-75].

Jia et al. (2017) suggested an alternative one-hop range-based node localization technique. Anchor nodes are used in the article to aid with localization [31].

In a paper titled “An Innovative Gaussian Clustering Hyper-Heuristic Scheme for Energy-Efficient Optimization in Wireless Sensor Networks”, Aroba et al., (2020, 2021a; 2021b) suggests a novel DEEC\_GAUSS approach for the optimization of localization as well as for wireless sensor network nodes energy efficiency. The simulation conducted by aroba et al revealed that the novel Gaussian algorithm is best suited for optimized performance and contributes to the network lifetime as well as to optimize energy [72-78].



Figure 10. Tree Map illustrating the trending topics in articles from 2005 to 2022 (Author's Own Construct).




**Figure 11.** Pie chart of Frequent Keyword in research articles. **Note:** Figure 11 illustrates the keywords that are discovered to be recurring in the research articles being analysed. The information in Figure 10 and Figure 11 allows us to conclude that the trending topics and frequent keywords used are associated.

### 3.7. Thematic Evolution Analysis

Thematic evolution analysis is a technique for displaying field development and quantifying the evolution of the study field that combines performance analysis and scientific mapping. 2005-2016 and 2017-2022 as shown in Figure 12.


During the first period, 2005–2016, the thematic evolution is observed in 4 research areas: Particle swarm optimization, sensor nodes, wireless sensor networks, and sensor networks. In the second period, 2017–2022, the thematic evolution is observed in 4 research areas as well: optimization problems, sensor nodes, particle swarm optimization and energy efficiency.



**Figure 12.** Thematic evolution of keywords in field of research on bio-inspired algorithms in wireless sensor networks 2005–2022 (Author’s Own Construct).

When using PSO, researchers have found various modified versions that improve sensor coverage overall . Much better results were found by those who used hybrid versions of GA . ACO as their algorithms reduced the sensing of redundant information and reported higher network coverage rates respectively [77,78].

An energy-efficient setup is very important to WSNs as the sensors have a limited energy supply. The transmission of the data sensed consumes majority of the energy, as longer transmission lengths require much more energy. The use of GA and PSO algorithms overall greatly helped in reducing power consumption, hence extending the lifetime of networks. The most effective algorithm however seems to be the ACO-based proposal by Darwish, (2018) . Not only did it give the same results as the other bio-inspired algorithms but also provided high load balancing. The top 20 sources that were analysed were during the period of 2005–2022 were chosen to aid researchers in identifying reliable and relevant studies to assists-them in publishing their works. The figure 13 shows the top 20 sources with relevant articles on bio-inspired and non-bio inspired algorithms for multidisciplinary and interdisciplinary research.



**Figure 13.** Most cited sources. **Note:** numbers represent the number of articles cited this source.

### 3.8. Strengths and Limitations

This study presented strong points in comparison to other studies that only make use of systematic reviews. The goal of bio-inspired algorithms is to mimic natural characteristics of living creatures and design elements to help solve human problems. Wireless sensor networks are very useful however they are limited in network lifespan therefore ongoing research on this topic occurs [79].

## 4. Conclusions

This research paper analysed the global research production of bio inspired and non-bio inspired algorithms in wireless sensor networks. The findings indicated that over the recent decades, both bio-inspired and non-bioinspired algorithms have steadily increased in number in WSN research articles. While our analysis shows that researchers are still actively pursuing wireless sensor network research Hence, there seems to be a steady increase in publications relating to this field. This paper used articles found in Scopus to identify the best researchers and map their geographical distribution and publishing journals. It has also been found that there are a significant number of researchers in this field and papers published. It is a relatively new subject matter which has been taken well throughout global researchers. We believe that this bibliometric analysis will serve as a useful resource on important concerns and emerging trends in this field of study for both established academics and up-and-coming scientists who plan to take an active role in this subject. Additionally, the analysis provides intuitions into scientific research, which will aid in creating descriptions based on facts and visualising study results.

### Author Contributions

Oluwasegun Julius Aroba came up with the concept, worked on the methodology, validation and analysis was carried out by Timothy Adeliyi, Avitha Guptar worked on the introduction, while literature review writing was done by Karodia Kadijath, recommendation and conclusion was done by Vinay Bugwandin, Review, editing and validation is carried out by Michael Rudolph and Manduth Ramchander. All authors have read and agreed to the published version of the manuscript.

### Funding

This research received no external funding.

### Conflict of Interest Statement

The authors declare no conflicts of interest.

### Data Availability Statement

There is no data used for this research as it made use of public open-access Scopus and Web of Science Database for the bibliometric analysis.

### Acknowledgments

The authors acknowledge the journal for prompt review of our manuscript.

### References

1. Shang, W.L., Chen, Y., Bi, H., Zhang, H., Ma, C. and Ochieng, W.Y., 2020. Statistical characteristics and community analysis of urban road networks. *Complexity*, 2020(1), p.6025821.
2. Abdi, H. and Valentin, D., (2007). Multiple correspondence analysis. *Encyclopedia of measurement and statistics*, 2(4), pp.651-657.
3. Akbari, R., Mohammadi, A., & Ziarati, K. (2010). A novel bee swarm optimization algorithm for numerical function optimization. *Communications in Nonlinear Science and Numerical Simulation*, 15(10), 3142-3155.
4. Akyildiz, I. F., & Vuran, M. C. (2010). *Wireless sensor networks*. John Wiley & Sons.
5. Alrajeh, N. A., Bashir, M., & Shams, B. (2013). Localization techniques in wireless sensor networks. *International journal of distributed sensor networks*, 9(6), 304628.
6. Al Shayokh, M., Shin, S.Y. (2017). Bio Inspired Distributed WSN Localization Based on Chicken Swarm Optimization. *Wireless Personal Communication* 97, 5691–5706.
7. Anwana, E.O. and Aroba, O.J., 2022. African women entrepreneurs and COVID-19: Towards achieving the African Union Agenda 2063. *HTS Teologiese Studies/Theological Studies*, 78(2).
8. Aroba, O.J. and Rudolph, M., 2024. Systematic literature review on the application of precision agriculture using artificial intelligence by small-scale farmers in Africa and its societal impact. *Journal of Infrastructure, Policy and Development; Vol. 8, Issue 13*.
9. Aroba, O. J., Naicker, N., Adeliyi, T., & Ogunsakin, R. E. (2020). Meta-analysis of heuristic approaches for optimizing node localization and energy efficiency in wireless sensor networks. *International Journal of Engineering and Advanced Technology (IJEAT)*, 10(1), 73-87.
10. Aroba, O. J., Naicker, N., & Adeliyi, T. (2021). A Hyper-Heuristic Heterogeneous Multisensor Node Scheme for Energy Efficiency in Larger Wireless Sensor Networks Using DEEC-Gaussian Algorithm. *Mobile Information Systems*, 2021, 1-13.
11. Aroba, O. J., Naicker, N., & Adeliyi, T. (2021). An innovative hyperheuristic, Gaussian clustering scheme for energy-efficient optimization in wireless sensor networks. *Journal of Sensors*, 2021, 1-12.
12. Aroba, O. (2022). *Improving node localization and energy efficiency for wireless sensor networks using hyper-heuristic optimization algorithms* (Doctoral dissertation).
13. Aroba, O. J., Naicker, N., & Adeliyi, T. T. (2023). Node Localization in Wireless Sensor Networks using a Hyper-Heuristic DEEC-Gaussian Gradient Distance Algorithm. *Scientific African*, e01560.
14. Arora, S., Singh, S. (2017). Node Localization in Wireless Sensor Networks Using Butterfly Optimization Algorithm. *Arab Journal Science Engineering* 42, 3325-3335
15. Binitha, S., & Sathya, S. S. (2012). A survey of bio inspired optimization algorithms. *International journal of soft computing and engineering*, 2(2), 137-151.
16. Bornmann, L., & Haunschild, R. (2016). Citation score normalized by cited references (CSNCR): The introduction of a new citation impact indicator. *Journal of Informetrics*, 10(3), 875-887.
17. Cao, Y., & Wang, Z. (2019). Improved DV-hop localization algorithm based on dynamic anchor node set for wireless sensor networks. *IEEE access*, 7, 124876-124890.
18. Chandnani, N. and Khairnar, C.N., (2022). Bio-Inspired Multilevel Security Protocol for Data Aggregation and Routing in IoT WSNs. *Mobile Networks and Applications*, pp.1-20.
19. Chaurasiya, V. K., Jain, N. & Nandi, G., (2014). A novel distance estimation approach for 3D localization in wireless sensor network using multi-dimensional scaling. *Information Fusion*, 15(ISSN 1566-2535), pp. 5-18.
20. Darwish, A. (2018). Bio-inspired computing: Algorithms review, deep analysis, and the scope of applications. *Future Computing and Informatics Journal*, 3(2), 231-246.
21. Deghbouch, H., & Debbat, F. (2021). A hybrid bees algorithm with grasshopper optimization algorithm for optimal deployment of wireless sensor networks. *Inteligencia Artificial*, 24(67), 18-35.
22. Derr K. and M. Manic, (2015). Wireless Sensor Networks—Node Localization for Various Industry Problems, in *IEEE Transactions on Industrial Informatics*, vol. 11, no. 3, pp. 752-762.
23. Donthu, N., Kumar, S., Mukherjee, D., Pandey, N., & Lim, W. M. (2021). How to conduct a bibliometric analysis: An overview and guidelines. *Journal of Business Research*, 133, 285-296.
24. Fagbola, T.M., Fagbola, F.I., Aroba, O.J., Doshi, R., Hiran, K.K. and Thakur, S.C., 2022. Smart face masks for Covid-19 pandemic management: A concise review of emerging architectures, challenges and future research directions. *IEEE Sensors Journal*, 23(2), pp.877-888.
25. Gaber, T., Abdelwahab, S., Elhoseny, M. & Hassanien, A. E., (2018). Trust-based secure clustering in WSN-based intelligent transportation systems. *Computer Networks*, 146(ISSN 1389-1286), pp. 151-158.
26. Ghorpade, S., Zennaro, M. and Chaudhari, B. S. (2021). Towards green computing: intelligent bio-inspired agent for IoT-enabled wireless sensor networks. *International Journal of Sensor Networks*, 35 (2): 121-131.
27. Gómez Mármol, F., Martínez Pérez, G. (2011). Providing trust in wireless sensor networks using a bio-inspired technique. *Telecommun System* 46, 163–180 .
28. Guo, W., Xiong, N., Vasilakos, A. V., Chen, G., & Cheng, H. (2011). Multi-source temporal data aggregation

- in wireless sensor networks. *Wireless personal communications*, 56, 359-370.
29. Han, X., & Hong-xu, M. (2008, June). Maximum lifetime data aggregation in distributed intelligent robot network based on aco. In *2008 IEEE Congress on Evolutionary Computation (IEEE World Congress on Computational Intelligence)* (pp. 50-55). IEEE.
  30. Huang, R., Chen, Z., & Xu, G. (2010, July). Energy-aware Routing Algorithm in WSN using Predication-mode. In *2010 international conference on communications, circuits and systems (ICCCAS)* (pp. 103-107). IEEE.
  31. Jia, H., Zheng, J., Wang, G., Chen, Y., Huang, D. and Yuan, H. (2017). On the localization algorithm of wireless sensor network and its application. *International Journal of Online Engineering*, [online] 13, pp.40–51.
  32. Jiang, W., Fang, B. X., Tian, Z. H., & Zhang, H. L. (2009). Evaluating network security and optimal active defense based on attack-defense game model. *Chinese Journal of Computers*, 32(4), 817-827.
  33. Hutchins, B. L., Yuan, X., Anderson, J. M., & Santangelo, G. M. (2016). Relative citation ratio (RCR): a new metric that uses citation rates to measure influence at the article level. *PLoS biology*, 14(9), e1002541.
  34. Kanoosh, H.M., Houssein, E.H. and Selim, M.M. (2019). Salp Swarm Algorithm for Node Localization in Wireless Sensor Networks. *Journal of Computer Networks and Communications*, 2019, pp.1–12. doi:10.1155/2019/1028723.
  35. Krishnamoorthy, M., Gunasekaran, K., Babu, B.T., Balaji, S., Nagaraju, V. and SathishKumar, P.J., (2022). January. Bio Inspired FFA Algorithm for Efficient Data Transfer in WSN. In *2022 4th International Conference on Smart Systems and Inventive Technology (ICSSIT)* , pp. 317-320.
  36. Selvaraj, C., Kumar, R.S. and Karnan, M., (2014). A survey on application of bio-inspired algorithms. *International Journal of Computer Science and Information Technologies*, 5(1), pp.366-70.
  37. Sene F. I, M. F. Younis and K. Akkaya, (2011). Bio-Inspired Relay Node Placement Heuristics for Repairing Damaged Wireless Sensor Networks, in *IEEE Transactions on Vehicular Technology*, vol. 60, no. 4, pp. 1835-1848.
  38. Shahzad, F., Sheltami, T. R., & Shakshuki, E. M. (2016). Multi-objective optimization for a reliable localization scheme in wireless sensor networks. *Journal of communications and Networks*, 18(5), 796-805.
  39. Singh, A., Sharma, S., Singh, J. and Kumar, R., (2019). Mathematical modelling for reducing the sensing of redundant information in WSNs based on biologically inspired techniques. *Journal of Intelligent & Fuzzy Systems*, 37(5), pp.1-11.
  40. Shen, S., She, Y., Qian, K. and Wang, W. (2015). Algebraic solution for source localization by using TOA-based asymmetric trip ranging. *Journal of Information and Computational Science*, [online] 12, pp.6545–6552.
  41. Shen, S., Yang, B., Qian, K., She, Y. and Wang, W. (2019). On improved DV-hop localization algorithm for accurate node localization in wireless sensor networks. *Chinese Journal of Electronics*, [online] 28, pp.658–666.
  42. Shen.H, Y. Zhu, X. Zhou, H. Guo, and C. Chang, (2009). Bacterial foraging optimization algorithm with particle swarm optimization strategy for global numerical optimization, in *Proc. 1st ACM/SIGEVO Summit Genet. Evol. Comput.*, New York, NY: ACM, Jun. 2009, pp. 497–504.
  43. Shi, Q., C. He, H. Chen and L. Jiang, (2010). Distributed Wireless Sensor Network Localization Via Sequential Greedy Optimization Algorithm, in *IEEE Transactions on Signal Processing*, vol. 58, no. 6, pp. 3328-3340.
  44. Wu D., D. Chatzigeorgiou, K. Youcef-Toumi and R. Ben-Mansour, (2016). Node Localization in Robotic Sensor Networks for Pipeline Inspection," in *IEEE Transactions on Industrial Informatics*, vol. 12, no. 2, pp. 809-819.
  45. Yadav, R., Sreedevi, I., & Gupta, D. (2022). Bio-Inspired Hybrid Optimization Algorithms for Energy Efficient Wireless Sensor Networks: A Comprehensive Review. *Electronics*, 11(10), 1545.
  46. Liu, Y., Xing, J., Zhou, Y. and Wu, H. (2011). IVCN: An improved 3D node localization algorithm based on virtual central node (VCN) in wireless sensor networks. *Journal of Information and Computational Science*, [online] 8, pp.1395–1404.
  47. Sekhar, P., Lydia, E. L., Elhoseny, M., Al-Akaidi, M., Selim, M. M., & Shankar, K. (2021). An effective metaheuristic based node localization technique for wireless sensor networks enabled indoor communication. *Physical Communication*, 48, 101411.
  48. Stojkoska, B. R., & Kirandziska, V. (2013, July). Improved MDS-based algorithm for nodes localization in wireless sensor networks. In *Eurocon 2013* (pp. 608-613). IEEE.
  49. Thompson, R.C., Joseph, S. and Adeliyi, T.T., 2022. A Systematic Literature Review and Meta-Analysis of Studies on Online Fake News Detection. *Information*, 13(11), p.527.
  50. Tian, S., Zhang, X., Wang, X., Sun, P., & Zhang, H. (2007). A selective anchor node localization algorithm for wireless sensor networks. In *2007 International Conference on Convergence Information Technology (ICCIT 2007)* (pp. 358-362). IEEE.
  51. Tian, J., Gao, M., & Ge, G. (2016). Wireless sensor network node optimal coverage based on improved genetic algorithm and binary ant colony algorithm. *EURASIP Journal on Wireless Communications and Networking*, 2016, 1-11.
  52. Tiwari, S., Kumar, G., Raj, A., Prateek and Arya, R., (2019). Water cycle algorithm perspective on energy constraints in WSN. *International Journal of System Assurance Engineering and Management*, 11(2), pp.253-260.
  53. TTan, R., Li, Y., Shao, Y., & Si, W. (2020). Distance mapping algorithm for sensor node localization in WSNs. *International Journal of Wireless Information Networks*, 27, 261-270.
  54. Visu, P., Praba, T. S., Sivakumar, N., Srinivasan, R. and Sethukarasi, T. (2021). Bio-inspired dual cluster heads

- optimized routing algorithm for wireless sensor networks. *Journal of Ambient Intelligence and Humanized Computing*, 12 (3): 3753-3761.
55. van Enst, W.A.; Scholten, R.J.; Whiting, P.; Zwinderman, A.H.; Hooft, L. Meta-epidemiologic analysis indicates that MEDLINE searches are sufficient for diagnostic test accuracy systematic reviews. *J. Clin. Epidemiol.* 2014, 67, 1192–1199.
  56. Wu, H., Liu, J., Dong, Z. and Liu, Y. (2020). A Hybrid Mobile Node Localization Algorithm Based on Adaptive MCB-PSO Approach in Wireless Sensor Networks. *Wireless Communications and Mobile Computing*, 2020, pp.1–17.
  57. Yuce, B., Packianather, M. S., Mastrocinque, E., Pham, D. T., & Lambiase, A. (2013). Honey bees inspired optimization method: the bees algorithm. *Insects*, 4(4), 646-662.
  58. Zamani, H., Nadimi-Shahraki, M.H. and Gandomi, A.H., (2022). Starling murmuration optimizer: A novel bio-inspired algorithm for global and engineering optimization. *Computer Methods in Applied Mechanics and Engineering*, 392, p.114616.
  59. Zhang, X., Tepedelenioglu, C., Banavar, M. and Spanias, A. (2017). Introduction to localization. [online] Springer International Publishing, pp.7–15.
  60. Zhang, Q. J. Wang, C. Jin and Q. Zeng, (2008). Localization Algorithm for Wireless Sensor Network Based on Genetic Simulated Annealing Algorithm, 2008 4th International Conference on Wireless Communications, Networking and Mobile Computing, 2008, pp. 1-5.
  61. Lu, Y. H., & Zhang, M. (2014). Adaptive mobile anchor localization algorithm based on ant colony optimization in wireless sensor networks. *International Journal on Smart Sensing and Intelligent Systems*, 7(4), 1943-1961.
  62. Qingguo Zhang, Jingwei Huang, Jinghua Wang, Cong Jin, Junmin Ye and Wei Zhang, (2008). A new centralized localization algorithm for wireless sensor network. *2008 Third International Conference on Communications and Networking in China*, 2008, pp. 625-629.
  63. Kulkarni R.V and G. K. Venayagamoorthy, (2010). Bio-inspired Algorithms for Autonomous Deployment and Localization of Sensor Nodes. in *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, vol. 40, no. 6, pp. 663-675.
  64. Kulkarni, R. V., & Venayagamoorthy, G. K. (2010). Particle swarm optimization in wireless-sensor networks: A brief survey. *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*, 41(2), 262-267.
  65. Kulkarni, R. V., Venayagamoorthy, G. K., & Cheng, M. X. (2009, October). Bio-inspired node localization in wireless sensor networks. In *2009 IEEE International Conference on Systems, Man and Cybernetics* (pp. 205-210). IEEE.
  66. Krishnamoorthy, M., Gunasekaran, K., Babu, B. T., Balaji, S., Nagaraju, V., & SathishKumar, P. J. (2022, January). Bio Inspired FFA Algorithm for Efficient Data Transfer in WSN. In *2022 4th International Conference on Smart Systems and Inventive Technology (ICSSIT)* (pp. 317-320). IEEE.
  67. Peng, B., Li, L. (2015). An improved localization algorithm based on genetic algorithm in wireless sensor networks. *Cogn Neurodyn* 9, 249–256.
  68. Li, J., Gao, M., Pan, JS. (2021). A parallel compact cat swarm optimization and its application in DV-Hop node localization for wireless sensor network. *Wireless Networks* 27, 2081–2101.
  69. Rajakumar, R., Amudhavel, J., Dhavachelvan, P., & Vengattaraman, T. (2017). GWO-LPWSN: Grey wolf optimization algorithm for node localization problem in wireless sensor networks. *Journal of computer networks and communications*, 2017, 1-10.
  70. Lui, K. W. K., Ma, W. K., So, H. C., & Chan, F. K. W. (2008). Semi-definite programming algorithms for sensor network node localization with uncertainties in anchor positions and/or propagation speed. *IEEE Transactions on Signal Processing*, 57(2), 752-763.
  71. Kumar, A., Singh, R. K., & Vijay, S. (2021). Performance analysis of energy efficient infrastructure-less wireless sensor networks optimize by Bio-inspired optimization. In *Materials Today: Proceedings*.
  72. Latiff, N. A. A., Abdullatiff, N. M. A., & Ahmad, R. B. (2011, September). Extending wireless sensor network lifetime with base station repositioning. In *2011 IEEE Symposium on Industrial Electronics and Applications* (pp. 241-246). IEEE.
  73. Lee, Meonghun & Kim, Haengkon & Yoe, Hyun. (2018). Wireless Sensor Networks Based on Bio-Inspired Algorithms. 10.1007/978-3-319-95162-1\_52.
  74. Mihoubi, Miloud & Rahmoun, Abdellatif & Lorenz, Pascal. (2019). Moth Flame Optimization Algorithm Range-Based for Node Localization Challenge in Decentralized Wireless Sensor Network. *International Journal of Distributed Systems and Technologies*. 10. 82-109.
  75. Muntazhimah, M. (2022). Bibliometric Analysis of Mathematics Learning Video using VOSviewer: How the Trend and What Next?. *Jurnal Pendidikan Progresif*, 12(2), 853-865.
  76. Aroba, O.J., Naicker, N., Adeliyi, T.T. and Gupthar, A., 2023. A review: The bibliometric analysis of emerging node localization in wireless sensor network. *International Journal of Computer Information Systems and Industrial Management Applications*, 15, pp.14-14.
  77. Nirmal, S. (2019). Comparative study between k-means and k-medoids clustering algorithms. *J. Classif*, 6, 839-844.
  78. Norouzi, A., Babamir, F. S., & Zaim, A. H. (2011). A new clustering protocol for wireless sensor networks using genetic algorithm approach. *Wireless Sensor Network*, 3(11), 362.
  79. Ugbedeajo, M., Adebisiyi, M.O., Aroba, O.J. and Adebisiyi, A.A., 2024. RSA and Elliptic Curve Encryption System: A Systematic Literature Review. *International Journal of Information Security and Privacy*

### Author Biography




**Oluwasegun. J. Aroba**, an Artificial Intelligence expert, Top 10 rated National Research Foundation Rated 2025 DUT, Precision Agriculture Expert, Data Science Expert at Centre for Ecological Intelligence, the University of Johannesburg, Senior lecturer. Honorable Research Associate in the Department of Operations and Quality Management. He has a PhD. in Information Technology. A graduate of Information Technology University from the prestigious Coventry University United Kingdom, BSc. Computer Science and Technology (Upper-Class Division) Crawford University whose research inclination focus area are into Wireless Sensor Networks, Hyper-Heuristic, Hybrid-Heuristic, Meta-Analysis, Project Management, Data Science, Machine Learning, SAP Specialist with over decade years of experience in the higher education sector, healthcare industries, government parastatals, a consultant across the globe, a graduate member of IEEE, IITPSA South Africa, Member of IET UK. He has published over 34 peer reviewed articles. He has Chaired and Co-Chaired International and National Conferences. He is a global mentor to SMEs and European African, Sisonke NdabaX, and a seasoned guest speaker. He has a vast collaboration network across Spain, France, Morocco, the USA, the UK, South Africa, and Sweden. jaroba@uj.ac.za



**Prof Michael Rudolph** has over 48 years of experience in teaching, training, and mentoring a cadre of new leaders in public and environmental **health** in SA. My research covers a wide range of topics, all of which are interlinked, and which have influenced strategic interventions and policies in health promotion, food and nutrition security, and agroecology at local provincial, and national levels. I constantly seek and implement innovative ideas, technologies, and methodologies in my work but ensure that these are both grounded and aligned with government policies and models. I have shown consistent commitment to working with disadvantaged communities in SA. I was Professor and HOD of Public Health Dentistry at the University of Witwatersrand (Wits) for 30 years. Several of my postgraduate students became Deans or Deputy Deans of Faculties of Health Sciences and Dentistry in SA demonstrating my capability to empower future leaders, I established the Siyakhana Growth and Development NPO in 2005 which achieved much success in setting up food gardens in inner-city sites, in schools, and on university campuses. The platform established resulted in the Centre for Ecological Intelligence (CEI) at the University of Johannesburg in 2020. I have been the Director of this Centre for the past four years. **Our** work has attracted wide interest among fellow academics, government, business, and the wider public. Our interventions and holistic approach are considered a hallmark for integrated programmes to promote small-scale agriculture, ecological and community health, and embracing 4.0 in urban and rural settings. Our multi- and cross-disciplinary approach regarding teaching and research to address complex societal problems is unique and has also shown that it can have a social, environmental, and economic impact. I received the Johnson and Johnson Preventive Award by the Federation Dentaire International in collaboration with the World Health Organisation for the best preventive programme. I received the Vice Chancellor's Academic Citizenship award at Wits.



**Prof. Nalin Naicker** is currently the Head of the Department for Information System, Durban University of Technology, He has a PhD in [Information Systems & Technology]; MSc [Information Systems]; Hons BSc (Computer Science); BSc (Computer Science). He currently serves as head of the Information Systems Department at the Durban University of Technology. He is currently involved with the supervision of PhD and master's students at the Department of Information Systems; Information Technology and Computer Science. He is a member of the ICT and Society Research Group for the Faculty of Accounting and Informatics at Durban University of Technology.



**Karodia Khadijat** is currently an honours student at the Durban University of Technology. Completed a bachelor's degree in information communication technology. Is a member of the ICT and society group of Durban University of Technology.



**Avintha Gupthar** completed her bachelor's degree in information communication and Technology from Durban University of Technology in Kwa-Zulu-Natal, South Africa in the year 2022.



**Vinay Bugwandin**, a Regional Manager working for a global Testing, Inspection and Certification organisation in Dubai, United Arab Emirates, Honorable Research Associate at the Durban University of Technology in the Department of Entrepreneurial Studies and Management. He holds a Doctor of Philosophy (Ph.D) degree in Management Sciences specialising in Business Administration from the Durban University of Technology, South Africa. He also holds a Master in Business Administration (MBA) degree from the University of Roehampton, London in England. He holds several other qualifications and certifications. Vinay is also a reviewer for the Acta Commercii Independent Research journal in the management sciences – African Online Scientific Information Systems (Pty) Ltd (AOSIS). With a combination of his work experience in industry and his academic qualifications, Vinay specialises in the areas of Management, Leadership, Strategy, Systems Thinking, and Business Sustainability. His major interests lie in rescuing failing businesses, improving bottom lines for businesses and assisting small and medium enterprises in growing into large corporate organisations. His email is: [vinayb@dut.ac.za](mailto:vinayb@dut.ac.za) and ORCID ID is <https://orcid.org/0000-0001-6437-4341>



**Prof Manduth Ramchander** is an Associate Professor and Head of Department of Operations and Quality Management at the Durban University of Technology, in South Africa. He holds a Doctorate in Commerce, an MBA from Buckinghamshire Chilterns University College, A Diploma in Electro- Mechanical Engineering, and a bachelor's degree in Pedagogics (Science). He has previously lectured at the University of Zululand and thereafter at the University of KwaZulu-Natal, where he was also the Academic Leader for Supply Chain Management. He has published in the fields of Teaching and Learning, Entrepreneurship Education, Research Methodology, Supply Chain Management, Operations Management, and Quality Management. Email: [Manduthr@dut.ac.za](mailto:Manduthr@dut.ac.za)



**Timothy T. Adeliyi** is a Senior Lecturer at the University of Pretoria's Department of Informatics. He holds a PhD in information technology, an MSc in data networks and security, and a BSc in information technology. His research interests include multimedia systems, data science, information systems for organizations.